

PCT WORLD INT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: C12N 15/13, 15/10, 15/62, 15/70, 1/21, C07K 1/04, G01N 33/53 (11) International Publication Number:

(43) International Publication Date:

WO 97/08320

6 March 1997 (06.03.97)

(21) International Application Number:

PCT/EP96/03647

A1

(22) International Filing Date:

19 August 1996 (19.08.96)

.08.96)

(30) Priority Data:

95113021.0

18 August 1995 (18.08.95)

EP

(34) Countries for which the regional or international application was filed:

DE et al.

(71) Applicant (for all designated States except US): MORPHOSYS GESELLSCHAFT FÜR PROTEINOPTIMIERUNG MBH [DE/DE]; Frankfurter Ring 193a, D-80807 München (DE).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): KNAPPIK, Achim [DE/DE]; Killerstrasse 16, D-82166 Gräfelfing (DE). PACK, Peter [DE/DE]; Franz-Wolter-Strasse 4, D-81925 München (DE). ILAG, Vic [PH/DE]; Knorrstrasse 85, D-80807 München (DE). GE, Liming [CN/DE]; Nestroystrasse 17, D-81373 München (DE). MORONEY, Simon [NZ/DE]; Osterwaldstrasse 44, D-80805 München (DE). PLÜCKTHUN, Andreas [DE/CH]; Möhrlistrasse 97, CH-8006 Zürich (CH).
- (74) Agent: VOSSIUS & PARTNER; P.O. Box 86 07 67, D-81634 München (DE).

(81) Designated States: AU, CA, JP, US, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: PROTEIN/(POLY)PEPTIDE LIBRARIES

(57) Abstract

The present invention relates to synthetic DNA sequences which encode one or more collections of homologous proteins/(poly)peptides, and methods for generating and applying libraries of these DNA sequences. In particular, the invention relates to the preparation of a library of human-derived antibody genes by the use of synthetic consensus sequences which cover the structural repertoire of antibodies encoded in the human genome. Furthermore, the invention relates to the use of a single consensus antibody gene as a universal framework for highly diverse antibody libraries.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Amenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinca	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Larvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

BNSDOCID <WO 9708320A1 I >

Protein/(Poly)peptide Libraries

Field of the Invention

The present invention relates to synthetic DNA sequences which encode one or more collections of homologous proteins/(poly)peptides, and methods for generating and applying libraries of these DNA sequences. In particular, the invention relates to the preparation of a library of human-derived antibody genes by the use of synthetic consensus sequences which cover the structural repertoire of antibodies encoded in the human genome. Furthermore, the invention relates to the use of a single consensus antibody gene as a universal framework for highly diverse antibody libraries.

Background to the Invention

All current recombinant methods which use libraries of proteins/(poly)peptides, e.g. antibodies, to screen for members with desired properties, e.g. binding a given ligand, do not provide the possibility to improve the desired properties of the members in an easy and rapid manner. Usually a library is created either by inserting a random oligonucleotide sequence into one or more DNA sequences cloned from an organism, or a family of DNA sequences is cloned and used as the library. The library is then screened, e.g. using phage display, for members which show the desired property. The sequences of one or more of these resulting molecules are then determined. There is no general procedure available to improve these molecules further on.

Winter (EP 0 368 684 B1) has provided a method for amplifying (by PCR), cloning, and expressing antibody variable region genes. Starting with these genes he was able to create libraries of functional antibody fragments by randomizing the CDR3 of the heavy and/or the light chain. This process is functionally equivalent to the natural process of VJ and VDJ recombination which occurs during the development of B-cells in the immune system.

However the Winter invention does not provide a method for optimizing the binding affinities of antibody fragments further on, a process which would be functionally equivalent to the naturally occurring phenomenon of "affinity maturation", which is provided by the present invention. Furthermore, the Winter invention does not provide for artificial variable region genes, which represent a whole family of

structurally similar natural genes, and which can be assembled from synthetic DNA oligonucleotides. Additionally, Winter does not enable the combinatorial assembly of portions of antibody variable regions, a feature which is provided by the present invention. Furthermore, this approach has the disadvantage that the genes of all antibodies obtained in the screening procedure have to be completely sequenced, since, except for the PCR priming regions, no additional sequence information about the library members is available. This is time and labor intensive and potentially leads to sequencing errors.

The teaching of Winter as well as other approaches have tried to create large antibody libraries having high diversity in the complementarity determining regions (CDRs) as well as in the frameworks to be able to find antibodies against as many different antigens as possible. It has been suggested that a single universal framework may be useful to build antibody libraries, but no approach has yet been successful.

Another problem lies in the production of reagents derived from antibodies. Small antibody fragments show exciting promise for use as therapeutic agents, diagnostic reagents, and for biochemical research. Thus, they are needed in large amounts, and the expression of antibody fragments, e.g. Fv, single-chain Fv (scFv), or Fab in the periplasm of E. coli (Skerra & Plückthun, 1988; Better et al., 1988) is now used routinely in many laboratories. Expression yields vary widely, however. While some fragments yield up to several mg of functional, soluble protein per liter and OD of culture broth in shake flask culture (Carter et al., 1992, Plückthun et al. 1996), other fragments may almost exclusively lead to insoluble material, often found in so-called inclusion bodies. Functional protein may be obtained from the latter in modest yields by a laborious and time-consuming refolding process. The factors influencing antibody expression levels are still only poorly understood. Folding efficiency and stability of the antibody fragments, protease lability and toxicity of the expressed proteins to the host cells often severely limit actual production levels, and several attempts have been tried to increase expression yields. For example, Knappik & Plückthun (1995) could show that expression yield depends on the antibody sequence. They identified key residues in the antibody framework which influence expression yields dramatically. Similarly, Ullrich et al. (1995) found that point mutations in the CDRs can increase the yields in periplasmic antibody fragment expression. Nevertheless, these strategies are only applicable to a few antibodies. Since the Winter invention uses existing repertoires of antibodies, no influence on expressibility of the genes is possible.

Furthermore, the findings of Knappik & Plückthun and Ullrich demonstrate that the knowledge about antibodies, especially about folding and expression is still increasing. The Winter invention does not allow to incorporate such improvements into the library design.

The expressibility of the genes is important for the library quality as well, since the screening procedure relies in most cases on the display of the gene product on a phage surface, and efficient display relies on at least moderate expression of the gene.

These disadvantages of the existing methodologies are overcome by the present invention, which is applicable for all collections of homologous proteins. It has the following novel and useful features illustrated in the following by antibodies as an example:

Artificial antibodies and fragments thereof can be constructed based on known antibody sequences, which reflect the structural properties of a whole group of homologous antibody genes. Therefore it is possible to reduce the number of different genes without any loss in the structural repertoire. This approach leads to a limited set of artificial genes, which can be synthesized de novo, thereby allowing introduction of cleavage sites and removing unwanted cleavages sites. Furthermore, this approach enables (i), adapting the codon usage of the genes to that of highly expressed genes in any desired host cell and (ii), analyzing all possible pairs of antibody light (L) and heavy (H) chains in terms of interaction preference, antigen preference or recombinant expression titer, which is virtually impossible using the complete collection of antibody genes of an organism and all combinations thereof.

The use of a limited set of completely synthetic genes makes it possible to create cleavage sites at the boundaries of encoded structural sub-elements. Therefore, each gene is built up from modules which represent structural sub-elements on the protein/(poly)peptide level. In the case of antibodies, the modules consist of "framework" and "CDR" modules. By creating separate framework and CDR modules, different combinatorial assembly possibilities are enabled. Moreover, if two or more artificial genes carry identical pairs of cleavage sites at the boundaries of each of the genetic sub-elements, pre-built libraries of sub-elements can be inserted in these genes simultaneously, without any additional information related to any particular gene sequence. This strategy enables rapid optimization of, for example, antibody affinity, since DNA cassettes encoding libraries of genetic sub-elements can be (i), pre-built, stored and reused and (ii), inserted in any of these

sequences at the right position without knowing the actual sequence or having to determine the sequence of the individual library member.

Additionally, new information about amino acid residues important for binding, stability, or solubility and expression could be integrated into the library design by replacing existing modules with modules modified according to the new observations.

The limited number of consensus sequences used for creating the library allows to speed up the identification of binding antibodies after screening. After having identified the underlying consensus gene sequence, which could be done by sequencing or by using fingerprint restriction sites, just those part(s) comprising the random sequence(s) have to be determined. This reduces the probability of sequencing errors and of false-positive results.

The above mentioned cleavage sites can be used only if they are unique in the vector system where the artificial genes have been inserted. As a result, the vector has to be modified to contain none of these cleavage sites. The construction of a vector consisting of basic elements like resistance gene and origin of replication, where cleavage sites have been removed, is of general interest for many cloning attempts. Additionally, these vector(s) could be part of a kit comprising the above mentioned artificial genes and pre-built libraries.

The collection of artificial genes can be used for a rapid humanization procedure of non-human antibodies, preferably of rodent antibodies. First, the amino acid sequence of the non-human, preferably rodent antibody is compared with the amino acid sequences encoded by the collection of artificial genes to determine the most homologous light and heavy framework regions. These genes are then used for insertion of the genetic sub-elements encoding the CDRs of the non-human, preferably rodent antibody.

Surprisingly, it has been found that with a combination of only one consensus sequence for each of the light and heavy chains of a scFv fragment an antibody repertoire could be created yielding antibodies against virtually every antigen. Therefore, one aspect of the present invention is the use of a single consensus sequence as a universal framework for the creation of useful (poly)peptide libraries and antibody consensus sequences useful therefor.

Detailed Description of the Invention

The present invention enables the creation of useful libraries of (poly)peptides. In a first embodiment, the invention provides for a method of setting up nucleic acid sequences suitable for the creation of said libraries. In a first step, a collection of at least three homologous proteins is identified and then analyzed. Therefore, a database of the protein sequences is established where the protein sequences are aligned to each other. The database is used to define subgroups of protein sequences which show a high degree of similarity in both the sequence and, if information is available, in the structural arrangement. For each of the subgroups a (poly)peptide sequence comprising at least one consensus sequence is deduced which represents the members of this subgroup; the complete collection of (poly)peptide sequences represent therefore the complete structural repertoire of the collection of homologous proteins. These artificial (poly)peptide sequences are then analyzed, if possible, according to their structural properties to identify unfavorable interactions between amino acids within said (poly)peptide sequences or between said or other (poly)peptide sequences, for example, in multimeric proteins. Such interactions are then removed by changing the consensus sequence accordingly. The (poly)peptide sequences are then analyzed to identify subelements such as domains, loops, helices or CDRs. The amino acid sequence is backtranslated into a corresponding coding nucleic acid sequence which is adapted to the codon usage of the host planned for expressing said nucleic acid sequences. A set of cleavage sites is set up in a way that each of the sub-sequences encoding the sub-elements identified as described above, is flanked by two sites which do not occur a second time within the nucleic acid sequence. This can be achieved by either identifying a cleavage site already flanking a sub-sequence of by changing one or more nucleotides to create the cleavage site, and by removing that site from the remaining part of the gene. The cleavage sites should be common to all corresponding sub-elements or sub-sequences, thus creating a fully modular arrangement of the sub-sequences in the nucleic acid sequence and of the subelements in the corresponding (poly)peptide.

In a further embodiment, the invention provides for a method which sets up two or more sets of (poly)peptides, where for each set the method as described above is performed, and where the cleavage sites are not only unique within each set but also between any two sets. This method can be applied for the creation of (poly)peptide libraries comprising for example two α -helical domains from two different proteins, where said library is screened for novel hetero-association domains.

In yet a further embodiment, at least two of the sets as described above, are derived from the same collection of proteins or at least a part of it. This describes libraries comprising for example, but not limited to, two domains from antibodies such as VH and VL, or two extracellular loops of transmembrane receptors.

In another embodiment, the nucleic acid sequences set up as described above, are synthesized. This can be achieved by any one of several methods well known to the practitioner skilled in the art, for example, by total gene synthesis or by PCR-based approaches.

In one embodiment, the nucleic acid sequences are cloned into a vector. The vector could be a sequencing vector, an expression vector or a display (e.g. phage display) vector, which are well known to those skilled in the art. Any vector could comprise one nucleic acid sequence, or two or more nucleic sequences, either in different or the same operon. In the last case, they could either be cloned separately or as contiguous sequences.

In one embodiment, the removal of unfavorable interactions as described above, leads to enhanced expression of the modified (poly)peptides.

In a preferred embodiment, one or more sub-sequences of the nucleic acid sequences are replaced by different sequences. This can be achieved by excising the sub-sequences using the conditions suitable for cleaving the cleavage sites adjacent to or at the end of the sub-sequence, for example, by using a restriction enzyme at the corresponding restriction site under the conditions well known to those skilled in the art, and replacing the sub-sequence by a different sequence compatible with the cleaved nucleic acid sequence. In a further preferred embodiment, the different sequences replacing the initial sub-sequence(s) are genomic or rearranged genomic sequences, for example in grafting CDRs from nonhuman antibodies onto consensus antibody sequences for rapid humanization of non-human antibodies. In the most preferred embodiment, the different sequences are random sequences, thus replacing the sub-sequence by a collection of sequences to introduce variability and to create a library. The random sequences can be assembled in various ways, for example by using a mixture of mononucleotides or preferably a mixture of trinucleotides (Virnekäs et al., 1994) during automated oligonucleotide synthesis, by error-prone PCR or by other methods well known to the practitioner in the art. The random sequences may be completely randomized or biased towards or against certain codons according to

the amino acid distribution at certain positions in known protein sequences. Additionally, the collection of random sub-sequences may comprise different numbers of codons, giving rise to a collection of sub-elements having different lengths.

In another embodiment, the invention provides for the expression of the nucleic acid sequences from a suitable vector and under suitable conditions well known to those skilled in the art.

In a further preferred embodiment, the (poly)peptides expressed from said nucleic acid sequences are screened and, optionally, optimized. Screening may be performed by using one of the methods well known to the practitioner in the art, such as phage-display, selectively infective phage, polysome technology to screen for binding, assay systems for enzymatic activity or protein stability. (Poly)peptides having the desired property can be identified by sequencing of the corresponding nucleic acid sequence or by amino acid sequencing or mass spectrometry. In the case of subsequent optimization, the nucleic acid sequences encoding the initially selected (poly)peptides can optionally be used without sequencing. Optimization is performed by repeating the replacement of sub-sequences by different sequences, preferably by random sequences, and the screening step one or more times.

The desired property the (poly)peptides are screened for is preferably, but not exclusively, selected from the group of optimized affinity or specificity for a target molecule, optimized enzymatic activity, optimized expression yields, optimized stability and optimized solubility.

In one embodiment, the cleavage sites flanking the sub-sequences are sites recognized and cleaved by restriction enzymes, with recognition and cleavage sequences being either identical or different, the restricted sites either having blunt or sticky ends.

The length of the sub-elements is preferably, but not exclusively ranging between 1 amino acid, such as one residue in the active site of an enzyme or a structure-determining residue, and 150 amino acids, as for whole protein domains. Most preferably, the length ranges between 3 and 25 amino acids, such as most commonly found in CDR loops of antibodies.

The nucleic acid sequences could be RNA or, preferably, DNA.

-7-

In one embodiment, the (poly)peptides have an amino acid pattern characteristic of a particular species. This can for example be achieved by deducing the consensus sequences from a collection of homologous proteins of just one species, most preferably from a collection of human proteins. Since the (poly)peptides comprising consensus sequences are artificial, they have to be compared to the protein sequence(s) having the closest similarity to ensure the presence of said characteristic amino acid pattern.

In one embodiment, the invention provides for the creation of libraries of (poly)peptides comprising at least part of members or derivatives of the immunoglobulin superfamily, preferably of member or derivatives of the immnoglobulins. Most preferably, the invention provides for the creation of libraries of human antibodies, wherein said (poly)peptides are or are derived from heavy or light chain variable regions wherein said structural sub-elements are framework regions (FR) 1, 2, 3, or 4 or complementary determining regions (CDR) 1, 2, or 3. In a first step, a database of published antibody sequences of human origin is established where the antibody sequences are aligned to each other. The database is used to define subgroups of antibody sequences which show a high degree of similarity in both the sequence and the canonical fold of CDR loops (as determined by analysis of antibody structures). For each of the subgroups a consensus sequence is deduced which represents the members of this subgroup; the complete collection of consensus sequences represent therefore the complete structural repertoire of human antibodies.

These artificial genes are then constructed e.g. by total gene synthesis or by the use of synthetic genetic subunits. These genetic subunits correspond to structural subelements on the (poly)peptide level. On the DNA level, these genetic subunits are defined by cleavage sites at the start and the end of each of the sub-elements, which are unique in the vector system. All genes which are members of the collection of consensus sequences are constructed such that they contain a similar pattern of corresponding genetic sub-sequences. Most preferably, said (poly)peptides are or are derived from the HuCAL consensus genes: $V\kappa1$, $V\kappa2$, $V\kappa3$, $V\kappa4$, $V\lambda1$, $V\lambda2$, $V\lambda3$, VH1A, VH1B, VH2, VH3, VH4, VH5, VH6, $C\kappa$, $C\lambda$, CH1 or any combination of said HuCAL consensus genes.

This collection of DNA molecules can then be used to create libraries of antibodies or antibody fragments, preferably Fv, disulphide-linked Fv, single-chain Fv (scFv), or Fab fragments, which may be used as sources of specificities against new target antigens. Moreover, the affinity of the antibodies can be optimized using pre-built library cassettes and a general procedure. The invention provides a method for identifying one or more genes encoding one or more antibody fragments which

binds to a target, comprising the steps of expressing the antibody fragments, and then screening them to isolate one or more antibody fragments which bind to a given target molecule. Preferably, an scFv fragment library comprising the combination of HuCAL VH3 and HuCAL Vλ2 consensus genes and at least a random sub-sequence encoding the heavy chain CDR3 sub-element is screened for binding antibodies. If necessary, the modular design of the genes can then be used to excise from the genes encoding the antibody fragments one or more genetic sub-sequences encoding structural sub-elements, and replacing them by one or more second sub-sequences encoding structural sub-elements. The expression and screening steps can then be repeated until an antibody having the desired affinity is generated.

Particularly preferred is a method in which one or more of the genetic subunits (e.g. the CDRs) are replaced by a random collection of sequences (the library) using the said cleavage sites. Since these cleavage sites are (i) unique in the vector system and (ii) common to all consensus genes, the same (pre-built) library can be inserted into all artificial antibody genes. The resulting library is then screened against any chosen antigen. Binding antibodies are selected, collected and used as starting material for the next library. Here, one or more of the remaining genetic subunits are randomized as described above.

A further embodiment of the present invention relates to fusion proteins by providing for a DNA sequence which encodes both the (poly)peptide, as described above, as well as an additional moiety. Particularly preferred are moieties which have a useful therapeutic function. For example, the additional moiety may be a toxin molecule which is able to kill cells (Vitetta et al., 1993). There are numerous examples of such toxins, well known to the one skilled in the art, such as the bacterial toxins Pseudomonas exotoxin A, and diphtheria toxin, as well as the plant toxins ricin, abrin, modeccin, saporin, and gelonin. By fusing such a toxin for example to an antibody fragment, the toxin can be targeted to, for example, diseased cells, and thereby have a beneficial therapeutic effect. Alternatively, the additional moiety may be a cytokine, such as IL-2 (Rosenberg & Lotze, 1986), which has a particular effect (in this case a T-cell proliferative effect) on a family of cells. In a further embodiment, the additional moiety may confer on its (poly)peptide partner a means of detection and/or purification. For example, the fusion protein could comprise the modified antibody fragment and an enzyme commonly used for detection purposes, such as alkaline phosphatase (Blake et al., 1984). There are numerous other moieties which can be used as detection or purification tags, which are well known to the practitioner skilled in the art. Particularly preferred are peptides comprising at least five histidine resides (Hochuli et al.; 1988), which are able to bind to metal ions.

and can therefore be used for the purification of the protein to which they are fused (Lindner et al., 1992). Also provided for by the invention are additional moieties such as the commonly used C-myc and FLAG tags (Hopp et al., 1988; Knappik & Plückthun, 1994).

By engineering one or more fused additional domains, antibody fragments or any other (poly)peptide can be assembled into larger molecules which also fall under the scope of the present invention. For example, mini-antibodies (Pack, 1994) are dimers comprising two antibody fragments, each fused to a self-associating dimerization domain. Dimerization domains which are particularly preferred include those derived from a leucine zipper (Pack & Plückthun, 1992) or helix-turn-helix motif (Pack et al., 1993).

All of the above embodiments of the present invention can be effected using standard techniques of molecular biology known to anyone skilled in the art.

In a further embodiment, the random collection of sub-sequences (the library) is inserted into a singular nucleic acid sequence encoding one (poly)peptide, thus creating a (poly)peptide library based on one universal framework. Preferably a random collection of CDR sub-sequences is inserted into a universal antibody framework, for example into the HuCAL $H3\kappa2$ single-chain Fv fragment described above.

In further embodiments, the invention provides for nucleic acid sequence(s), vector(s) containing the nucleic acid sequence(s), host cell(s) containing the vector(s), and (poly)peptides, obtainable according to the methods described above.

In a further preferred embodiment, the invention provides for modular vector systems being compatible with the modular nucleic acid sequences encoding the (poly)peptides. The modules of the vectors are flanked by restriction sites unique within the vector system and essentially unique with respect to the restriction sites incorporated into the nucleic acid sequences encoding the (poly)peptides, except for example the restriction sites necessary for cloning the nucleic acid sequences into the vector. The list of vector modules comprises origins of single-stranded replication, origins of double-stranded replication for high- and low copy number plasmids, promotor/operator, repressor or terminator elements, resistance genes, potential recombination sites, gene III for display on filamentous phages, signal sequences, purification and detection tags, and sequences of additional moieties.

The vectors are preferably, but not exclusively, expression vectors or vectors suitable for expression and screening of libraries.

In another embodiment, the invention provides for a kit, comprising one or more of the list of nucleic acid sequence(s), recombinant vector(s), (poly)peptide(s), and vector(s) according to the methods described above, and suitable host cell(s) for producing the (poly)peptide(s).

In a preferred embodiment, the invention provides for the creation of libraries of human antibodies. In a first step, a database of published antibody sequences of human origin is established. The database is used to define subgroups of antibody sequences which show a high degree of similarity in both the sequence and the canonical fold (as determined by analysis of antibody structures). For each of the subgroups a consensus sequence is deduced which represents the members of this subgroup; the complete collection of consensus sequences represent therefore the complete structural repertoire of human antibodies.

These artificial genes are then constructed by the use of synthetic genetic subunits. These genetic subunits correspond to structural sub-elements on the protein level. On the DNA level, these genetic subunits are defined by cleavage sites at the start and the end of each of the subelements, which are unique in the vector system. All genes which are members of the collection of consensus sequences are constructed such that they contain a similar pattern of said genetic subunits.

This collection of DNA molecules can then be used to create libraries of antibodies which may be used as sources of specificities against new target antigens. Moreover, the affinity of the antibodies can be optimised using pre-built library cassettes and a general procedure. The invention provides a method for identifying one or more genes encoding one or more antibody fragments which binds to a target, comprising the steps of expressing the antibody fragments, and then screening them to isolate one or more antibody fragments which bind to a given target molecule. If necessary, the modular design of the genes can then be used to excise from the genes encoding the antibody fragments one or more genetic subsequences encoding structural sub-elements, and replacing them by one or more second sub-sequences encoding structural sub-elements. The expression and screening steps can then be repeated until an antibody having the desired affinity is generated.

Particularly preferred is a method in which one or more of the genetic subunits (e.g. the CDR's) are replaced by a random collection of sequences (the library) using the said cleavage sites. Since these cleavage sites are (i) unique in the vector system and (ii) common to all consensus genes, the same (pre-built) library can be inserted into all artificial antibody genes. The resulting library is then screened against any chosen antigen. Binding antibodies are eluted, collected and used as starting material for the next library. Here, one or more of the remaining genetic subunits are randomised as described above.

Definitions

Protein:

The term protein comprises monomeric polypeptide chains as well as homo- or heteromultimeric complexes of two or more polypeptide chains connected either by covalent interactions (such as disulphide bonds) or by non-covalent interactions (such as hydrophobic or electrostatic interactions).

Analysis of homologous proteins:

The amino acid sequences of three or more proteins are aligned to each other (allowing for introduction of gaps) in a way which maximizes the correspondence between identical or similar amino acid residues at all positions. These aligned sequences are termed homologous if the percentage of the sum of identical and/or similar residues exceeds a defined threshold. This threshold is commonly regarded by those skilled in the art as being exceeded when at least 15% of the amino acids in the aligned genes are identical, and at least 30% are similar. Examples for families of homologous proteins are: immunoglobulin superfamily, scavenger receptor superfamily, fibronectin superfamilies (e.g. type II and III), complement control protein superfamily, cytokine receptor superfamily, cystine knot proteins, tyrosine kinases, and numerous other examples well known to one of ordinary skill in the art.

Consensus sequence:

Using a matrix of at least three aligned amino acid sequences, and allowing for gaps in the alignment, it is possible to determine the most frequent amino acid residue at each position. The consensus sequence is that sequence which comprises the amino acids which are most frequently represented at each position. In the event that two or more amino acids are equally represented at a single position, the consensus sequence includes both or all of those amino acids.

Removing unfavorable interactions:

The consensus sequence is per se in most cases artificial and has to be analyzed in order to change amino acid residues which, for example, would prevent the resulting molecule to adapt a functional tertiary structure or which would block the interaction with other (poly)peptide chains in multimeric complexes. This can be done either by (i) building a three-dimensional model of the consensus sequence using known related structures as a template, and identifying amino acid residues within the model which may interact unfavorably with each other, or (ii) analyzing the matrix of aligned amino acid sequences in order to detect combinations of amino

acid residues within the sequences which frequently occur together in one sequence and are therefore likely to interact with each other. These probable interaction-pairs are then tabulated and the consensus is compared with these "interaction maps". Missing or wrong interactions in the consensus are repaired accordingly by introducing appropriate changes in amino acids which minimize unfavorable interactions.

Identification of structural sub-elements:

Structural sub-elements are stretches of amino acid residues within a protein/(poly)peptide which correspond to a defined structural or functional part of the molecule. These can be loops (e.g. CDR loops of an antibody) or any other secondary or functional structure within the protein/(poly)peptide (domains, α -helices, β -sheets, framework regions of antibodies, etc.). A structural sub-element can be identified using known structures of similar or homologous (poly)peptides, or by using the above mentioned matrices of aligned amino acid sequences. Here the variability at each position is the basis for determining stretches of amino acid residues which belong to a structural sub-element (e.g. hypervariable regions of an antibody).

Sub-sequence:

A sub-sequence is defined as a genetic module which is flanked by unique cleavage sites and encodes at least one structural sub-element. It is not necessarily identical to a structural sub-element.

Cleavage site:

A short DNA sequence which is used as a specific target for a reagent which cleaves DNA in a sequence-specific manner (e.g. restriction endonucleases).

Compatible cleavage sites:

Cleavage sites are compatible with each other, if they can be efficiently ligated without modification and, preferably, also without adding an adapter molecule.

Unique cleavage sites:

A cleavage site is defined as unique if it occurs only once in a vector containing at least one of the genes of interest, or if a vector containing at least one of the genes of interest could be treated in a way that only one of the cleavage sites could be used by the cleaving agent.

Corresponding (poly)peptide sequences:

Sequences deduced from the same part of one group of homologous proteins are called corresponding (poly)peptide sequences.

Common cleavage sites:

A cleavage site in at least two corresponding sequences, which occurs at the same functional position (i.e. which flanks a defined sub-sequence), which can be hydrolyzed by the same cleavage tool and which yields identical compatible ends is termed a common cleavage site.

Excising genetic sub-sequences:

A method which uses the unique cleavage sites and the corresponding cleavage reagents to cleave the target DNA at the specified positions in order to isolate, remove or replace the genetic sub-sequence flanked by these unique cleavage sites.

Exchanging genetic sub-sequences:

A method by which an existing sub-sequence is removed using the flanking cleavage sites of this sub-sequence, and a new sub-sequence or a collection of sub-sequences, which contain ends compatible with the cleavage sites thus created, is inserted.

Expression of genes:

The term expression refers to in vivo or in vitro processes, by which the information of a gene is transcribed into mRNA and then translated into a protein/(poly)peptide. Thus, the term expression refers to a process which occurs inside cells, by which the information of a gene is transcribed into mRNA and then into a protein. The term expression also includes all events of post-translational modification and transport, which are necessary for the (poly)peptide to be functional.

Screening of protein/(poly)peptide libraries:

Any method which allows isolation of one or more proteins/(poly)peptides having a desired property from other proteins/(poly)peptides within a library.

Amino acid pattern characteristic for a species:

A (poly)peptide sequence is assumed to exhibit an amino acid pattern characteristic for a species if it is deduced from a collection of homologous proteins from just this species.

Immunoglobulin superfamily (IgSF):

The IgSF is a family of proteins comprising domains being characterized by the immunoglobulin fold. The IgSF comprises for example T-cell receptors and the immunoglobulins (antibodies).

Antibody framework:

A framework of an antibody variable domain is defined by Kabat et al. (1991) as the part of the variable domain which serves as a scaffold for the antigen binding loops of this variable domain.

Antibody CDR:

The CDRs (complementarity determining regions) of an antibody consist of the antigen binding loops, as defined by Kabat et al. (1991). Each of the two variable domains of an antibody Fv fragment contain three CDRs.

HuCAL:

Acronym for <u>Human Combinatorial Antibody Library</u>. Antibody Library based on modular consensus genes according to the invention (see Example 1).

Antibody fragment:

Any portion of an antibody which has a particular function, e.g. binding of antigen. Usually, antibody fragments are smaller than whole antibodies. Examples are Fv, disulphide-linked Fv, single-chain Fv (scFv), or Fab fragments. Additionally, antibody fragments are often engineered to include new functions or properties.

Universal framework:

One single framework which can be used to create the full variability of functions, specificities or properties which is originally sustained by a large collection of different frameworks, is called universal framework.

Binding of an antibody to its target:

The process which leads to a tight and specific association between an antibody and a corresponding molecule or ligand is called binding. A molecule or ligand or any part of a molecule or ligand which is recognized by an antibody is called the target.

Replacing genetic sub-sequences

A method by which an existing sub-sequence is removed using the flanking cleavage sites of this sub-sequence, and a new sub-sequence or collection of sub-

sequences, which contains ends compatible with the cleavage sites thus created, is inserted.

Assembling of genetic sequences:

Any process which is used to combine synthetic or natural genetic sequences in a specific manner in order to get longer genetic sequences which contain at least parts of the used synthetic or natural genetic sequences.

Analysis of homologous genes:

The corresponding amino acid sequences of two or more genes are aligned to each other in a way which maximizes the correspondence between identical or similar amino acid residues at all positions. These aligned sequences are termed homologous if the percentage of the sum of identical and/or similar residues exceeds a defined threshold. This threshold is commonly regarded by those skilled in the art as being exceeded when at least 15 per cent of the amino acids in the aligned genes are identical, and at least 30 per cent are similar.

Legends to Figures and Tables

Fig. 1: Flow chart outlining the process of construction of a synthetic human antibody library based on consensus sequences.

- Fig. 2: Alignment of consensus sequences designed for each subgroup (amino acid residues are shown with their standard one-letter abbreviation). (A) kappa sequences, (B) lambda sequences and (C), heavy chain sequences. The positions are numbered according to Kabat (1991). In order to maximize homology in the alignment, gaps (—) have been introduced in the sequence at certain positions.
- Fig. 3: Gene sequences of the synthetic V kappa consensus genes. The corresponding amino acid sequences (see Fig. 2) as well as the unique cleavage sites are also shown.
- Fig. 4: Gene sequences of the synthetic V lambda consensus genes. The corresponding amino acid sequences (see Fig. 2) as well as the unique cleavage sites are also shown.
- Fig. 5: Gene sequences of the synthetic V heavy chain consensus genes. The corresponding amino acid sequences (see Fig. 2) as well as the unique cleavage sites are also shown.
- Fig. 6: Oligonucleotides used for construction of the consensus genes. The oligos are named according to the corresponding consensus gene, e.g. the gene $V\kappa 1$ was constructed using the six oligonucleotides O1K1 to O1K6. The oligonucleotides used for synthesizing the genes encoding the constant domains $C\kappa$ (OCLK1 to 8) and CH1 (OCH1 to 8) are also shown.
- Fig. 7 A/B: Sequences of the synthetic genes encoding the constant domains Cκ (A) and CH1 (B). The corresponding amino acid sequences as well as unique cleavage sites introduced in these genes are also shown.
- Fig. 7C: Functional map and sequence of module M24 comprising the synthetic $C\lambda$ gene segment (huCL lambda).
- Fig. 7D: Oligonucleotides used for synthesis of module M24.
- Fig. 8: Sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-Vk2. The signal sequence (amino acids 1 to 21) was derived from the *E. coli* phoA gene (Skerra &

Plückthun, 1988). Between the phoA signal sequence and the VH3 domain, a short sequence stretch encoding 4 amino acid residues (amino acid 22 to 25) has been inserted in order to allow detection of the single-chain fragment in Western blot or ELISA using the monoclonal antibody M1 (Knappik & Plückthun, 1994). The last 6 basepairs of the sequence were introduced for cloning purposes (EcoRI site).

- Fig. 9: Plasmid map of the vector pIG10.3 used for phage display of the H3κ2 scFv fragment. The vector is derived from pIG10 and contains the gene for the lac operon repressor, lacl, the artificial operon encoding the H3κ2-gene3ss fusion under control of the lac promoter, the lpp terminator of transcription, the single-strand replication origin of the *E. coli* phage 11 (F1_ORI), a gene encoding β-lactamase (bla) and the ColEI derived origin of replication.
- Fig. 10: Sequencing results of independent clones from the initial library, translated into the corresponding amino acid sequences. (A) Amino acid sequence of the VH3 consensus heavy chain CDR3 (position 93 to 102, Kabat numbering). (B) Amino acid sequences of 12 clones of the 10-mer library. (C) Amino acid sequences of 11 clones of the 15-mer library, *: single base deletion.
- Fig. 11: Expression test of individual library members. (A) Expression of 9 independent clones of the 10-mer library. (B) Expression of 9 independent clones of the 15-mer library. The lane designated with M contains the size marker. Both the gp3-scFv fusion and the scFv monomer are indicated.
- Fig. 12: Enrichment of specific phage antibodies during the panning against FITC-BSA. The initial as well as the subsequent fluorescein-specific sublibraries were panned against the blocking buffer and the ratio of the phage eluted from the FITC-BSA coated well vs. that from the powder milk coated well from each panning round is presented as the "specificity factor".
- Fig. 13: Phage ELISA of 24 independent clones after the third round of panning tested for binding on FITC-BSA.
- Fig. 14: Competition ELISA of selected FITC-BSA binding clones. The ELISA signals (OD_{405nm}) of scFv binding without inhibition are taken as 100%.
- Fig. 15: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against FITC-BSA, translated into the corresponding amino acid sequences (position 93 to 102. Kabat numbering).

Fig. 16: Coomassie-Blue stained SDS-PAGE of the purified anti-fluorescein softy fragments: M: molecular weight marker, A: total soluble cell extract after induction, B: fraction of the flow-through, C, D and E: purified scFv fragments 1HA-3E4, 1HA-3E5 and 1HA-3E10, respectively.

- Fig. 17: Enrichment of specific phage antibodies during the panning against β-estradiol-BSA, testosterone-BSA, BSA, ESL-1, interleukin-2, lymphotoxin-β, and LeY-BSA after three rounds of panning.
- Fig. 18: ELISA of selected ESL-1 and B-estradiol binding clones
- Fig. 19: Selectivity and cross-reactivity of HuCAL antibodies: in the diagonal specific binding of HuCAL antibodies can be seen, off-diagonal signals show non-specific cross-reactivity.
- Fig. 20: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against β-estradiol-BSA, translated into the corresponding amino acid sequences (position 93 to 102, Kabat . numbering). One clone is derived from the 10mer library.
- Fig. 21: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against testosterone-BSA, translated into the corresponding amino acid sequences (position 93 to 102, Kabat numbering).
- Fig. 22: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against lymphotoxin-B, translated into the corresponding amino acid sequences (position 93 to 102, Kabat numbering). One clone comprises a 14mer CDR, presumably introduced by incomplete coupling of the trinucleotide mixture during oligonucleotide synthesis.
- Fig. 23: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against ESL-1, translated into the corresponding amino acid sequences (position 93 to 102, Kabat numbering). Two clones are derived from the 10mer library. One clone comprises a 16mer CDR, presumably introduced by chain elongation during oligonucleotide synthesis using trinucleotides.
- Fig. 24: Sequencing results of the heavy chain CDR3s of independent clones after 3 rounds of panning against BSA, translated into the corresponding amino acid sequences (position 93 to 102, Kabat numbering).
- Fig. 25: Schematic representation of the modular pCAL vector system.
- Fig. 25a: List of restriction sites already used in or suitable for the modular HuCAL genes and pCAL vector system.
- Fig. 26: List of the modular vector elements for the pCAL vector series: shown are only those restriction sites which are part of the modular system.

Fig. 27: Functional map and sequence of the multi-cloning site module (MCS)

- Fig. 28: Functional map and sequence of the pMCS cloning vector series.
- Fig. 29: Functional map and sequence of the pCAL module M1 (see Fig. 26).
- Fig. 30: Functional map and sequence of the pCAL module M7-III (see Fig. 26).
- Fig. 31: Functional map and sequence of the pCAL module M9-II (see Fig. 26).
- Fig. 32: Functional map and sequence of the pCAL module M11-II (see Fig. 26).
- Fig. 33: Functional map and sequence of the pCAL module M14-Ext2 (see Fig. 26).
- Fig. 34: Functional map and sequence of the pCAL module M17 (see Fig. 26).
- Fig. 35: Functional map and sequence of the modular vector pCAL4.
- Fig. 35a: Functional maps and sequences of additional pCAL modules (M2, M3, M7I, M7II, M8, M10II, M11II, M12, M13, M19, M20, M21, M41) and of low-copy number plasmid vectors (pCALO1 to pCALO3).
- Fig. 35b: List of oligonucleotides and primers used for synthesis of pCAL vector modules.
- Fig. 36: Functional map and sequence of the ß-lactamase cassette for replacement of CDRs for CDR library cloning.
- Fig. 37: Oligo and primer design for V_K CDR3 libraries
- Fig. 38: Oligo and primer design for Vλ CDR3 libraries
- Fig. 39: Functional map of the pBS13 expression vector series.
- Fig. 40: Expression of all 49 HuCAL scFvs obtained by combining each of the 7 VH genes with each of the 7 VL genes (pBS13, 30°C): Values are given for the percentage of soluble vs. insoluble material, the total and the soluble amount compared to the combination H3κ2, which was set to 100%. In addition, the corresponding values for the McPC603 scFv are given.
- Table 1: Summary of human immunoglobulin germline sequences used for computing the germline membership of rearranged sequences. (A) kappa sequences, (B) lambda sequences and (C), heavy chain sequences. (1) The germline name used in the various calculations, (2) the references number for the corresponding sequence (see appendix for sequence related citations), (3) the family where each sequence belongs to and (4), the various names found in literature for germline genes with identical amino acid sequences.
- Table 2: Rearranged human sequences used for the calculation of consensus sequences. (A) kappa sequences, (B) lambda sequences and (C), heavy chain sequences. The table summarized the name of the sequence (1),

the length of the sequence in amino acids (2), the germline family (3) as well as the computed germline counterpart (4). The number of amino acid exchanges between the rearranged sequence and the germline sequence is tabulated in (5), and the percentage of different amino acids is given in (6). Column (7) gives the references number for the corresponding sequence (see appendix for sequence related citations).

- Table 3: Assignment of rearranged V sequences to their germline counterparts.

 (A) kappa sequences, (B) lambda sequences and (C), heavy chain sequences. The germline genes are tabulated according to their family (1), and the number of rearranged genes found for every germline gene is given in (2).
- Table 4: Computation of the consensus sequence of the rearranged V kappa sequences. (A), V kappa subgroup 1, (B), V kappa subgroup 2, (C), V kappa subgroup 3 and (D), V kappa subgroup 4. The number of each amino acid found at each position is tabulated together with the statistical analysis of the data. (1) Amino acids are given with their standard one-letter abbreviations (and B means D or N, Z means E or Q and X means any amino acid). The statistical analysis summarizes the number of sequences found at each position (2), the number of occurrences of the most common amino acid (3), the amino acid residue which is most common at this position (4), the relative frequency of the occurrence of the most common amino acid (5) and the number of different amino acids found at each position (6).
- Table 5: Computation of the consensus sequence of the rearranged V lambda sequences. (A), V lambda subgroup 1, (B), V lambda subgroup 2, and (C), V lambda subgroup 3. The number of each amino acid found at each position is tabulated together with the statistical analysis of the data. Abbreviations are the same as in Table 4.
- Table 6: Computation of the consensus sequence of the rearranged V heavy chain sequences. (A), V heavy chain subgroup 1A, (B), V heavy chain subgroup 1B, (C), V heavy chain subgroup 2, (D), V heavy chain subgroup 3, (E), V heavy chain subgroup 4, (F), V heavy chain subgroup 5, and (G), V heavy chain subgroup 6. The number of each amino acid found at each position is tabulated together with the statistical analysis of the data. Abbreviations are the same as in Table 4.

Examples

Example 1: Design of a Synthetic Human Combinatorial Antibody Library (HuCAL)

The following example describes the design of a fully synthetic human combinatorial antibody library (HuCAL), based on consensus sequences of the human immunoglobulin repertoire, and the synthesis of the consensus genes. The general procedure is outlined in Fig. 1.

1.1 Sequence database

1.1.1 Collection and alignment of human immunoglobulin sequences

In a first step, sequences of variable domains of human immunoglobulins have been collected and divided into three sub bases: V heavy chain (VH), V kappa (V κ) and V lambda (V λ). For each sequence, the gene sequence was then translated into the corresponding amino acid sequence. Subsequently, all amino acid sequences were aligned according to Kabat et al. (1991). In the case of V λ sequences, the numbering system of Chuchana et al. (1990) was used. Each of the three main databases was then divided into two further sub bases: the first sub base contained all sequences derived from rearranged V genes, where more than 70 positions of the sequence were known. The second sub base contained all germline gene segments (without the D- and J- minigenes; pseudogenes with internal stop codons were also removed). In all cases, where germline sequences with identical amino acid sequence but different names were found, only one sequence was used (see Table 1). The final databases of rearranged sequences contained 386, 149 and 674 entries for V κ , V λ and VH, respectively. The final databases of germline sequences contained 48, 26 and 141 entries for V κ , V λ and VH, respectively.

1.1.2 Assignment of sequences to subgroups

The sequences in the three germline databases where then grouped according to sequence homology (see also Tomlinson et al., 1992, Williams & Winter, 1993, and Cox et al., 1994). In the case of V_K , 7 families could be established. V_K was divided into 8 families and VH into 6 families. The VH germline genes of the VH7 family (Van Dijk et al., 1993) were grouped into the VH1 family, since the genes of the two families are highly homologous. Each family contained different numbers of germline genes, varying from 1 (for example VH6) to 47 (VH3).

1.2 Analysis of sequences

1.2.1 Computation of germline membership

For each of the 1209 amino acid sequences in the databases of rearranged genes, the nearest germline counterpart, i.e. the germline sequence with the smallest number of amino acid differences was then calculated. After the germline counterpart was found, the number of somatic mutations which occurred in the rearranged gene and which led to amino acid exchanges could be tabulated. In 140 cases, the germline counterpart could not be calculated exactly, because more than one germline gene was found with an identical number of amino acid exchanges. These rearranged sequences were removed from the database. In a few cases, the number of amino acid exchanges was found to be unusually large (>20 for VL and >25 for VH), indicating either heavily mutated rearranged genes or derivation from germline genes not present in the database. Since it was not possible to distinguish between these two possibilities, these sequences were also removed from the database. Finally, 12 rearranged sequences were removed from the database because they were found to have very unusual CDR lengths and composition or unusual amino acids at canonical positions (see below). In summary, 1023 rearranged sequences out of 1209 (85%) could be clearly assigned to their germline counterparts (see Table 2).

After this calculation, every rearranged gene could be arranged in one of the families established for the germline genes. Now the usage of each germline gene, i.e. the number of rearranged genes which originate from each germline gene, could be calculated (see Table 2). It was found that the usage was strongly biased towards a subset of germline genes, whereas most of the germline genes were not present as rearranged genes in the database and therefore apparently not used in the immune system (Table 3). This observation had already been reported in the case of $V\kappa$ (Cox, et al., 1994). All germline gene families, where no or only very few rearranged counterparts could be assigned, were removed from the database, leaving 4 $V\kappa$, 3 $V\lambda$, and 6 VH families.

1.2.2 Analysis of CDR conformations

The conformation of the antigen binding loops of antibody molecules, the CDRs, is strongly dependent on both the length of the CDRs and the amino acid residues located at the so-called canonical positions (Chothia & Lesk, 1987). It has been found that only a few canonical structures exist, which determine the structural

repertoire of the immunoglobulin variable domains (Chothia et al., 1989). The canonical amino acid positions can be found in CDR as well as framework regions. The 13 used germline families defined above (7 VL and 6 VH) were now analyzed for their canonical structures in order to define the structural repertoire encoded in these families.

In 3 of the 4 V κ families (V κ 1, 2 and 4), one different type of CDR1 conformation could be defined for every family. The family V κ 3 showed two types of CDR1 conformation: one type which was identical to V κ 1 and one type only found in V κ 3. All V κ CDR2s used the same type of canonical structure. The CDR3 conformation is not encoded in the germline gene segments. Therefore, the 4 V κ families defined by sequence homology and usage corresponded also to 4 types of canonical structures found in V κ germline genes.

The 3 V λ families defined above showed 3 types of CDR1 conformation, each family with one unique type. The V λ 1 family contained 2 different CDR1 lengths (13 and 14 amino acids), but identical canonical residues, and it is thought that both lengths adopt the same canonical conformation (Chothia & Lesk, 1987). In the CDR2 of the used V λ germlines, only one canonical conformation exists, and the CDR3 conformation is not encoded in the germline gene segments. Therefore, the 3 V λ 4 families defined by sequence homology and usage corresponded also to 3 types of canonical structures.

The structural repertoire of the human VH sequences was analyzed in detail by Chothia et al., 1992. In total, 3 conformations of CDR1 (H1-1, H1-2 and H1-3) and 6 conformations of CDR2 (H2-1, H2-2, H2-3, H2-4, H2-5 and H2-x) could be defined. Since the CDR3 is encoded in the D- and J-minigene segments, no particular canonical residues are defined for this CDR.

All the members of the VH1 family defined above contained the CDR1 conformation H1-1, but differed in their CDR2 conformation: the H2-2 conformation was found in 6 germline genes, whereas the conformation H2-3 was found in 8 germline genes. Since the two types of CDR2 conformations are defined by different types of amino acid at the framework position 72, the VH1 family was divided into two subfamilies: VH1A with CDR2 conformation H2-2 and VH1B with the conformation H2-3. The members of the VH2 family all had the conformations H1-3 and H2-1 in CDR1 and CDR2, respectively. The CDR1 conformation of the VH3 members was found in all cases to be H1-1, but 4 different types were found in CDR2 (H2-1, H2-3, H2-4 and H2-x). In these CDR2 conformations, the canonical framework residue 71 is always

defined by an arginine. Therefore, it was not necessary to divide the VH3 family into subfamilies, since the 4 types of CDR2 conformations were defined solely by the CDR2 itself. The same was true for the VH4 family. Here, all 3 types of CDR1 conformations were found, but since the CDR1 conformation was defined by the CDR itself (the canonical framework residue 26 was found to be glycine in all cases), no subdivisions were necessary. The CDR2 conformation of the VH4 members was found to be H2-1 in all cases. All members of the VH5 family were found to have the conformation H1-1 and H2-2, respectively. The single germline gene of the VH6 family had the conformations H1-3 and H2-5 in CDR1 and CDR2, respectively.

In summary, all possible CDR conformations of the $V\kappa$ and $V\lambda$ genes were present in the 7 families defined by sequence comparison. From the 12 different CDR conformations found in the used VH germline genes, 7 could be covered by dividing the family VH1 into two subfamilies, thereby creating 7 VH families. The remaining 5 CDR conformations (3 in the VH3 and 2 in the VH4 family) were defined by the CDRs themselves and could be created during the construction of CDR libraries. Therefore, the structural repertoire of the used human V genes could be covered by 49 (7 x 7) different frameworks.

1.2.3 Computation of consensus sequences

The 14 databases of rearranged sequences (4 V κ , 3 V λ and 7 VH) were used to compute the HuCAL consensus sequences of each subgroup (4 HuCAL- Vk, 3 HuCAL- Vλ, 7 HuCAL- VH, see Table 4, 5 and 6). This was done by counting the number of amino acid residues used at each position (position variability) and subsequently identifying the amino acid residue most frequently used at each position. By using the rearranged sequences instead of the used germline sequences for the calculation of the consensus, the consensus was weighted according to the frequency of usage. Additionally, frequently mutated and highly conserved positions could be identified. The consensus sequences were crosschecked with the consensus of the germline families to see whether the rearranged sequences were biased at certain positions towards amino acid residues which do not occur in the collected germline sequences, but this was found not to be the case. Subsequently, the number of differences of each of the 14 consensus sequences to each of the germline sequences found in each specific family was calculated. The overall deviation from the most homologous germline sequence was found to be 2.4 amino acid residues (s.d. = 2.7), ensuring that the "artificial" consensus sequences

can still be considered as truly human sequences as far as immunogenicity is concerned.

1.3 Structural analysis

So far, only sequence information was used to design the consensus sequences. Since it was possible that during the calculation certain artificial combinations of amino acid residues have been created, which are located far away in the sequence but have contacts to each other in the three dimensional structure, leading to destabilized or even misfolded frameworks, the 14 consensus sequences were analyzed according to their structural properties.

It was rationalized that all rearranged sequences present in the database correspond to functional and therefore correctly folded antibody molecules. Hence, the most homologous rearranged sequence was calculated for each consensus sequence. The positions where the consensus differed from the rearranged sequence were identified as potential "artificial residues" and inspected.

The inspection itself was done in two directions. First, the local sequence stretch around each potentially "artificial residue" was compared with the corresponding stretch of all the rearranged sequences. If this stretch was found to be truly artificial, i.e. never occurred in any of the rearranged sequences, the critical residue was converted into the second most common amino acid found at this position and analyzed again. Second, the potentially "artificial residues" were analyzed for their long range interactions. This was done by collecting all available structures of human antibody variable domains from the corresponding PDB files and calculating for every structure the number and type of interactions each amino acid residue established to each side-chain. These "interaction maps" were used to analyze the probable side-chain/side-chain interactions of the potentially "artificial residues". As a result of this analysis, the following residues were exchanged (given is the name of the gene, the position according to Kabat's numbering scheme, the amino acid found at this position as the most abundant one and the amino acid which was used instead):

VH2: S₆₅T

Vκ1: N₃₄A,

Vκ3: G₉A, D₆₀A, R₇₇S

Vλ3: V₇₈T

1.4 Design of CDR sequences

The process described above provided the complete consensus sequences derived solely from the databases of rearranged sequences. It was rationalized that the CDR1 and CDR2 regions should be taken from the databases of used germline sequences, since the CDRs of rearranged and mutated sequences are biased towards their particular antigens. Moreover, the germline CDR sequences are known to allow binding to a variety of antigens in the primary immune response, where only CDR3 is varied. Therefore, the consensus CDRs obtained from the calculations described above were replaced by germline CDRs in the case of VH and V_K . In the case of V_K , a few amino acid exchanges were introduced in some of the chosen germline CDRs in order to avoid possible protease cleavage sites as well as possible structural constraints.

The CDRs of following germline genes have been chosen:

HuCAL gene	CDR1	CDR2
HuCAL-VH1A	VH1-12-1	VH1-12-1
HuCAL-VH1B	VH1-13-16	VH1-13-6,-7,-8,-9
HuCAL-VH2	VH2-31-10,-11,-12,-13	VH2-31-3,-4
HuCAL-VH3	VH3-13-8,-9,-10	VH3-13-8,-9,-10
HuCAL-VH4	VH4-11-7 to -14	VH4-11-8,-9,-11,-12,-14,-16
		VH4-31-17,-18,-19,-20
HuCAL-VH5	VH5-12-1,-2	VH5-12-1,-2
HuCAL-VH6	VH6-35-1	VH6-35-1
HuCAL-Vκ1	Vκ1-14,-15	Vκ1-2,-3,-4,-5,-7,-8,-12,-13,-18,-19
HuCAL-Vκ2	Vĸ2-6	Vκ2-6
HuCAL-Vκ3	Vĸ3-1,-4	Vĸ3-4
HuCAL-Vκ4	Vĸ4-1	V _K 4-1
HuCAL-Vλ1	HUMLV117,DPL5	DPL5
HuCAL-Vλ2	DPL11,DPL12	DPL12
HuCAL-V).3	DPL23	HUMLV318

In the case of the CDR3s, any sequence could be chosen since these CDRs were planned to be the first to be replaced by oligonucleotide libraries. In order to study the expression and folding behavior of the consensus sequences in *E. coli*, it would be useful to have all sequences with the same CDR3, since the influence of the CDR3s on the folding behavior would then be identical in all cases. The dummy sequences QQHYTTPP and ARWGGDGFYAMDY were selected for the VL chains (kappa and lambda) and for the VH chains, respectively. These sequences are known to be compatible with antibody folding in *E. coli* (Carter et al., 1992).

1.5 Gene design

The final outcome of the process described above was a collection of 14 HuCAL amino acid sequences, which represent the frequently used structural antibody repertoire of the human immune system (see Figure 2). These sequences were back-translated into DNA sequences. In a first step, the back-translation was done using only codons which are known to be frequently used in E. coli. These gene sequences were then used for creating a database of all possible restriction endonuclease sites, which could be introduced without changing the corresponding amino acid sequences. Using this database, cleavage sites were selected which were located at the flanking regions of all sub-elements of the genes (CDRs and framework regions) and which could be introduced in all HuCAL VH, Vκ or Vλ genes simultaneously at the same position. In a few cases it was not possible to find cleavage sites for all genes of a subgroup. When this happened, the amino acid sequence was changed, if this was possible according to the available sequence and structural information. This exchange was then analyzed again as described above. In total, the following 6 amino acid residues were exchanged during this design (given is the name of the gene, the position according to Kabat's numbering scheme, the amino acid found at this position as the most abundant one and the amino acid which was used instead):

VH2: T₃Q

VH6: S₄₂G

Vκ3: E₁D, I₅₈V

Vκ4: Κ₂₄R

Vλ.3: T₂₂S

In one case (5'-end of VH framework 3) it was not possible to identify a single cleavage site for all 7 VH genes. Two different type of cleavage sites were used instead: BstEll for HuCAL VH1A, VH1B, VH4 and VH5, and NspV for HuCAL VH2, VH3, VH4 and VH6.

Several restriction endonuclease sites were identified, which were not located at the flanking regions of the sub-elements but which could be introduced in every gene of a given group without changing the amino acid sequence. These cleavage sites were also introduced in order to make the system more flexible for further improvements. Finally, all but one remaining restriction endonuclease sites were removed in every gene sequence. The single cleavage site, which was not removed was different in all genes of a subgroup and could be therefore used as a "fingerprint" site to ease the identification of the different genes by restriction digest. The designed genes, together with the corresponding amino acid sequences and the group-specific restriction endonuclease sites are shown in Figure 3, 4 and 5, respectively.

1.6 Gene synthesis and cloning

The consensus genes were synthesized using the method described by Prodromou & Pearl, 1992, using the oligonucleotides shown in Fig. 6. Gene segments encoding the human constant domains $C\kappa$, $C\lambda$ and CH1 were also synthesized, based on sequence information given by Kabat et al., 1991 (see Fig. 6 and Fig. 7). Since for both the CDR3 and the framework 4 gene segments identical sequences were chosen in all HuCAL $V\kappa$, $V\lambda$ and VH genes, respectively, this part was constructed only once, together with the corresponding gene segments encoding the constant domains. The PCR products were cloned into pCR-Script KS(+) (Stratagene, Inc.) or pZErO-1 (Invitrogen, Inc.) and verified by sequencing.

Example 2: Cloning and Testing of a HuCAL-Based Antibody Library

A combination of two of the synthetic consensus genes was chosen after construction to test whether binding antibody fragments can be isolated from a library based on these two consensus frameworks. The two genes were cloned as a single-chain Fv (scFv) fragment, and a VH-CDR3 library was inserted. In order to test the library for the presence of functional antibody molecules, a selection procedure

was carried out using the small hapten fluorescein bound to BSA (FITC-BSA) as antigen.

2.1 Cloning of the HuCAL VH3-Vk2 scFv fragment

In order to test the design of the consensus genes, one randomly chosen combination of synthetic light and heavy gene (HuCAL-Vk2 and HuCAL-VH3) was used for the construction of a single-chain antibody (scFv) fragment. Briefly, the gene segments encoding the VH3 consensus gene and the CH1 gene segment including the CDR3 - framework 4 region, as well as the Vκ2 consensus gene and the Ck gene segment including the CDR3 - framework 4 region were assembled yielding the gene for the VH3-CH1 Fd fragment and the gene encoding the Vκ2-Cκ light chain, respectively. The CH1 gene segment was then replaced by an oligonucleotide cassette encoding a 20-mer peptide linker with the sequence AGGGSGGGGGGGGGGS. The two oligonucleotides encoding this linker were 5'- TCAGCGGGTGGCGGTTCTGGCGGCGGTGGGAGCGGTGGCGGTGGTTC-TGGCGGTGGTTCCGATATCGGTCCACGTACGG-3' and 5'-AATTCCGTACG-TGGACCGATATCGGAACCACCACCGCCAGAACCACCGCCACCGCTCCCACCGC CGCCAGAACCGCCACCCGC-3', respectively. Finally, the HuCAL-Vk2 gene was inserted via EcoRV and BsiWI into the plasmid encoding the HuCAL-VH3-linker fusion, leading to the final gene HuCAL-VH3-Vk2, which encoded the two consensus sequences in the single-chain format VH-linker-VL. The complete coding sequence is shown in Fig. 8.

2.2 Construction of a monovalent phage-display phagemid vector pIG10.3

Phagemid pIG10.3 (Fig. 9) was constructed in order to create a phage-display system (Winter et al., 1994) for the H3k2 scFv gene. Briefly, the EcoRI/HindIII restriction fragment in the phagemid vector pIG10 (Ge et al., 1995) was replaced by the c-myc followed by an amber codon (which encodes an glutamate in the amber-suppresser strain XL1 Blue and a stop codon in the non-suppresser strain JM83) and a truncated version of the gene III (fusion junction at codon 249, see Lowman et al., 1991) through PCR mutagenesis.

2.3 Construction of H-CDR3 libraries

Heavy chain CDR3 libraries of two lengths (10 and 15 amino acids) were constructed using trinucleotide codon containing oligonucleotides (Virnekäs et al., 1994) as templates and the oligonucleotides complementing the flanking regions as primers. To concentrate only on the CDR3 structures that appear most often in functional antibodies, we kept the salt-bridge of R_{H94} and D_{H101} in the CDR3 loop. For the 15-mer library, both phenylalanine and methionine were introduced at position 100 since these two residues were found to occur quite often in human CDR3s of this length (not shown). For the same reason, valine and tyrosine were introduced at position 102. All other randomized positions contained codons for all amino acids except cystein, which was not used in the trinucleotide mixture.

The CDR3 libraries of lengths 10 and 15 were generated from the PCR fragments using oligonucleotide templates O3HCDR103T (5'- GATACGGCCGTGTATTA-TTGCGCGCGT (TRI) GATTATTGGGGCCAAGGCACCCTG-3') and O3HCDR153T (5'-GATACGGCCGT GTATTATTGCGCGCGT(TRI), (TTT/ATG)GAT(GTT/TAT)TGGG-GCCAAGGCACCCTG-3'), and primers O3HCDR35 (5'-GATACGGCCGTGTATTA-TTGC-3') and O3HCDR33 (5'-CAGGGTGCCTTGGCCCC-3'), where TRI are trinucleotide mixtures representing all amino acids without cystein, (TTT/ATG) and are trinucleotide mixtures encoding the phenylalanine/methionine and valine/tyrosine, respectively. The potential diversity of these libraries was 4.7 x 10⁷ and 3.4 x 10¹⁰ for 10-mer and 15-mer library, respectively. The library cassettes were first synthesized from PCR amplification of the oligo templates in the presence of both primers: 25 pmol of the oligo template O3HCDR103T or O3HCDR153T, 50 pmol each of the primers O3HCDR35 and O3HCDR33, 20 nmol of dNTP, 10x buffer and 2.5 units of Pfu DNA polymerase (Stratagene) in a total volume of 100 µl for 30 cycles (1 minute at 92°C, 1 minute at 62°C and 1 minute at 72°C). A hot-start procedure was used. The resulting mixtures were phenol-extracted, ethanol-precipitated and digested overnight with Eagl and Styl. The vector pIG10.3-scH3k2cat, where the Eagl-Styl fragment in the vector pIG10.3-scH3κ2 encoding the H-CDR3 was replaced by the chloramphenical acetyltransferase gene (cat) flanked with these two sites, was similarly digested. The digested vector (35 μ g) was gel-purified and ligated with 100 μ g of the library cassette overnight at 16°C. The ligation mixtures were isopropanol precipitated, airdried and the pellets were redissolved in 100 μl of ddH2O. The ligation was mixed with 1 ml of freshly prepared electrocompetent XL1 Blue on ice. 20 rounds of electroporation were performed and the transformants were diluted in SOC medium, shaken at 37°C for 30 minutes and plated out on large LB plates (ninp/Tet/Glucose)

at 37°C for 6-9 hrs. The number of transformants (library size) was 3.2x10⁷ and 2.3x10⁷ for the 10-mer and the 15-mer library, respectively. The colonies were suspended in 2xYT medium (Amp/Tet/Glucose) and stored as glycerol culture. In order to test the quality of the initial library, phagemids from 24 independent colonies (12 from the 10-mer and 12 from the 15-mer library, respectively) were isolated and analyzed by restriction digestion and sequencing. The restriction

colonies (12 from the 10-mer and 12 from the 15-mer library, respectively) were isolated and analyzed by restriction digestion and sequencing. The restriction analysis of the 24 phagemids indicated the presence of intact vector in all cases. Sequence analysis of these clones (see Fig. 10) indicated that 22 out of 24 contained a functional sequence in their heavy chain CDR3 regions. 1 out of 12 clones of the 10-mer library had a CDR3 of length 9 instead of 10, and 2 out of 12 clones of the 15-mer library had no open reading frame, thereby leading to a non-functional scFv; one of these two clones contained two consecutive inserts, but out of frame (data not shown). All codons introduced were presented in an even distribution.

Expression levels of individual library members were also measured. Briefly, 9 clones from each library were grown in 2xYT medium containing Amp/Tet/0.5% glucose at 37°C overnight. Next day, the cultures were diluted into fresh medium with Amp/Tet. At an OD_{600nm} of 0.4, the cultures were induced with 1 mM of IPTG and shaken at RT overnight. Then the cell pellets were suspended in 1 ml of PBS buffer + 1 mM of EDTA. The suspensions were sonicated and the supernatants were separated on an SDS-PAGE under reducing conditions, blotted on nylon membrane and detected with anti-FLAG M1 antibody (see Fig. 11). From the nine clones of the 10-mer library, all express the scFv fragments. Moreover, the gene III / scFv fusion proteins were present in all cases. Among the nine clones from the 15-mer library analyzed, 6/9 (67%) led to the expression of both scFv and the gene III/scFv fusion proteins. More importantly, all clones expressing the scFvs and gene III/scFv fusions gave rise to about the same level of expression.

2.4 Biopanning

Phages displaying the antibody libraries were prepared using standard protocols. Phages derived from the 10-mer library were mixed with phages from the 15-mer library in a ratio of 20:1 (1×10^{10} cfu/well of the 10-mer and 5×10^8 cfu/well of the 15-mer phages, respectively). Subsequently, the phage solution was used for panning in ELISA plates (Maxisorp, Nunc) coated with FITC-BSA (Sigma) at concentration of $100~\mu\text{g/ml}$ in PBS at 4°C overnight. The antigen-coated wells were blocked with 3% powder milk in PBS and the phage solutions in 1% powder milk were added to each

well and the plate was shaken at RT for 1 hr. The wells were then washed with PBST and PBS (4 times each with shaking at RT for 5 minutes). The bound phages were eluted with 0.1 M triethylamine (TEA) at RT for 10 minutes. The eluted phage solutions were immediately neutralized with 1/2 the volume of 1 M Tris Cl, pH 7.6. Eluted phage solutions (ca. 450 μ l) were used to infect 5 ml of XL1 Blue cells at 37°C for 30 min. The infected cultures were then plated out on large LB plates (Amp/Tet/Glucose) and allowed to grow at 37°C until the colonies were visible. The colonies were suspended in 2xYT medium and the glycerol cultures were made as above described. This panning round was repeated twice, and in the third round elution was carried out with addition of fluorescein in a concentration of 100 μ g/ml in PBS. The enrichment of specific phage antibodies was monitored by panning the initial as well as the subsequent fluorescein-specific sub-libraries against the blocking buffer (Fig. 12). Antibodies with specificity against fluorescein were isolated after 3 rounds of panning.

2.5 ELISA measurements

One of the criteria for the successful biopanning is the isolation of individual phage clones that bind to the targeted antigen or hapten. We undertook the isolation of anti-FITC phage antibody clones and characterized them first in a phage ELISA format. After the 3rd round of biopanning (see above), 24 phagemid containing clones were used to inoculate 100 μ l of 2xYT medium (Amp/Tet/Glucose) in an ELISA plate (Nunc), which was subsequently shaken at 37°C for 5 hrs. 100 μ l of 2xYT medium (Amp/Tet/1 mM IPTG) were added and shaking was continued for 30 minutes. A further 100 μ l of 2xYT medium (Amp/Tet) containing the helper phage (1 x 109 cfu/well) was added and shaking was done at RT for 3 hrs. After addition of kanamycin to select for successful helper phage infection, the shaking was continued overnight. The plates were then centrifuged and the supernatants were pipetted directly into ELISA wells coated with 100 μ I FITC-BSA (100 μ g/ml) and blocked with milk powder. Washing was performed similarly as during the panning procedure and the bound phages were detected with anti-M13 antibody-POD conjugate (Pharmacia) using soluble POD substrate (Boehringer-Mannheim). Of the 24 clones screened against FITC-BSA, 22 were active in the ELISA (Fig. 13). The initial libraries of similar titer gave rise to no detectable signal.

Specificity for fluorescein was measured in a competitive ELISA. Periplasmic fractions of five FITC specific scFvs were prepared as described above. Western blotting indicated that all clones expressed about the same amount of soFv fragment

(data not shown). ELISA was performed as described above, but additionally, the periplasmic fractions were incubated 30 min at RT either with buffer (no inhibition), with 10 mg/ml BSA (inhibition with BSA) or with 10 mg/ml fluorescein (inhibition with fluorescein) before adding to the well. Binding scFv fragment was detected using the anti-FLAG antibody M1. The ELISA signal could only be inhibited, when soluble fluorescein was added, indicating binding of the scFvs was specific for fluorescein (Fig. 14).

2.6 Sequence analysis

The heavy chain CDR3 region of 20 clones were sequenced in order to estimate the sequence diversity of fluorescein binding antibodies in the library (Fig. 15). In total, 16 of 20 sequences (80%) were different, showing that the constructed library contained a highly diverse repertoire of fluorescein binders. The CDR3s showed no particular sequence homology, but contained on average 4 arginine residues. This bias towards arginine in fluorescein binding antibodies had already been described by Barbas et al., 1992.

2.7 Production

E. coli JM83 was transformed with phagemid DNA of 3 selected clones and cultured in 0.5 L 2xYT medium. Induction was carried out with 1 mM IPTG at OD_{600nm} = 0.4 and growth was continued with vigorous shaking at RT overnight. The cells were harvested and pellets were suspended in PBS buffer and sonicated. The supernatants were separated from the cell debris via centrifugation and purified via the BioLogic system (Bio-Rad) by with a POROS®MC 20 column (IMAC, PerSeptive Biosystems, Inc.) coupled with an ion-exchange chromatography column. The ion-exchange column was one of the POROS®HS, CM or HQ or PI 20 (PerSeptive Biosystems, Inc.) depended on the theoretical pl of the scFv being purified. The pH of all the buffers was adjusted to one unit lower or higher than the pl of the scFv being purified throughout. The sample was loaded onto the first IMAC column, washed with 7 column volumes of 20 mM sodium phosphate, 1 M NaCl and 10 mM imidazole. This washing was followed by 7 column volumes of 20 mM sodium phosphate and 10 mM imidazole. Then 3 column volumes of an imidazole gradient (10 to 250 mM) were applied and the eluent was connected directly to the ion-exchanger. Nine column volumes of isocratic washing with 250 mM imidazole was followed by 15 column volumes of 250 mM to 100 mM and 7 column volumes of an imidazole / NaCl gradient (100 to 10 mM imidazole, 0 to 1 M NaCl). The flow rate was 5 ml/min. The purity of scFv fragments was checked by SDS-PAGE Coomassie

staining (Fig. 16). The concentration of the fragments was determined from the absorbance at 280 nm using the theoretically determined extinction coefficient (Gill & von Hippel, 1989). The scFv fragments could be purified to homogeneity (see Fig. 16). The yield of purified fragments ranged from 5 to 10 mg/L/OD.

Example 3: HuCAL H3 K2 Library Against a Collection of Antigens

In order to test the library used in Example 2 further, a new selection procedure was carried out using a variety of antigens comprising ß-estradiol, testosterone, Lewis-Y epitope (LeY), interleukin-2 (IL-2), lymphotoxin-ß (LT-ß), E-selectin ligand-1 (ESL-1), and BSA.

3.1 Biopanning

The library and all procedures were identical to those described in Example 2. The ELISA plates were coated with β -estradiol-BSA (100 μ g/ml), testosterone-BSA (100 μ g/ml), LeY-BSA (20 μ g/ml) IL-2 (20 μ g/ml), ESL-1 (20 μ g/ml) and BSA (100 μ g/ml), LT- β (denatured protein, 20 μ g/ml). In the first two rounds, bound phages were eluted with 0.1 M triethylamine (TEA) at RT for 10 minutes. In the case of BSA, elution after three rounds of panning was carried out with addition of BSA in a concentration of 100 μ g/ml in PBS. In the case of the other antigens, third round elution was done with 0.1 M triethylamine. In all cases except LeY, enrichment of binding phages could be seen (Figure 17). Moreover, a repetition of the biopanning experiment using only the 15-mer library resulted in the enrichment of LeY-binding phages as well (data not shown).

3.2. ELISA measurements

Clones binding to \$\text{B}\$-estradiol, testosterone, LeY, LT-\$\text{B}\$, ESL-1 and BSA were further analyzed and characterized as described in Example 2 for FITC. ELISA data for anti-\$\text{B}\$-estradiol and anti-ESL-1 antibodies are shown in Fig. 18. In one experiment, selectivity and cross-reactivity of binding scFv fragments were tested. For this purpose, an ELISA plate was coated with FITC, testosterone, \$\text{B}\$-estradiol, BSA, and ESL-1, with 5 wells for each antigen arranged in 5 rows, and 5 antibodies, one against each of the antigens, were screened against each of the antigens. i.g. 19

shows the specific binding of the antibodies to the antigen it was selected for, and the low cross-reactivity with the other four antigens.

3.3 Sequence analysis

The sequencing data of several clones against ß-estradiol (34 clones), testosterone (12 clones), LT-ß (23 clones), ESL-1 (34 clones), and BSA (10 clones) are given in Figures 20 to 24.

Example 4: Vector Construction

To be able to take advantage of the modularity of the consensus gene repertoire, a vector system had to be constructed which could be used in phage display screening of HuCAL libraries and subsequent optimization procedures. Therefore, all necessary vector elements such as origins of single-stranded or double-stranded replication, promotor/operator, repressor or terminator elements, resistance genes, potential recombination sites, gene III for display on filamentous phages, signal sequences, or detection tags had to be made compatible with the restriction site pattern of the modular consensus genes. Figure 25 shows a schematic representation of the pCAL vector system and the arrangement of vector modules and restriction sites therein. Figure 25a shows a list of all restriction sites which are already incorporated into the consensus genes or the vector elements as part of the modular system or which are not yet present in the whole system. The latter could be used in a later stage for the introduction of or within new modules.

4.1 Vector modules

A series of vector modules was constructed where the restriction sites flanking the gene sub-elements of the HuCAL genes were removed, the vector modules themselves being flanked by unique restriction sites. These modules were constructed either by gene synthesis or by mutagenesis of templates. Mutagenesis was done by add-on PCR, by site-directed mutagenesis (Kunkel et al., 1991) or multisite oligonucleotide-mediated mutagenesis (Sutherland et al., 1995; Perlak, 1990) using a PCR-based assembly method.

Figure 26 contains a list of the modules constructed. Instead of the terminator module M9 (HindIII-lpp-PacI), a larger cassette M9II was prepared to introduce Fsel as additional restriction site. M9II can be cloned via HindIII/BsrGI.

All vector modules were characterized by restriction analysis and sequencing. In the case of module M11-II, sequencing of the module revealed a two-base difference in positions 164/65 compared to the sequence database of the template. These two different bases (CA → GC) created an additional BanII site. Since the same two-base difference occurs in the f1 origin of other bacteriophages, it can be assumed that the two-base difference was present in the template and not created by mutagenesis during cloning. This BanII site was removed by site-directed mutagenesis, leading to module M11-III. The BssSI site of module M14 could initially not be removed without impact on the function of the CoIE1 origin, therefore M14-Ext2 was used for cloning of the first pCAL vector series. Figures 29 to 34 are showing the functional maps and sequences of the modules used for assembly of the modular vector pCAL4 (see below). The functional maps and sequences of additional modules can be found in Figure 35a. Figure 35b contains a list of oligonucleotides and primers used for the synthesis of the modules.

4.2 Cloning vector pMCS

To be able to assemble the individual vector modules, a cloning vector pMCS containing a specific multi-cloning site (MCS) was constructed. First, an MCS cassette (Fig. 27) was made by gene synthesis. This cassette contains all those restriction sites in the order necessary for the sequential introduction of all vector modules and can be cloned via the 5'-HindIII site and a four base overhang at the 3'-end compatible with an AatII site. The vector pMCS (Figure 28) was constructed by digesting pUC19 with AatII and HindIII, isolating the 2174 base pair fragment containing the bla gene and the CoIE1 origin, and ligating the MCS cassette.

4.3 Cloning of modular vector pCAL4

This was cloned step by step by restriction digest of pMCS and subsequent ligation of the modules M1 (via AatII/XbaI), M7III (via EcoRI/HindIII), and M9II (via HindIII/BsrGI), and M11-II (via BsrGI/NheI). Finally, the bla gene was replaced by the cat gene module M17 (via AatII/BgIII), and the wild type CoIE1 origin by module M14-Ext2 (via BgIII/NheI). Figure 35 is showing the functional map and the sequence of pCAL4.

4.4 Cloning of low-copy number plasmid vectors pCALO

A series of low-copy number plasmid vectors was constructed in a similar way using the p15A module M12 instead of the CoIE1 module M14-Ext2. Figure 35a is showing the functional maps and sequences of the vectors pCALO1 to pCALO3.

Example 5: Construction of a HuCAL scFv Library

5.1. Cloning of all 49 HuCAL scFv fragments

All 49 combinations of the 7 HuCAL-VH and 7 HuCAL-VL consensus genes were assembled as described for the HuCAL VH3-V κ 2 scFv in Example 2 and inserted into the vector pBS12, a modified version of the pLisc series of antibody expression vectors (Skerra et *al.*, 1991).

5.2 Construction of a CDR cloning cassette

For replacement of CDRs, a universal ß-lactamase cloning cassette was constructed having a multi-cloning site at the 5'-end as well as at the 3'-end. The 5'-multi-cloning site comprises all restriction sites adjacent to the 5'-end of the HuCAL VH and VL CDRs, the 3'-multi-cloning site comprises all restriction sites adjacent to the 3' end of the HuCAL VH and VL CDRs. Both 5'- and 3'-multi-cloning site were prepared as cassettes via add-on PCR using synthetic oligonucleotides as 5'- and 3'-primers using wild type ß-lactamase gene as template. Figure 36 shows the functional map and the sequence of the cassette bla-MCS.

5.3. Preparation of VL-CDR3 library cassettes

The VL-CDR3 libraries comprising 7 random positions were generated from the PCR fragments using oligonucleotide templates $V\kappa 1\&V\kappa 3$, $V\kappa 2$ and $V\kappa 4$ and primers O_K3L_5 and O_K3L_3 (Fig. 37) for the $V\kappa$ genes, and $V\lambda$ and primers O_L3L_5 (5'-GCAGAAGGCGAACGTCC-3') and O_L3LA_3 (Fig. 38) for the $V\lambda$ genes. Construction of the cassettes was performed as described in Example 2.3.

5.4 Cloning of HuCAL scFv genes with VL-CDR3 libraries

Each of the 49 single-chains was subcloned into pCAL4 via Xbal/EcoRI and the VL-CDR3 replaced by the β-lactamase cloning cassette via Bbsl/Mscl, which was then replaced by the corresponding VL-CDR3 library cassette synthesized as described above. This CDR replacement is described in detail in Example 2.3 where the cat gene was used.

5.5 Preparation of VH-CDR3 library cassette

The VH-CDR3 libraries were designed and synthesized as described in Example 2.3.

5.6 Cloning of HuCAL scFv genes with VL- and VH-CDR3 libraries

Each of the 49 single-chain VL-CDR3 libraries was digested with BssHII/Styl to replace VH-CDR3. The "dummy" cassette digested with BssHII/Styl was inserted, and was then replaced by a corresponding VH-CDR3 library cassette synthesized as described above.

Example 6: Expression tests

Expression and toxicity studies were performed using the scFv format VH-linker-VL. All 49 combinations of the 7 HuCAL-VH and 7 HuCAL-VL consensus genes assembled as described in Example 5 were inserted into the vector pBS13, a modified version of the pLisc series of antibody expression vectors (Skerra et al., 1991). A map of this vector is shown in Fig. 39.

E.~coli JM83 was transformed 49 times with each of the vectors and stored as glycerol stock. Between 4 and 6 clones were tested simultaneously, always including the clone H3 κ 2, which was used as internal control throughout. As additional control, the McPC603 scFv fragment (Knappik & Plückthun, 1995) in pBS13 was expressed under identical conditions. Two days before the expression test was performed, the clones were cultivated on LB plates containing 30 μ g/ml chloramphenicol and 60 mM glucose. Using this plates an 3 ml culture (LB medium

containing 90 µg chloramphenicol and 60 mM clucose) was inoculated overnight at 37 °C. Next day the overnight culture was used to inoculate 30 ml LB medium containing chloramphenicol (30 μ g/ml). The starting OD_{600nm} was adjusted to 0.2 and a growth temperature of 30 °C was used. The physiology of the cells was monitored by measuring every 30 minutes for 8 to 9 hours the optical density at 600 nm. After the culture reached an OD_{600nm} of 0.5, antibody expression was induced by adding IPTG to a final concentration of 1 mM. A 5 ml aliquot of the culture was removed after 2 h of induction in order to analyze the antibody expression. The cells were lysed and the soluble and insoluble fractions of the crude extract were separated as described in Knappik & Plückthun, 1995. The fractions were assayed by reducing SDS-PAGE with the samples normalized to identical optical densities. After blotting and immunostaining using the α-FLAG antibody M1 as the first antibody (see Ge et al., 1994) and an Fc-specific anti-mouse antiserum conjugated to alkaline phosphatase as the second antibody, the lanes were scanned and the intensities of the bands of the expected size (appr. 30 kDa) were quantified densitometrically and tabulated relative to the control antibody (see Fig. 40).

Example 7: Optimization of Fluorescein Binders

7.1. Construction of L-CDR3 and H-CDR2 library cassettes

A L-CDR3 library cassette was prepared from the oligonucleotide template CDR3L (5'-TGGAAGCTGAAGACGTGGGCGTGTATTATTGCCAGCAG(TR5)(TRI)₄CCG(TRI)-TTTGGCCAGGGTACGAAAGTT-3') and primer 5'-AACTTTCGTACCCTGGCC-3' for synthesis of the complementary strand, where (TRI) was a trinucleotide mixture representing all amino acids except Cys, (TR5) comprised a trinucleotide mixture representing the 5 codons for Ala, Arg, His, Ser, and Tyr.

A H-CDR2 library cassette was prepared from the oligonucleotide template CDRsH (5'-AGGGTCTCGAGTGGGTGAGC(TRI)ATT(TRI)₂₋₃(6)₂(TRI)ACC(TRI)TATGCGGATA-GCGTGAAAGGCCGTTTTACCATTTCACGTGATAATTCGAAAAACACCA-3'), and primer 5'-TGGTGTTTTTCGAATTATCA-3' for synthesis of the complementary strand, where (TRI) was a trinucleotide mixture representing all amino acids except Cys, (6) comprised the incorporation of (A/G) (A/C/G) T, resulting in the formation of 6 codons for Ala, Asn, Asp, Gly, Ser, and Thr, and the length distribution being obtained by performing one substoichiometric coupling of the (TRI) mixture during synthesis, omitting the capping step normally used in DNA synthesis.

WO 97/08320

PCT/EP96/03647

DNA synthesis was performed on a 40 nmole scale, oligos were dissolved in 15

buffer, purified via gel filtration using spin columns (S-200), and the DNA concentration determined by OD measurement at 260 nm (OD $1.0 = 40 \,\mu\text{g/ml}$). 10 nmole of the oligonucleotide templates and 12 nmole of the corresponding primers were mixed and annealed at 80°C for 1 min, and slowly cooled down to 37°C within 20 to 30 min. The fill-in reaction was performed for 2 h at 37°C using Klenow polymerase ($2.0 \,\mu\text{l}$) and 250 nmole of each dNTP. The excess of dNTPs was removed by gel filtration using Nick-Spin columns (Pharmacia), and the double-stranded DNA digested with Bbsl/Mscl (L-CDR3), or Xhol/Sful (H-CDR2) over night at 37°C. The cassettes were purified via Nick-Spin columns (Pharmacia), the

concentration determined by OD measurement, and the cassettes aliquoted (15

7.2 Library cloning:

pmole) for being stored at -80°C.

DNA was prepared from the collection of FITC binding clones obtained in Example 2 (approx. 10^4 to clones). The collection of scFv fragments was isolated via Xbal/EcoRl digest. The vector pCAL4 (100 fmole, $10~\mu g$) described in Example 4.3 was similarly digested with Xbal/EcoRl, gel-purified and ligated with 300 fmole of the scFv fragment collection over night at 16° C. The ligation mixture was isopropanol precipitated, air-dried, and the pellets were redissolved in $100~\mu l$ of dd H_2 O. The ligation mixture was mixed with 1 ml of freshly prepared electrocompetent SCS 101 cells (for optimization of L-CDR3), or XL1 Blue cells (for optimization of H-CDR2) on ice. One round of electroporation was performed and the transformants were eluted in SOC medium, shaken at 37°C for 30 minutes, and an aliquot plated out on LB plates (Amp/Tet/Glucose) at 37°C for 6-9 hrs. The number of transformants was 5 x 10^4 .

Vector DNA (100 μ g) was isolated and digested (sequence and restriction map of scH3 κ 2 see Figure 8) with Bbsl/Mscl for optimization of L-CDR3, or Xhol/NspV for optimization of H-CDR2. 10 μ g of purified vector fragments (5 pmole) were ligated with 15 pmole of the L-CDR3 or H-CDR2 library cassettes over night at 16°C. The ligation mixtures were isopropanol precipitated, air-dried, and the pellets were redissolved in 100 μ l of dd H₂O. The ligation mixtures were mixed with 1 ml of freshly prepared electrocompetent XL1 Blue cells on ice. Electroporation was performed and the transformants were eluted in SOC medium and shaken at 37°C for 30 minutes. An aliquot was plated out on LB plates (Amp/Tet/Glucose) at 37°C for 6-9

hrs. The number of transformants (library size) was greater than 10⁸ for both libraries. The libraries were stored as glycerol cultures.

7:3. Biopanning

This was performed as described for the initial $H3\kappa2$ H-CDR3 library in Example 2.1. Optimized scFvs binding to FITC could be characterized and analyzed as described in Example 2.2 and 2.3, and further rounds of optimization could be made if necessary.

References

- Barbas III, C.F., Bain, J.D., Hoekstra, D.M. & Lerner, R.A., PNAS <u>89</u>, 4457-4461 (1992).
- Better, M., Chang, P., Robinson, R. & Horwitz, A.H., Science 240, 1041-1043 (1988).
- Blake, M.S., Johnston, K.H., Russel-Jones, G.J. & Gotschlich, E.C., Anal. Biochem. <u>136</u>, 175-179 (1984).
- Carter, P., Kelly, R.F., Rodrigues, M.L., Snedecor, B., Covrrubias, M., Velligan, M.D., Wong, W.L.T., Rowland, A.M., Kotts, C.E., Carver, M.E., Yang, M., Bourell, J.H., Shepard, H.M. & Henner, D., Bio/Technology <u>10</u>, 163-167 (1992).
- Chothia, C. & Lesk, A.M., J. Biol. Chem. 196, 910-917 (1987).
- Chothia, C., Lesk, A.M., Gherardi, E., Tomlinson, I.A., Walter, G., Marks, J.D., Llewelyn, M.B. & Winter, G., J. Mol. Biol. 227, 799-817 (1992).
- Chothia, C., Lesk, A.M., Tramontano, A., Levitt, M., Smith-Gill, S.J., Air, G., Sheriff, S., Padlan, E.A., Davies, D., Tulip, W.R., Colman, P.M., Spinelli, S., Alzari, P.M. & Poljak, R.J., Nature 342, 877-883 (1989).
- Chuchana, P., Blancher, A., Brockly, F., Alexandre, D., Lefranc, G & Lefranc, M.-P., Eur. J. Immunol. 20, 1317-1325 (1990).
- Cox, J.P.L., Tomlinson, I.M. & Winter, G., Eur. J. Immunol. 24, 827-836 (1994).
- Ge, L., Knappik, A., Pack, P., Freund, C. & Plückthun, A., In: Antibody Engineering. Borrebaeck, C.A.K. (Ed.). p.229-266 (1995), Oxford University Press, New York, Oxford.)
- Gill, S.C. & von Hippel, P.H., Anal. Biochem. 182, 319.326 (1989).
- Hochuli, E., Bannwarth, W., Döbeli, H., Gentz, R. & Stüber, D., Bio/Technology <u>6</u>, 1321-1325 (1988).
- Hopp, T.P., Prickett, K.S., Price, V.L., Libby, R.T., March, C.J., Cerretti, D.P., Urdal, D.L. & Conlon, P.J. Bio/Technology 6, 1204-1210 (1988).
- Kabat, E.A., Wu, T.T., Perry, H.M., Gottesmann, K.S. & Foeller, C., Sequences of proteins of immunological interest, NIH publication 91-3242 (1991).
- Knappik, A. & Plückthun, A., Biotechniques 17, 754-761 (1994).
- Knappik, A. & Plückthun, A., Protein Engineering 8, 81-89 (1995).
- Kunkel, T.A., Bebenek, K. & McClary, J., Methods in Enzymol. 204, 125-39 (1991).
- Lindner, P., Guth, B., Wülfing, C., Krebber, C., Steipe, B., Müller, F. & Plückthun, A., Methods: A Companion to Methods Enzymol. 4, 41-56 (1992).
- Lowman, H.B., Bass, S.H., Simpson, N. and Wells, J.A., Biochemistry <u>30</u>, 10832-10838 (1991).
- Paux, P. & Plückthun, A., Biochemistry 31, 1579-1584 (1992).

-44-

Pack, P., Kujau, M., Schroeckh, V., Knüpfer, U., Wenderoth, A., Riesenberg D. & Plückthun, A., Bio/Technology 11, 1271-1277 (1993).

- Pack, P., Ph.D. thesis, Ludwig-Maximilians-Universität München (1994).
- Perlak, F. J., Nuc. Acids Res. 18, 7457-7458 (1990).
- Plückthun, A., Krebber, A., Krebber, C., Horn, U., Knüpfer, U., Wenderoth, R., Nieba, L., Proba, K. & Riesenberg, D., A practical approach. Antibody Engineering (Ed. J. McCafferty). IRL Press, Oxford, pp. 203-252 (1996).
- Prodromou, C. & Pearl, L.H., Protein Engineering 5, 827-829 (1992).
- Rosenberg, S.A. & Lotze, M.T., Ann. Rev. Immunol. 4, 681-709 (1986).
- Skerra, A. & Plückthun, A., Science 240, 1038-1041 (1988).
- Skerra, A., Pfitzinger, I. & Plückthun, A., Bio/Technology 9, 273-278 (1991).
- Sutherland, L., Davidson, J., Glass, L.L., & Jacobs, H.T., BioTechniques <u>18</u>, 458-464, 1995.
- Tomlinson, I.M., Walter, G., Marks, J.D., Llewelyn, M.B. & Winter, G., J. Mol. Biol. 227, 776-798 (1992).
- Ullrich, H.D., Patten, P.A., Yang, P.L., Romesberg, F.E. & Schultz, P.G., Proc. Natl. Acad. Sci. USA <u>92</u>, 11907-11911 (1995).
- Van Dijk, K.W., Mortari, F., Kirkham, P.M., Schroeder Jr., H.W. & Milner, E.C.B., Eur. J. Immunol. 23, 832-839 (1993).
- Virnekäs, B., Ge, L., Plückthun, A., Schneider, K.C., Wellnhofer, G. & Moroney, S.E., Nucleic Acids Research 22, 5600-5607 (1994).
- Vitetta, E.S., Thorpe, P.E. & Uhr, J., Immunol. Today 14, 253-259 (1993).
- Williams, S.C. & Winter, G., Eur. J. Immunol. 23, 1456-1461 (1993).
- Winter, G., Griffiths, A.D., Hawkins, R.E. & Hoogenboom, H.R., Ann. Rev. Immunol. 12, 433-455 (1994).

Table 1A: Human kappa germline gene segments

Used Name'	Reference ²	Family ³	Germline genes
Vk1-1	9	1	08; 018; DPK1
.Vk1-2	. 1	1	L14; DPK2
Vk1-3	2	1	L15(1); HK101; HK146; HK189
Vk1-4	9	1	L11
Vk1-5	2	1	A30
Vk1-6	1	1	LFVK5
Vk 1 - 7	1	1	LFVK431
Vk1-8	1	1	L1; HK137
Vk1-9	1	1	A20; DPK4
Vk1-10	1	1	L18; Va"
Vk1-11	1	1	L4; L18; Va'; V4a
Vk1-12	2	1	L5; L19(1); Vb; Vb4; DPK5; L19(2); Vb"; DPK6
Vk1-13	2	1	L15(2); HK134; HK166; DPK7
Vk1-14	8	1	L8; Vd; DPK8
Vk1-15	8	1	L9; Ve
Vk1-16	1	1	L12(1); HK102; V1
Vk1-17	2	1	L12(2)
Vk1-18	1	1	O12a (V3b)
Vk1-19	6	1	O2; O12; DPK9
Vk 1-20	2	1	L24; Ve"; V13; DPK10
Vk1-21	1	1	04; 014
Vk1-22	2	1	L22
Vk1-23	2	1	L23
Vk2-1	1	2	A2; DPK12
Vk2-2	6	2	O1; O11(1); DPK13
Vk2-3	6	2	O12(2); V3a
Vk2-4	2	2 ~	L13
V k2-5	1	2	DPK14
Vk2-6	. 4	2	A3; A19; DPK15
Vk2-7	4	2.	A29; DPK27
Vk2-8	4	2	A13
Vk2-9	1	2	A23

Table 1A: (continued)

Used Name'	Reference ²	Family ³	Germline genes
Vk2-10	4	. 2	A7; DPK17
Vk2-11	4	2	A17; DPK18
Vk2-12	4	2	A1; DPK19
Vk3-1	11	3	A11; humkv305; DPK20
Vk3-2	1	3	L20; Vg"
Vk3-3	2	3	L2; L16; humkv328; humkv328h2; humkv328h5; DPK21
Vk3-4	11	3	A27; humkv325; VkRF; DPK22
Vk3-5	2	3	L25; DPK23
Vk3-6	2	3	L10(1)
Vk3-7	7	3	L10(2)
Vk3-8	7	3	L6; Vg
Vk4-1	3	4	B3; VkIV; DPK24
Vk5-1	10	5	B2; EV15
Vk6-1	12	6	A14; DPK25
Vk6-2	12	6	A10; A26; DPK26
Vk7-1	5	7	B1 .

Table 1B: Human lambda germline gene segments

Used Name ¹	Reference ²	Family ³	Germline genes
DPL1	1	1 .	
DPL2	1	1	HUMLV1L1
DPL3	1	1	HUMLV122
DPL4	1	1	VLAMBDA 1.1
HUMLV117	2	1	
DPL5	1	1	HUMLV117D
DPL6	. 1	1	
DPL7	1	. 1	IGLV1S2
DPL8	1	1	HUMLV1042
DPL9	1	1	HUMLV101
DPL10	1	2	
VLAMBDA 2.1	3	2	
DPL11	1	2	•
DPL12	1.	2	
DPL13	1	2	
DPL14	1	2	
DPL16	1	3	Humlv418; IGLV3S1
DPL23	1	3	VI III.1
Humlv318	4	3 .	
DPL18	1	7	4A; HUMIGLVA
DPL19	· 1	7	
DPL21	1	8	VL8.1
HUMLV801	5	8	
DPL22	1 .	9	
DPL24	1	unassigned	VLAMBDA N.2
gVLX-4.4	6	10	

Table 1C: Human heavy chain germline gene segments

Used Name¹	Reference ²	Family ³	Germline genes
VH1-12-1	19	1	DP10; DA-2; DA-6
VH1-12-8	22	1	RR.VH1:2
VH1-12-2	6	1	hv1263
VH1-12-9	7	1	YAC-7; RR.VH1.1; 1-69
VH1-12-3	19	1	DP3
VH1-12-4	19	1	DP21; 4d275a; VH7a
VH1-12-5	18	1	I-4.1b; V1-4.1b
VH1-12-6	21	1	1D37; VH7b; 7-81; YAC-10
VH1-12-7	19	1	DP14; VH1GRR; V1-18
VH1-13-1	10	1	71-5; DP2
VH1-13-2	10	1	E3-10
VH1-13-3	19	1	DP1
VH1-13-4	12	1	V35
VH1-13-5	8	1	V1-2b
VH1-13-6	18	1	I-2; DP75
VH1-13-7	21	1	V1-2
VH1-13-8	19	1	DP8
VH1-13-9	3	1 '	1-1
VH1-13-10	19	1	DP12
VH1-13-11	15	1	V13C
VH1-13-12	18	1	I-3b; DP25; V1-3b
VH1-13-13	3	1	1-92
VH1-13-14	18	1	I-3; V1-3
VH1-13-15	19	1	DP15; V1-8
VH1-13-16	3	1	21-2; 3-1; DP7; V1-46
VH1-13-17	16	1	HG3
VH1-13-18	19	. 1	DP4; 7-2; V1-45
VH1-13-19	27	1	COS 5
VH1-1X-1	19	1	DP5; 1-24P
VH2-21-1	18	2	II-5b
VH2-31-1	2	2	VH2S12-1
VH2-31-2	· 2	2	VH2S12-7
VH2-31-3	2	2 .	VH2S12-9; DP27
VH2-31-4	2	2	VH2S12-10
VH2-31-5	14	2	V2-26; DP26; 2-26
VH2-31-6	15	2	VF2-26

40)

Table 1C: (continued)

Used Name ¹	Reference ²	Family ³	Germline genes
VH2-31-7	19	2	DP28; DA-7
VH2-31-14	7	2	YAC-3; 2-70
VH2-31-8	2 .	2 ·	· VH2S12-5
VH2-31-9	2	2	VH2S12-12
VH2-31-10	18	2	II-5; V2-5
VH2-31-11	2	2	VH2S12-2; VH2S12-8
VH2-31-12	2	2	VH2S12-4; VH2S12-6
VH2-31-13	2	2	VH2S12-14
VH3-11-1	13	3	v65-2; DP44
VH3-11-2	19	3	DP45
VH3-11-3	3 .	3	13-2; DP48
VH3-11-4	19	3	DP52
VH3-11-5	14	3	v3-13
VH3-11-6	19	3	DP42
VH3-11-7	3	3	8-1B; YAC-5; 3-66
VH3-11-8	14	3	V3-53
VH3-13-1	3	3	22-2B; DP35; V3-11
VH3-13-5	19	3	DP59; VH19; V3-35
VH3-13-6	25	3	f1-p1; DP61
VH3-13-7	19	3	DP46; GL-SJ2; COS 8; hv3005; hv3005f3; 3d21b; 56p1
VH3-13-8	24	3	VH26
VH3-13-9	5	3	vh26c
VH3-13-10	19	´ 3	DP47; VH26; 3-23
VH3-13-11	3	3	1-91
VH3-13-12	19	3	DP58
VH3-13-13	3	3	1-9III; DP49; 3-30; 3d28.1
VH3-13-14	24	3	3019B9; DP50; 3-33; 3d277
VH3-13-15	27	3	COS 3
VH3-13-16	19	3	DP51
VH3-13-17	16	3	H11
VH3-13-18	19	3	DP53; COS 6; 3-74; DA-8
VH3-13-19	19 -	3	DP54; VH3-11; V3-7
VH3-13-20	. 14	3	V3-64; YAC-6
VH3-13-21	14	3	V3-48
VH3-13-22	14	3	V3-43; DP33
VH3-13-23	. 4	3	V3-33

50

Table 1C: (continued)

Used Name'	Reference ²	Family ³	Germline genes
VH3-13-24	14	3	V3-21; DP77
VH3-13-25	14	3	V3-20; DP32
VH3-13-26	14	3	V3-9; DP31
VH3-14-1	3	3	12-2; DP29; 3-72; DA-3
VH3-14-4	7	3	YAC-9; 3-73; MTGL
VH3-14-2	4	3	VHD26
VH3-14-3	19	3	DP30
VH3-1X-1	1	3	LSG8.1; LSG9.1; LSG10.1; HUM12IGVH; HUM13IGVH
VH3-1X-2	1	3	LSG11.1; HUM4IGVH
VH3-1X-3	3	3	9-1; DP38; LSG7.1; RCG1.1; LSG1.1; LSG3.1; LSG5.1; HUM15IGVH; HUM2IGVH; HUM9IGVH
VH3-1X-4	1	3	LSG4.1
VH3-1X-5	1	3	LSG2.1
VH3-1X-6	1	3	LSG6.1; HUM10IGVH
VH3-1X-7	18	3	3-15; V3-15
VH3-1X-8	1	3	LSG12.1; HUM5IGVH
VH3-1X-9	14	3	V3-49
VH4-11-1	22	4 .	Tou-VH4.21
VH4-11-2	17	4	VH4.21; DP63; VH5; 4d76; V4-34
VH4-11-3	23	4	4.44
VH4-11-4	23	4	4.44.3
VH4-11-5	23	4	4.36
VH4-11-6	23	4	4.37
VH4-11-7	18	4	IV-4; 4.35; V4-4
VH4-11-8	17	4	VH4.11; 3d197d; DP71; 58p2
VH4-11-9	20	4	H7
VH4-11-10	20	4	Н8 .
VH4-11-11	20	. 4	H9
VH4-11-12	17	4	VH4.16
VH4-11-13	23	4	4.38
VH4-11-14	17	4	VH4.15
VH4-11-15	11	4	58
VH4-11-16	10	4 .	71-4; V4-59.
VH4-21-1	11	4	11
VH4-21-2	17	4	VH4.17; VH4.23; 4d255; 4.40; DP69
VH4-21-3	17	4	VH4.19; 79; V4-4b
			51

Table 1C: (continued)

Used Name ¹	Reference ²	Family ³	Germline genes ⁴
VH4-21-4	.19	4	DP70; 4d68; 4.41
VH4-21-5	19	4	DP67; VH4-4B
VH4-21-6	17	4	VH4.22; VHSP; VH-JA
VH4-21-7	17	4	VH4.13; 1-9II; 12G-1; 3d28d; 4.42; DP68; 4-28
VH4-21-8	26	4	hv4005; 3d24d
VH4-21-9	17	4	VH4.14
VH4-31-1	23	4	4.34; 3d230d; DP78
VH4-31-2	23	4	4.34.2
VH4-31-3	19	4	DP64; 3d216d
VH4-31-4	19	4	DP65; 4-31; 3d277d
VH4-31-5	23	4	4.33; 3d75d
VH4-31-6	20	4	H10
VH4-31-7	20	4	Hil
VH4-31 - 8	23	4	4.31
VH4-31-9	23	4 '	4.32
VH4-31-10	20	4	3d277d
VH4-31-11	20	4	3d216d
VH4-31-12	20	4	3d279d
VH4-31-13	17	4	VH4.18; 4d154; DP79
VH4-31-14	8	4	V4-39
VH4-31-15	11	4	2-1; DP79
VH4-31-16	23	. 4	4.30
VH4-31-17	17	4	VH4.12
VH4-31-18	10	4	71-2; DP66
VH4-31-19	23	4	4.39
VH4-31-20	8	4	V4-61
VH5-12-1	9	. 5	VH251; DP73; VHVCW; 51-R1; VHVLB; VHVCH; VHVTT; VHVAU; VHVBLK; VhAU; V5-51
VH5-12-2	17	. 5	VHVJB
VH5-12-3	3	5	1-v; DP80; 5-78
VH5-12-4	9	5	VH32; VHVRG; VHVMW; 5~2R1
VH6-35-1	4	6	VHVI; VH6; VHVIIS; VHVITE; VHVIJB; VHVICH; VHVICW, VHVIBLK; VHVIMW; DP74; 6-1G1; V6-1

Table 2A: rearranged human kappa sequences

Name'	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference
III-3R	108	1 ·	0.8	1	1,1%	70
No.86	109	1 .	08	3	3,2%	80
AU	108	1 .	08	6	6,3%	103
ROY	108	1	80	6	6,3%	43
IC4	108	1	08	6	6,3%	70
HIV-B26	106	1	08	3	3,2%	8
GRI	108	1	08	8	8,4%	30
AG	106	1	08	8	8,6%	116
REI	108	1	08	9	9,5%	86
CLL PATIENT 16	88	1.	08	2	2,3%	122
CLL PATIENT 14	87	1	80	2	2,3%	122
CLL PATIENT 15	88	1	08	2	2,3%	122
GM4672	108	1	08	11	11,6%	24
HUM. YFC51.1	108	1	08	12	12,6%	110
LAY	108	1	80	12	12,6%	48
HIV-b13	106	1	80	9	9,7%	8
MAL-NaCl	108	1	08	13	13,7%	102
STRAb SA-1A	108	1	02	0	0,0%	120
HuVHCAMP	108	1	08	13	13,7%	100
CRO	108	1	02	10	10,5%	30
Am107	108	1	02	12	12,6%	108
WALKER	107	1	02	4	4,2%	57
III-2R	109	1	A20	0	0,0%	70
FOG1-A4	107	1	A20	4	4,2%	41
HK137	95	1	Li	. 0	0,0%	10
CEA4-8A	107	1	02	7	7,4%	41
Va'	95	1	L4	0	0,0%	90
TR1.21	108	1	02	4	4,2%	92
HAU	108	1	02	6	6,3%	123
HK102	95	1	L12(1)	0	0,0%	9
H20C3K	108	1.	L12(2)	3	3,2%	125
CHEB	108	1	02	7	7,4%	5
HK134	95	1	L15(2)	0	0.0%	10
TEL9	108	1	. 02	9	9,5%	73

5**3**

Table 2A: (continued)

Name¹	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference
TR1.32	103	1	02	3	3,2%	92
RF-KES1	97	1	A20	4 .	4,2%	121
WES	· 108	1	L5	10	10,5%	61.
DILp 1	95	1	04	1	1,1%	70
SA-4B	107	1 '	L12(2)	8	8,4%	120
HK101	9 5	1	L15(1)	0	0,0%	9.
TR1.23	108	1	02	5	5,3%	92
HF2-1/17	108	1	A30	0	0,0%	4
2E7	108	1	A30	1	1,1%	62
33.C9	107	1	L12(2)	. 7	7,4%	126
3D6	105	1	L12(2)	2	2,1%	34
- 2a	108	1	L8	. 8	8,4%	70
RF-KL1	97	1	L8	4	4,2%	121
NF-E7	108	1	A30	9	9,5%	41
R1.22	108	1	02	.7	7,4%	92
·IIV-B35	106	1	02	2	2,2%	8
HIV-b22	106	1	02	2	2,2%	8
IIV-b27	106	1	02	2	2,2%	8
HIV-B8	107	1	02	10	10,8%	8
HIV-b8	107	1	02	10	10,8%	8
RF-SJ5	95	1 .	A30	5	5.3%	113
GAL(I)	108	1	A30	6	6,3%	64
R3.5H5G	108	1	02	6	6,3%	70
HV-b14	106	1	A20	2	2,2%	8.
NF-E1	105	1	L5	8	8,4%	41
WEA	108	1	A30	8	8,4%	37
U	108	1	L12(2)	5	5,3%	40
OG1-G8	108	1	L8	11	11,6%	41
IX7RG1	108	1	L1	8	8,4%	70
BLI	108	1	L8	3	3,2%	72
KUE	108	1	L12(2)	11	11,6%	32
.UNm01	108	1 .	L12(2)	10	10,5%	6
HIV-b1	106	1	A20	4	4,3%	8
HIV-54	103	1	02	2	2,2%	8
,			54-	•		

Table 2A: (continued)

Name ¹	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ^s	% diff. to germline ⁶	Reference'
CAR	107	1	L12(2)	11	11,7%	. 79
BR	107	1	L12(2)	11	11,6%	50
CLL PATIENT 10	88	1	02	0	0,0%	122
CLL PATIENT 12	88	1	02	0	0,0%	122
KING	108	1	L12(2)	12	12,6%	30
V13	95	1	L24	0	0,0%	46
CLL PATIENT 11	87	1	02	0	0,0%	122
CLL PATIENT 13	87	1	02	0	0,0%	122
CLL PATIENT 9	88	1	012	1	1,1%	122
HIV-B2	106	1	A20	9	9,7%	8
HIV-b2	106	1	A20	9	9,7%	8
CLL PATIENT 5	88	1	A20	1	1,1%	122
CLL PATIENT 1	88	. 1	L8	2	2,3%	122
CLL PATIENT 2	88	1	L8	0	0,0%	122
CLL PATIENT 7	88	1	L5	0	0,0%	122
CL'L PATIENT 8	88	1	L5.	0	0,0%	122
HIV-b5	105	1	L5	11	12,0%	8
CLL PATIENT 3	87	1	L8	1	1,1%	122
CLL PATIENT 4	88	1	L9	0	0.0%	122
CLL PATIENT 18	85	1	L9	6	7,1%	122
CLL PATIENT 17	86	1	L12(2)	7	8,1%	122
HIV-b20	107	3	A27	11	11,7%	8
2C12	108	1	L12(2)	20	21,1%	68
1B11	108	1	L12(2)	20	21,1%	68
1H1	108	1	L12(2)	21	22,1%	68
2A12	108	1	L12(2)	21	22,1%	68
CUR	109	3	A27	0	0,0%	66
GLO	109	3	A27	0	0,0%	16
RF-TS1	96	3	A27	0	0,0%	121
GAŔ'	109	3	A27	0	0,0%	67
FLO	109	3	A27	0	0,0%	66
PIE	109	3	A27	0	0,0%	91
HAH 14.1	109	3	A27	1 .	1,0%	51
HAH 14.2	109	3	A27	1	1,0%	51

55

Table 2A: (continued)

Name' .	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference ⁷
HAH 16.1	109	3	A27	1	1,0%	51
NOV	109	3	A27	1	1,0%	52
33.F12	108	3	A27	1	1,0%	126
8E10	110	3	A27	1	1,0%	25
TH3	109	3	A27	1	1.0%	25
HIC (R)	108	3	A27	0	0,0%	51
SON	110	3	A27	1	1,0%	67
PAY	109	3	A27	1	1,0%	· 66
GOT	109	3	A27	1	1,0%	67
mAbA6H4C5	109	3	A27	1	1,0%	12
BOR'	109	3	A27	2	2,1%	84
RF-SJ3	96	3	A27	2 .	2,1%	121
SIE	109	3	A27	2	2.1%	15
ESC	109	3	A27	2	2.1%	98
HEW.	110	3	A27	2 .	2,1%	9 8
YES8c	109	. 3	A27	3	3,1%	33
TI	109	3	A27	3	3,1%	114
mAb113	109	3	A27	3	3,1%	71
HEW	107	3	A27	0	0,0%	94
BRO	106	3	A27	0	0,0%	94
ROB	106	3 .	A27	0	0,0%	94
NG9	96	3	A27	4	4,2%	11
NEU	109	3	A27	4	4,2%	6 6
WOL	109	3	A27	4	4,2%	2
35G6	109	3	A27	4	4,2%	59
RF-SJ4	109	3	A11	0	0,0%	88
KAS	109	3	A27	4	4,2%	84
BRA	106	3	A27	1	1,1%	94
HAH	106	3	A27	1	1,1%	94
HIC	105	3	A27	0	0,0%	94
FS-2	109	3	A27	6	6,3%	87
JH'	107	- 3	A27	6	6,3%	38
EV1-15	109	3	A27	6	6,3%	83
SCA .	108	3	A27 .	6	6,3%	65
			56			

Table 2A: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference
mAb112	109	3	A27	6	6,3%	71
SIC	103	3	A27	3	3,3%	94
SA-4A	109	3	A27	6	6,3 ⁰ / ₀	120
SER	108	3	A27	6	6,3%	98
GOL'	109	3	A27	7	7,3%	82
B5G10K	105	3	A27	9.	9,7%	125
HG2B10K	110	3	A27	-9	9,4%	125
Taykv322	105	3	A27	5	5,4%	52
CLL PATIENT 24	89	3	A27	1	1,1%	122
HIV-b24	107	3	A27	7	7.4%	. 8
HIV-b6	107	3	A27	7	7,4%	8
Taykv310	99	3	A27	1	1,1%	52
KA3D1	108	3	L6	0	0.0%	85
19.E7	107	3	L6	0	0,0%	126
rsv6L	109	3	A27	12	12,5%	7
Taykv320	98	3	A27	. 1	1,2%	52
Vh	96	3	L10(2)	0	0,0%	89
LS8	108	3	L6	1	1,1%	109
LS1	108	3	· L6	1	1,1%	109
LS2S3-3	107	3	L6	2	2,1%	99
LS2	· 108	3	L6	1.	1,1%	109
LS7	108	3	L6	1	1,1%	109
LS2S3-4d	107	3	L6	2	2,1%	99
LS2S3-4a	107	3	L6	2	2,1%	99
LS4	108	3	L6	1	1,1%	109
LS6	108	3	L6	1	1,1%	109
LS2S3-10a	107	3	L6	2	2,1%	99
LS2S3-8c	107	3	L6	2	2,1%	99
LS5	108	3	L6	1	1,1%	109
LS2S3-5	107	3	L6	3	3,2%	99
LUNm03	109	3	·A27	13	13,5%	. 6
IARC/BL41	108	3	A27	. 13	13,7%	55
slkv22	99	3	A27	3	3,5%	13
POP	108	3	. L6	4	4.2%	111

5,₹

Table 2A: (continued)

Name¹	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ^s	% diff. to germline ⁶	Reference
LS2S3-10b	107	3	L6	3	3,2%	99 .
LS2S3-8f	107	. 3	L6	3	3,2%	99
LS2S3-12	107	3	L6	3	3,2%	99
HIV-B30	107	3	A27	11	11,7%	8
HIV-B20	107	3	A27	11	11,7%	8
HIV-b3	108	3	A27	11	11,7%	. 8
HIV-s6	104	3	A27	. 9	9,9%	8
YSE	107	3	L2/L16	1	1,1%	72
POM	109	3	L2/L16	9	9,4%	53
Humkv328	95	3	L2/L16	1	1,1%	19
CLL	109	3	L2/L16	3	3,2%	47
LES	96	3	L2/L16	3	3,2%	38
HIV-s5	104	3	A27	11	12,1%	8
HIV-s7	104	3	A27	11	12,1%	8
slkv1	99	3	A27	7	8,1%	13
Humka31es	95	3	L2/L16	4	4,2%	18
slkv12	101	3	A27	8	9,2%	13
RF-TS2	95	3	L2/L16	3	3,2%	121
II-1	109	3	L2/L16	4	4,2%	70
HIV-s3	105	. 3	A27	13	14,3%	8
RF-TMC1	96	3 .	L6	10	10,5%	121
GER	109	3	L2/L16	7	7,4%	75
GF4/1.1	109	3	L2/L16	8	8,4%	36
mAb114	109	3	L2/L16	6	6,3%	71
HIV-loop13	109	3	L2/L16	7	7,4%	8
bkv16	86	3	L6	1	1,2%	13
CLL PATIENT 29	86	3	L6	1	1,2%	122
slkv9	98	3	L6	3	3,5%	13
bkv17	99	3	_ L6	1	1,2%	13
slkv14	99	3	L6	1	1.2%	13
slkv16	101	3	L6	2	2,3%	13
bkv33	101	. 3	L6	4	4.7%	13
slkv15	99	3	L6	2	2.3%	13
bkv6	100	3	L6	3	3,5%	13

58

Table 2A: (continued)

Name ¹	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference ⁷
R6B8K	· 108	3	L2/L16	12	12,6%	125
AL 700	107	3	L2/L16	9	9,5%	117
slkv11	100	3	L2/L16	3	3,5%	13
slkv4	97	3	L6	4	4,8%	13
CLL PATIENT 26	87	3	L2/L16	1	1,1%	122
AL Se124	103	3	L2/L16	9	9,5%	117
slkv13	100	3	L2/L16	6	7,0%	13
bkv7	100	3	L2/L16	5	5,8%	13
bkv22	100	3	L2/L16	6	7,0%	13
CLL PATIENT 27	84	3	L2/L16	0	0,0%	122
bkv35	100	3	L6	8	9,3%	13
CLL PATIENT 25	. 87	3	L2/L16	4	4,6%	122
slkv3	86	3	L2/L16	7	8,1%	13
slkv7	9 9	1	02	7	8,1%	13
Hufd79	111	3	L2/L16	24	24,2%	21
RAD	99	3	A27.	9	10,3%	78
CLL PATIENT 28	83.	3	L2/L16	4	4.8%	122
REE	104	3	L2/L16	25	27,2%	95
FR4	99	3	A27	8	9,2%	77
MD3.3	92	3	L6	1	1,3%	54
MD3.1	92	3 .	۲6 ،	0 .	0,0%	54
GA3.6	92	3	L6	2	2,6%	54
M3.5N	92	3	L6	3	3,8%	54
WEI'	82	3	A27	0	0,0%	65
MD3.4	92	3	L2/L16	1	1,3%	54
MD3.2	91	3	L6 .	3	3,8%	54
VER	97	3	A27	19	22,4%	20
CLL PATIENT 30	78	3	L6	3	3,8%	122
M3.1N	92	3	L2/L16	1	1,3%	54
MD3.6	91	3	L2/L16	0	0,0%	54
MD3.8	91	3	L2/L16	0	O,O%	54
·GA3.4	92	3	L6	7	9,0%	54
M3.6N	92	3	A27	. 0	0,0%	54
MD3.10	92	3	A27	0	0.0%	54

59

Table 2A: (continued)

Name¹	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference
MD3.13	91	3.	A27	0	0,0%	54
MD3.7	93	3	A27	0	0,0%	54
MD3.9	93	3	A27	0	0,0%	54
GA3.1	93	3	A27	6	7,6%	54
bkv32	101	3	A27	5	5,7%	13
GA3.5	93	3	A27	5	6,3%	54
GA3.7	92	3	A27	7	8,9%	54
MD3.12	92	3	A27	2	2,5%	54
M3.2N	90	3	L6	6	7,8%	54
MD3.5	92	3	A27	1	1,3%	54
M3.4N	91	3	L2/L16	8	10,3%	54
M3.8N	91	3	L2/L16	7	9,0%	54
M3.7N	92	3	A27	3	3,8%	54
GA3.2	92	3	A27	9	11,4%	54
GA3.8	93	3	A27	4	5,1%	54
GA3.3	92	3	A27	8 .	10,1%	54
M3.3N	92	3	A27 ·	5	6,3%	54
B6	83	3	A27	8	11,3%	78
E29.1 KAPPA	78	3	L2/L16	0	0,0%	22
SCW	108	1	80	. 12	12,6%	31
REI-based CAMPATH-9	107	i 1	08	14	14,7%	. 39
RZ	107	1	08	14	14,7%	50
ВІ	108	1	80	14	14,7%	14
AND	107	1	02	13	13,7%	69
2 A 4	109	1	02	12	12,6%	23
KA	108	1	08	19	20,0%	107
MEV	109	1	02 .	14	14,7%	29
DEE	106	1	02	13	14,0%	76
OU(IOC)	108	1	02	18	18,9%	60
HuRSV19VK	111	1	08	21	21,0%	115
SP2	108	1	02	17	17,9%	93
BJ26	99	1	08	21	24,1%	1
NI	112	1	. 08	24	24,2%	106
BMA 0310EUCIV2	106	1	L12(1)	21	22,3%	105

60

Table 2A: (continued)

Name¹ .	aa²	Computed family ³	Germline gene⁴	Diff. to germline ^s	% diff. to germline ⁶	Reference ²
CLL PATIENT 6	71	1	A20	0	0,0%	122
ВЈ19	85	1	08	16	21,9%	1
GM 607	113	2	A 3	0	0,0%	58
R5A3K	114	2	A 3	1	1,0%	125
R1C8K	114	2	A 3	1	1,0%	125
VK2.R149	113	2	A3	2	2,0%	118
TR1.6	109	2	A3	4	4,0%	92
TR1.37	104	. 2	A3	5	5,0%	92
FS-1	113	2	A 3	6	6,0%	87
TR1.8	110	2	A 3	6	6,0%	92
NIM	113	2	A3	8	8,0%	28
Inc	112	2 .	A3 -	11	11,0%	. 35
TEW	107	2	A 3	6	6,4%	96
CUM	114	2	01	7	6,9%	44
HRF1	7,1	2	A 3	4 .	5,6%	124
CLL PATIENT 19	87	2	A3	0	0,0%	122
CLL PATIENT 20	87	2	A3	0	0,0%	122
MIL	112	2	A3	16	16,2%	26
FR	113	2	A3	20	20,0%	101
MAL-Urine	83	1	02	6	8,6%	102
Taykv306	73	3	A27	1	1,6%	52
Taykv312	75	3	, A27	1	1,6%	52
HIV-b29	93	3	A27.	14	17,5%	8
1-185-37	110	3	A27	0	0,0%	119
1-187-29	110	3	A27	0	0.0%	119
Π117	110	3	A27	9	9,4%	63
HIV-loop8	108	3	A27	16	16,8%	8
rsv23L	108	. 3	A27	16	16,8%	7
HIV-b7	107	3	A27	14	14,9%	8
HIV-b11	107	. 3	A27	15	16,0%	8
HIV-LC1	107	3	A27	19	20,2%	8
HIV-LC7	107	.3	A27	20	21,3%	8 .
HIV-LC22	107	3	A27	21	. 22,3%	8
HIV-LC13	. 107	3	A27	. 21	22,3%	8
•			61			

Table 2A: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference
HIV-LC3	107	3	· A27	. 21	22,3%	8
HIV-LC5	107	3	A27	21	22,3%	8
HIV-LC28	107	3	A27	21	22,3%	8
HIV-b4	107	3	A2 7	22	23,4%	8
CLL PATIENT 31	87	3	A27	15	17.2%	122
HIV-loop2	108	3	L2/L16	17	17,9%	8
HIV-loop35	108	3	L2/L16	17	17,9%	8
HIV-LC11	107	3	A27	23	24,5%	8
HIV-LC24	107	3	A27	23	24,5%	8
HIV-b12	107	3	A27	24	25,5%	8
HIV-LC25	107	3	A27	24	25,5%	8
HIV-b21	107	3	A27	24	25,5%	8
HIV-LC26	107	3	A27.	26	27,7%	8
G3D10K	108	1	L12(2)	12	12,6%	125
Π125	108	1	L 5	8	8,4%	63
HIV-s2	103	3	A27	28	31,1%	8
265-695	108	1 *	L5	7	7,4%	3
2-115-19	108	1	A30	2	2,1%	119
rsv13L	107	1	.02	20	21,1%	7
HIV-b18	106	1	02	14	15,1%	8
RF-KL5	. 98	3	L6	36	36,7%	97
ZM1-1	113	2	A17	7	7,0%	3
HIV-s8	103	1	80	16	17,8%	8
K- EV15	95	5	B2	0	0,0%	112
RF-TS3	100	2	A23	0	0,0%	121
HF-21/28	111	2	A17	1	1,0%	17
RPMI6410	113	2	A17	1	1,0%	42
JC11	113	2	A17	1	1,0%	49
0-81	114	2	A17	5	5,0%	45
FK-001	113	4	В3	0	0,0%	81
CD5+.28	101	4	B3 .	1	1,0%	27
LEN	114	4	В3	1	1.0%	104
UC	114	4	В3	1	1,0%	111
CD5+.5	101	4	В3	1	1,0%	27
			62			

.

Table 2A: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference'
CD5+.26	101	4	В3	1	1,0%	27
CD5+.12	101	4	В3	2	2,0%	27
CD5+.23	101	4	В3	2	2,0%	27
CD5+.7	101	4	B 3	2	2,0%	27
VJI	113	4	B3	3	3,0%	56
LOC	113	4	B 3	3	3,0%	72
MAL	113	4	B 3	3	3,0%	72
CD5+.6	101	4	В3	3	3,0%	27
H2F	113	4	B3	3	3,0%	. 70
PB17IV	114	4	В3 -	4	4,0%	74
CD5+.27	101	4	B 3	4	4,0%	27
CD5+.9	101	·4	B3	4	4,0%	27
CD528	101	4	В3	5	5,0%	27
CD526	101	4	B 3	6	5,9%	27
CD5+.24	101	. 4	B 3	6	5,9%	27
CD5+.10	101	4	В3	6	5,9%	27
CD519	101	4	В3	6	5,9%	27
CD518	101	4	В3	7	6,9%	27
CD516	101	. 4	В3	8	7,9%	27
CD524	101	4	В3	8	7,9%	27
CD517	101	4	В3	10	9,9%	. 27
MD4.1	92	4	В3	0	0,0%	54
MD4.4	92	4	B 3	0	0,0%	54
MD4.5	92	4	B 3	0	0,0%	54
MD4.6	92	4	В3	0	0,0%	54
MD4.7	92	4	В3	0	0.0%	54
MD4.2	92	4	В3	i1	1,3%	54
MD4.3	92	4	B3	5	6,3%	54
CLL PATIENT 22	87	2	A17	2	2,3%	122
CLL PATIENT 23	84	2	A17	2	2.4%	122

Table 2B: rearranged human lambda sequences

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference
WAH	110	1	DPL3	7	7%	68
1B9/F2	112	1	DPL3	7	7%	9
DIA	112	1	DPL2	. 7	7%	36
mAb67	89	1	DPL3	0	0%	. 29
нін2	110	1	DPL3	12	11%	3
NIG-77	112	1	DPL2	9.	9%	72
OKA	112	1	DPL2	7 .	7%	84
KOL	112	1	DPL2	12	11%	40
T2:C5	111	1	DPL5	0	0%	6
T2:C14	110	1	DPL5	0	0%	6
PR-TS1	110	1	DPL5	0	0%	55
4G12	111	1	DPL5	1	1%	`35
KIM46L	112	1	HUMLV117	0	0%	8
Fog-B	111	1	DPL5	3	3%	31
9F2L	111	1	DPL5	3	3%	79
mAb111	110	1	DPL5	3	3%	48
PHOX15	111	1	DPL5	4	4%	49
BL2	111	1	DPL5	4	4%	74
NIG-64	111	1	DPL5	4	4%	72
RF-SJ2	100	. 1	DPL5	6	6%	78
AL EZI	112	1	· DPL5	7	7 %	41
ZIM	112	1	HUMLV117	7	7%	18
RF-SJ1	100	1.	DPL5	9	9%	78
IGLV1.1	98	. 1	DPL4	0	O%	1
NEW	112	1	HUMLV117	11	10%	42
CB-201	87	1	DPL2	1	1%	6 2
MEM	109	1	DPL2	6	6%	- 50
H210	111	2	DPL10	4	4%	45
NOV	110	2	DPL10	8	8%	25
NEI	111	. 2	DPL10	8	8%	24
AL MC	110	2	DPL11	6	6º/o	28
MES	112	- 2	DPL11	. 8	80/0	84
FOG1-A3	. 111	2	DPL11	9	9%	27
AL NOV	112	2	DPL11	7	7%	28
		٠.	· 4			

Table 2B: (continued)

Name¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ^s	% diff. to germline ⁶	Reference
HMST-1	110	2 .	DPL11	4	4%	82
HBW4-1	108	2	DPL12	9	9%	52
WH	110	2	DPL11	11	11%	. 34
11-50	110	2	DPL11	7 _.	7%	82
HBp2	110	2	DPL12	8	8%	3
NIG-84	113	2	DPL11	12	11%.	73
VIL	112	2	DPL11	9	9%	58
TRO	111	2	DPL12	10	10%	61
ES492	108	2	DPL11	15	15%	76
mAb216	89	2 ·	DPL12	1	1%	7
BSA3	109	.3	DPL16	0	0%	49
THY-29	110	3	DPL16	0	0%	27
PR-TS2	108	3	DPL16	0	O%	55
E29.1 LAMBDA	107	3	DPL16	1	1%	13
mAb63	109	3	DPL16	2	2%	29
TEL14	110	3	DPL16	6 .	6 %	49
6H-3C4	108	3	DPL16	7	7 %	39
SH	109	3	DPL16	7	7%	70
AL GIL	109	3	DPL16	8	8%	23
H6-3C4	108	3	DPL16	8	8%	83
V-lambda-2.DS	111	2	DPL11	3	3%	15
8.12 ID	110	2	DPL11	3	3%	81
DSC	111	2	DPL11	3	3%	56
PV11	110	2	DPL11	1	1%	56
33.H11	110	2	DPL11	. 4	4%	81
AS17	111	2	DPL11	7	7 %	56
SD6	110	2	DPL11	7	7%	56
KS3	110	2	DPL11	9	9%	56
PV6	110	2	DPL12	5	5%	. 56
NGD9	110	2	DPL11	7	7%	56
MUC1-1	111	2	DPL11	11	10%	27
A30c .	. 111	2	DPL10	6	6%	56
KS6	110	2	DPL12	6	6%	56
TEL13	111	2	DPL11 65	11	10%	49

Table 2B: (continued)

Name ¹	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference'
AS7	110	2	DPL12	6	6%	56
MCG	112	2	DPL12	12	11%	20
U266L	110	2	DPL12	13	12%	77
PR-SJ2	110	2	DPL12	14	13%	55
вон	112	2	DPL12	11	10%	37
TOG	111	2	DPL11	19	18%	5.3
TEL16	111	2	DPL11	19	18%	49
No.13	110	2	DPL10	14	13%	52
во	112	2	DPL12	18	17%	80
WIN	112	2	DPL12	17	16%	11
BUR	104	2	DPL12	15	15%	46
NIG-58	110	2	DPL12	20	19%	6 9
WEIR	112	2	DPL11	26	25%	21
THY-32	111	1	DPL8	8	8%	27
TNF-H9G1	111	1	DPL8	9	9%	27
mAb61	111	1	DPL3	1	1%	29
LV1L1	.98	1	DPL2	0	0%	54
НА	113	1	DPL3	14	13%	63
LA1L1	111	. 1	DPL2	3	3%	54
RHE	112	1	DPL1	17	16%	22
K1B12L	113	1	DPL8	. 17	16%	79
LOC	113	1	DPL2	15	14%	84
NIG-51	112	1	DPL2	12	11%	67
NEWM	104	1	DPL8	23	22%	10
MD3-4	106	3	DPL23	14	13%	4
COX	112	1	DPL2	13	12%	84
HiH10	106	3	DPL23	13	12%	3
VOR	112	1	DPL2	16	15%	16
AL POL	113	1	DPL2 ·	16	15%	57
CD4-74	111	1	DPL2	19	18%	27
AMYLOID MOL	102	3	DPL23	15	15%	30
OST577	108	3 .	Humlv318	10	10%	4
NIG-48	113	1	DPL3	42	40%	. 66
CARR	108	3	DPL23	18	17%	19

Table 2B:

(continued)

Name ¹	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference'
mAb60	108	3	·DPL23	14	13%	29
NIG-68	9 9	3	DPL23	25	26%	32
KERN	107	3	DPL23	26	25%	59
ANT	106	3	DPL23	17	16%	19
LEE	110	3	DPL23	18	17%	85
CLE .	94	3	DPL23	17	17%	19
VL8	98	8	DPL21	0	0%	81
MOT	110	3	Humlv318	23	22%	38
GAR	108	3	DPL23	26	25%	33
32. B 9	98	8	DPL21	5	5%	81
PUG	108	3	Humlv318	24	23%	19
T1	115	8	HUMLV801	52	50%	6
RF-TS7	96	7	DPL18	4	4%	60
YM-1	116	8	HUMLV801	51	49%	75
K6H6	112	8	HUMLV801	20	19%	44
K5C7	112	8	HUMLV801	20	19%	44
K5B8	112	8	HUMLV801	20	19%	44
K5G5	112	8	HUMLV801	20	19%	44
K4B8	112	8	HUMLV801	19	18%	44
K6F5	112	8	HUMLV801	17	16%	44
HIL	108	3	DPL23	22	21%	47
KIR	109	3	DPL23	20	19%	19
CAP	109	3	DPL23	19	18%	84
1B8	110	3	DPL23	22	21%	43
SH0	108	3	DPL23	19	18%	19
HAN	108	3	DPL23	20	19%	: 19
cML23	96	3	DPL23	3	3%	12
PR-SJ1	96	3	DPL23	7	7%	55
BAU	107	3	DPL23	9	9%	5
TEX	99	3	DPL23	8	8%	19
X(PET)	107	3	DPL23	9	9%	51
DOY .	106	3	DPL23	9	9%	19
COT	106	3	DPL23	13	12%	19
Pag-1	111	3	Humlv318	5	5%	31
	•		62			

67

Table 2B: (continued)

Name	•	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference ⁷
DIS		107	3	Humiv318	2	2%	19
WIT		108	3	Humlv318	7	. 7%	19
I.RH		108	3	Humlv318	12	11%	19
S1-1		108	3	Humiv318	12	11%	52
DEL		108	3	Humlv318	14	13%	17
TYR		108	3	Humlv318	- 11	10%	19
J.RH		109	3	Humlv318	13	12%	19
THO		112	2	DPL13	38	36%	. 26
LBV		113	1	DPL3	38	36%	2
WLT		112	1	DPL3	33	31%	14
SUT		112	2	DPL12	37	35%	65

Table 2C: rearranged human heavy chain sequences

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference
21/28	119	1	VH1-13-12	0	0.0%	31
8E10	123	1	VH1-13-12	. 0	0,0%	31
MUC1-1	- 118	1.	VH1-13-6	. 4	4,1%	42
gF1	98	1	VH1-13-12	10	10,2%	75
VHGL 1.2	98	1	VH1-13-6	2	2,0%	26
HV1L1	98	1	VH1-13-6	0	0,0%	81
RF-TS7	104	1	VH1-13-6	3	3,1%	96
E55 1.A15	106	1	VH1-13-15	1	1,0%	26
HA1L1	126	1	VH1-13-6	7	7,1%	81
UC	123	1	VH1-13-6	5	5,1%	115
WIL2	123	1	VH1-13-6	6	6,1%	5 5
R3.5H5G	122	1	VH1-13-6	10	10,2%	70
N89P2	123	1	VH1-13-16	11	11,2%	77
mAb113	126	1	VH1-13-6	10	10,2%	71
LS2S3-3 .	125	1	VH1-12-7	5	5,1%	98
LS2S3-12a	125	1	VH1-12-7	5	5,1%	98
LS2S3-5	125	1	VH1-12-7	5	5,1%	98
LS2S3-12e	125	1	VH1-12-7	5	5,1%	98
LS2S3-4	125	1	VH1-12-7	5	5,1%	98
LS2S3-10	125	1	VH1-12-7	5 ·	5,1%	98
LS2S3-12d	125	1	VH1-12-7	6	6,1%	98
LS2S3-8	125	. 1	VH1-12-7	5	5,1%	98
LS2	125	1	VH1-12-7	6	6.1%	113
LS4	105	1	VH1-12-7	6	6,1%	113
LS5	125	1	VH1-12-7	6	6,1%	113
LS1	125	1	VH1-12-7	6	6,1%	113
LS6	125	1	VH1-12-7	6	6,1%	113
LS8	125	. 1	VH1-12-7	7	7,1%	113
THY-29	122	1	VH1-12-7	0	0,0%	42
1B9/F2	122	1	VH1-12-7	10	10,2%	21
51P1	122	1	VH1-12-1	0	0.0%	105
NEI	127	į.	VH1-12-1	0	0.0%	55
AND	127	1	VH1-12-1	0	0,0%	55
L7	127	1	VH1-12-1	0 .	0,0%	54
L22	124	1	VH1-12-1	. 0	0,0%	54
L24	127	1	VH1-12-1	0	0.0%	54

Table 2C: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference
L26	116	1	VH1-12-1	0	0,0%	54
L33	119	1	VH1-12-1	0	0,0%	54
L34	117	1	VH1-12-1	0	0,0%	54
L36	118	1	VH1-12-1	0	0,0%	54
L39	120	1	VH1-12-1	0	0.0%	54
L41	120	1	VH1-12-1	0	0,0%	54
L42	125	1	VH1-12-1	0	0,0%	54
VHGL 1.8	101	1	VH1-12-1	0	0,0%	26
783c	127	1	VH1-12-1	0	0,0%	22
X17115	127	1	VH1-12-1	0	0,0%	37
L25	124	1	VH1-12-1	0	0,0%	54
L17	120	1	VH1-12-1	1	1.0%	54
L30	127	1	VH1-12-1	1	1,0%	54
L37	120	1	VH1-12-1	1	1,0%	54
TNF-E7	116	1	VH1-12-1	2	2,0%	42
mAb111	122	1	VH1-12-1	. 7	7,1%	71
III-2R	122	1	VH1-12-9	3	3,1%	70
KAS	121	1	VH1-12-1	7	7.1%	79
YES8c	122	1	VH1-12-1	8	8,2%	34
RF-TS1	123	1	VH1-12-1	8	8,2%	82
BOR'	121	1	VH1-12-8	7	7,1%	79
VHGL 1.9	101	1 .	VH1-12-1	8	8,2%	26
mAb410.30F305	117	1	VH1-12-9	5	5,1%	52
EV1-15	127	. 1	VH1-12-8	10	10,2%	78
mAb112	122	1	VH1-12-1	11	11,2%	71
EU ·	117	1	VH1-12-1	11	11,2%	28
H210	127	1	VH1-12-1	12	12,2%	66
TRANSGENE	104	1	VH1-12-1	0	0,0%	111
CLL2-1	93	1 .	VH1-12-1	0	0,0%	30
CLL10 13-3	97	1	VH1-12-1	0	0,0%	29
LS7	99	1	VH1-12-7	4	4,1%	113
ALL7-1	87	1	VH1-12-7	0	0,0%	30
CLL3-1	91	1	VH1-12-7	1	1.0%	30
ALL56-1	85	. 1	VH1-13-8	0	0,0%	30
ALL1-1	87	1	VH1-13-6	1 .	1,0%	30
ALL4-1	94	1	VH1-13-8	0	0,0%	30

ZC

Table 2C: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference
ALL56 15-4	85	1	, VH1-13-8	5	5,1%	29
CLL4-1	88	1	VH1-13-1	1	1,0%	30
Au92.1	. 98	1	VH1-12-5	0	0,0%	49
RF-TS3	120	1	VH1-12-5	1	1,0%	82
Au4.1	98	1	VH1-12-5	1	1,0%	49
HP1	121	1	VH1-13-6	13	13,3%	110
BLI	127	1	VH1-13-15	5	5,1%	72
No.13	127	1	VH1-12-2	19	19,4%	76
TR1.23	122	1	VH1-13-2 .	23	23,5%	88
S1-1	125	1	VH1-12-2	18	18,4%	76
TR1.10	119	1	VH1-13-12	14	14,3%	88
E55 1.A2	102	. 1	VH1-13-15	3	3,1%	26
SP2	119	1	VH1-13-6	15	15,3%	89
TNF-H9G1	111	1	VH1-13-18	2	2,0%	42
G3D10H	127	1	VH1-13-16	19	19,4%	127
TR1.9	118	1	VH1-13-12	14	14,3%	88
TR1.8	121	1	VH1-12-1	24	24,5%	88
LUNm01	127	1	VH1-13-6	22	22,4%	9
K1B12H	127	1	VH1-12-7	23	23,5%	127
L3B2	99	1	VH1-13-6	2	2,0%	46
ss2	100	1	VH1-13-6	2	2,0%	46
No.86	124	1	VH1-12-1	20	20,4%	76
TR1.6	124	1	VH1-12-1	19	19,4%	88
ss7	99	1	VH1-12-7	3	3,1%	46
s5B7	102	1	VH1-12-1	. 0	0,0%	46
s6A3	97	1	VH1-12-1	0	0,0%	46
ss6	99	1	VH1-12-1	0	0,0%	46
L2H7	103	1	VH 1-13-12	0	0,0%	46
s6BG8	93	1	VH1-13-12	0	0,0%	46
s6C9	107	1	VH1-13-12	0	0,0%	46
HIV-b4	124	1	VH1-13-12	21	21,4%	12
HIV-b12	124	1	VH1-13-12	21	21,4%	12
L3G5	98	1	VH1-13-6	1	1,0%	46
22	115	1	VH1-13-6	11	11,2%	118
L2A12	99	1	VH1-13-15	3	3,1%	46
PHOX15	124	1	VH1-12-7	20	20,4%	73
			71			

Table 2C: (continued)

Name'	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference'
LUNm03	127	1	VH1-1X-1	18	18,4%	.9
CEA4-8A	129	1	VH1-12-7	1	1,0%	42
M60	121	2	VH2-31-3	3	3,0%	· 103
HiH10	127	2	VH2-31-5	9	9,0%	4
COR	119	2	VH2-31-2	11	11,0%	91 -
2-115-19	124	2	VH2-31-11	8	8,1%	124
Ου	125	2	VH2-31-14	20	25,6%	92
HE	120	2	VH2-31-13	19	19,0%	27
CLL33 40-1	78	2	VH2-31-5	2	2.0%	29
E55 3.9	88	3	VH3-11-5	7	7,2%	26
MTFC3	125	3	VH3-14-4	21	21,0%	131
MTFC11	125	3	VH3-14-4	21	21,0%	131
MTFJ1	114	3	VH3-14-4	21	21,0%	131
MTFJ2	114	3	VH3-14-4	21	21,0%	131
MTFUJ4	100	3	VH3-14-4	21	21,0%	131
MTFUJ5	100	3	VH3-14-4	21	21,0%	131
MTFUJ2	100	3	VH3-14-4	22	22,0%	131
MTFC8	125	3	VH3-14-4	23	23.0%	131
TD e Vq	113	3	VH3-14-4	0	0,0%	16
rMTF	114	3	VH3-14-4	5	5,0%	131
MTFUJ6	100	3	VH3-14-4	10	10,0%	131
RF-KES	107	3	· VH3-14-4	9	9,0%	85
N51P8	126	3	VH3-14-1	9	9.0%	77
TE!	119	3	VH3-13-8	21	21,4%	20
33.H11	115	3	VH3-13-19	10	10,2%	129
SB1/D8	101	3	VH3-1X-8	. 14	14,0%	2
38P1 .	119	3	VH3-11-3	0	0,0%	104
BRO'IGM	119	3	VH3-11-3	13	13,4%	19
NIE	119	3	VH3-13-7	15	15,3%	87
3D6	126	3	VH3-13-26	5	5,1%	35
ZM 1 - 1	112	3	VH3-11-3	8	8,2%	5
E55 3.15	110	3	VH3-13-26	0	0,0%	26
gF9	108	3	VH3-13-8	15	15,3%	75
THY-32	120	3	VH3-13-26	3	3,1%	42
RF-KL5	100	3	VH3-13-26	5	5.1%	96
OST577	122	3	VH3-13-13	6	6.1%	5
•			72 _			

Table 2C:

(continued)

Name¹ .	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference
во	113	3	VH3-13-19	15	15,3%	10
TT125	121	3	VH3-13-10	15	15,3%	64
2-115-58	127	3	VH3-13-10	11	11,2%	124
KOL	126	3	VH3-13-14	16	16,3%	102
mAb60	118	3	VH3-13-17	14	14,3%	45
RF-AN	106	3	VH3-13-26	8	8,2%	85
BUT	115	3	VH3-11-6	13	13,4%	119
KOL-based CAMPATH-		•		,		
9	118	3	VH3-13-13	16	16,3%	41
В1	119	3	VH3-13-19	13	13,3%	53
N98P1	127	3	VH3-13-1	13	13,3%	7 7
П117	107	3	VH3-13-10	12	12,2%	64
WEA	114	3	VH3-13-12	15	15,3%	40
HIL	120	3	VH3-13-14	14	14.3%	23
s5A10	97	3	VH3-13-14	0	0,0%	46
s5D11	98	3	VH3-13-7	0 .	0.0%	46
s6C8	100	3	VH3-13-7	0	0,0%	46
s6H12	98	3	VH3-13-7	0	0,0%	46
VH10.7	119	3	VH3-13-14	16 .	16,3%	128
HIV-loop2	126	3	VH3-13-7	16	16,3%	12
HIV-loop35	126	3	VH3-13-7	16	16,3%	12
TRO	122	3	VH3-13-1	13	13,3%	61
SA-4B	123	3	VH3-13-1	15	15,3%	125
L2B5	98	3	VH3-13-13	0	0,0%	46
s6E11	95	. 3	VH3-13-13	0	0,0%	46
s6H7	100	3	VH3-13-13	0	0,0%	46
ss1	102	3	VH3-13-13	0	0.0%	46
ss8	94	3	VH3-13-13	0	0,0%	46 .
DOB	120	3	VH3-13-26	21	21,4%	116
THY-33	115	3	VH3-13-15	20	20,4%	42
NOV	118	3	VH3-13-19	14	14,3%	38
rsv13H	120	3	VH3-13-24	20	20,4%	11
L3G11	98	3	VH3-13-20	2	2.0%	46
L2E8	99	3	VH3-13-19	0	0,00%	46
L2D10	101	3	VH3-13-10	1 .	1,0%	46
L2E7	98	3	VH3-13-10	1	1,0%	46

Table 2C: (continued)

Name ¹	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference'
L3A10	100	3	VH3-13-24	0	0,0%	.46
L2E5	97	3	VH3-13-2	1	1,0%	46
BUR	119	3	VH3-13-7	21	21,4%	67
s4D5	107	3	VH3-11-3	1	1,0%	46
19	116	3	VH3-13-16	4	4,1%	118
s5D4	99	3	VH3-13-1	0	0,0%	46
s6A8	100	3	VH3-13-1	0	0,0%	46
HIV-loop13	123	3	VH3-13-12	17	17,3%	12
TR1.32	112	3	VH3-11-8	18	18,6%	88
L2B10	97	3	VH3-11-3	1	1,0%	46
TR1.5	114	3	VH3-11-8	21	21,6%	88
s6H9	101	3	VH3-13-25	0	0.0%	46
8	112	3	VH3-13-1	6	6,1%	118
23	115	3	VH3-13-1	6	6,1%	118
7	115	3	VH3-13-1	4	4,1%	118
TR1.3	120	3	VH3-11-8	20	20,6%	88
18/2	125	3	VH3-13-10	0	0,0%	32
18/9	125	3	VH3-13-10	0	0,0%	31
30P1	119	3	VH3-13-10	0	0,0%	106
HF2-1/17	125	3	VH3-13-10	0	0.0%	8
A77	109	3	VH3-13-10	0	0,0%	44
B19.7	108	3 .	VH3-13-10	0	0,0%	44
M43	119	3	VH3-13-10	0	0.0%	103
1/17	125	3	VH3-13-10	0	0,0%	31
18/17	125	3	VH3-13-10	0	0,0%	31
E54 3.4	109	3	VH3-13-10	0	0,0%	26
LAMBDA-VH26	98	3	VH3-13-10	1	1,0%	95
E54 3.8	-111	3	VH3-13-10	1	1,0%	26
GL16	106	3	VH3-13-10	1	1,0%	44
4G12	125	3	VH3-13-10	1	1,0%	56
A73	106	3	VH3-13-10	2	2,0%	4 4
AL1.3	111	3	VH3-13-10	3	3,1%	117
3.A290	118	3	VH3-13-10	2	2.0%	108
Ab18	127	3	VH3-13-8	2	2,0%	100
E54 3.3	105	3	VH3-13-10	3	3,1%	26
35G6	121	3	VH3-13-10	3	3,1%	57

74

Table 2C: (continued)

Name'	aa²	Computed family ³	Germline gene	Diff. to germline ⁵	% diff. to germline ⁶	Reference ²
A95	. 107	3	VH3-13-10	5	5,1%	44
Ab25	128	3	VH3-13-10	5	5,1%	100
N87	126	3	VH3-13-10	4	4,1%	77
ED8.4	99	3 -	VH3-13-10	6	6,1%	2
RF-KL1	122	3	VH3-13-10	6	6,1%	82
AL1.1	112	3	VH3-13-10	2	2,0%	117
AL3.11	102	3	VH3-13-10	1	1,0%	117
32.B9	127	3	VH3-13-8	6	6,1%	129-
TK1	109	3	VH3-13-10	2	2,0%	117
POP	123	3	VH3-13-10	8	8.2%	115
9F2H	127	3	VH3-13-10	9	9,2%	127
VD	115	3	VH3-13-10	9	9,2%	10
Vh38Cl.10	121	3	VH3-13-10	8	8,2%	74
Vh38Cl.9	121	3	VH3-13-10	8	8,2%	74
Vh38Cl.8	121	3	VH3-13-10	8	8,2%	74
63P1	120	3	VH3-11-8	0	0,0%	104
60P2	117	3	VH3-11-8	0	0,0%	104
AL3.5	90	3	VH3-13-10	· 2	2,0%	117
GF4/1.1	123	3	VH3-13-10	10	10,2%	39
Ab21	126	3	VH3-13-10	12	12,2%	100
TD d Vp	118	3	VH3-13-17	2	2,0%	16
Vh38Cl.4	119	3	VH3-13-10	8	8,2%	74
Vh38Cl.5	119	3	VH3-13-10	8	8,2%	74
AL3.4	104	3	VH3-13-10	1	1,0%	117
FOG1-A3	115	3	VH3-13-19	2	2,0%	42.
HA3D1	. 117	3	VH3-13-21	1	1,0%	81
E54 3.2	112	3	VH3-13-24	0	0,0%	26
mAb52	128	3	VH3-13-12	2	2,0%	51
mAb53	128	3 .	VH3-13-12	2	2,0%	51
mAb56	128	3	VH3-13-12	2	2.0%	51
mAb57	128	3	VH3-13-12	2	2,0%	51
mAb58	128	3	VH3-13-12	2	2,0%	51
mAb59	128	3	VH3-13-12	2	2,0%	51
mAb105	128	. 3	VH3-13-12	2	2.0%	51
mAb107	128	3	VH3-13-12	2	2,0%	51
E55 3.14	110	3	VH3-13-19	0 -	0,0%	26

75

Table 2C: (continued)

Name¹	aa²	Computed family ³	Germline gene ⁴	Diff. to germline ^s	% diff. to germline ⁶	Reference'
F13-28	106	3	VH3-13-19	1	1,0%	94
mAb55	127	3	VH3-13-18	4	4,1%	51
YSE	· 117	3	VH3-13-24	. 6	6,1%	72
E55 3.23	106	3	VH3-13-19	2	2,0%	26
RF-TS5	101	3	VH3-13-1	3	3,1%	· 85
N42P5	124	3	VH3-13-2	7	7,1%	77
FOG1-H6	110	3	VH3-13-16	· 7 .	7,1%	42
0-81	115	3	VH3-13-19	11	11,2%	47
HIV-s8	122	3	VH3-13-12	11	11,2%	12
mAb114	125	3	VH3-13-19	12	12,2%	71
33.F12	116	3	VH3-13-2	4	4,1%	129
4B4	119	3	VH3-1X-3	0	0,0%	101
M26	123	3	VH3-1X-3	0	0,0%	103
VHGL 3.1	100	3	VH3-1X-3	0	0,0%	26
E55 3.13	113	3	VH3-1X-3	1	1,0%	26
SB5/D6	101	3	VH3-1X-6	3	3,0%	2
RAY4	101	3	VH3-1X-6	3	3,0%	2
82-D V-D	106	3	VH3-1X-3	5	5,0%	112
MAL	129	3	VH3-1X-3	5 .	5,0%	72
LOC	123	3	VH3-1X-6	5	5,0%	72
LSF2	101	3	VH3-1X-6	11	11,0%	2
HIB RC3	100	3	· VH3-1X-6	11	11,0%	1
56P1	119	3	VH3-13-7	0	0.0%	104
M72	122	3	VH3-13-7	0	0,0%	103
M74	121	3	VH3-13-7	0	0,0%	103
E54 3.5	105	3	VH3-13-7	0	0,0%	26
2E7	123	3	VH3-13-7	0	0,0%	63
2P1	117	3	VH3-13-7	0	0,0%	104
RF-SJ2	127	3	VH3-13-7	1	1,0%	83
PR-TS1	114	3	VH3-13-7	1	1,0%	85
KIM46H	127	3	VH3-13-13	0	0.0%	18
E55 3.6	108	.3	VH3-13-7	2	2,0%	26
E55 3.10	107	3	VH3-13-13	1	1,0%	26
3.B6	114	3	. VH3-13-13	1	1,0%	108
E54 3.6	110	3	VH3-13-13	· 1	1,0%	26
FL2-2	114	3 .	VH3-13-13	1	1,0%	80



Table 2C: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference ⁷
RF-SJ3	112	3.	VH3-13-7	2	2,0%	85
E55 3.5	105	3	VH3-13-14	1	1,0%	26
BSA3	121	3	VH3-13-13	1	1,0%	. 73
HMST-1	119	3	VH3-13-7	3	3,1%	130
RF-TS2	126	3	VH3-13-13	4	4,1%	82
E55 3.12	109	3	VH3-13-15	0	0.0%	26
19.E7	126	3	VH3-13-14	.3	3,1%	129
11-50	119	3	VH3-13-13	6	6,1%	130
E29.1	120	3	VH3-13-15	2	2,0%	25
E55 3.16	108	3	VH3-13-7	6	6,1%	26
TNF-E1	117	3	VH3-13-7	7	7,1%	42
RF-SJ1	127	3	VH3-13-13	6	6,1%	83
FOG1-A4	. 116	3	VH3-13-7	8	8.2%	42
TNF-A1	117	3	VH3-13-15	4	4,1%	42
PR-SJ2	107	3	VH3-13-14	8	8,2%	85
HN.14	124	3	VH3-13-13	10	10,2%	33
CAM'	121	3	VH3-13-7	12	12,2%	65
HIV-B8	125	3	VH3-13-7	9	9,2%	12
HIV-b27	125	3	VH3-13-7	9	9,2%	12
HIV-b8	125	3	VH3-13-7	9	9,2%	12
HIV-s4	125	3	VH3-13-7	9	9,2%	12
HIV-B26	125	3	VH3-13-7	9	9,2%	12
HIV-B35	125	3	VH3-13-7	10	10,2%	12
HIV-b18	125	3	VH3-13-7	10	10,2%	12
HIV-b22	125	3	VH3-13-7	11	11,2%	.12
HIV-b13	125	3	VH3-13-7	· 12	12,2%	12
333	117	3	VH3-14-4	24	24,0%	24
1H1	120	3	VH3-14-4	24	24,0%	24
1B11	120	3	VH3-14-4	23	23,0%	24
CLL30 2-3	86	3	VH3-13-19	1	1,0%	29
GA	110	3	VH3-13-7	19	19,4%	36
JeB	99	3	VH3-13-14	3	3,1%	7
GAL	110	3	VH3-13-19	10	10,2%	126
К6Н6	119		VH3-1X-6	18	18,0%	60
K4B8	119		VH3-1X-6	18	18,0%	60
K5B8	119		VH3-1X-6	18	18,0%	60

アア

Table 2C: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference ²
K5C7	119	3 ·	VH3-1X-6	19	19,0%	60
K5G5	119	3	VH3-1X-6	19	19,0%	60
K6F5	. 119	3	VH3-1X-6	19	19,0%	60
AL3.16	98	3	VH3-13-10	. 1	1,0%	117
N86P2	98	3	VH3-13-10	3	3,1%	77
N54P6	95	3 ^	VH3-13-16	7	7,1%	77
LAMBDA HT112-1	126	4	VH4-11-2	0	0,0%	3
HY18	121	4	VH4-11-2	0	0,0%	43 —
mAb63	126	4	VH4-11-2	0	0,0%	45
FS-3	105	4	VH4-11-2	0	0,0%	86
FS-5	111	4	VH4-11-2	0	0,0%	86
FS-7	107	4	VH4-11-2	0	0,0%	86
FS-8	110	4	VH4-11-2	0	0,0%	86
PR-TS2	105	4	VH4-11-2	0	0,0%	85
RF-TMC	102	4	VH4-11-2	0	0,0%	85
mAb216	122	4	VH4-11-2	1	1,0%	15
mAb410.7.F91	122	4	VH4-11-2	1	1,0%	52
mAbA6H4C5	.124	4	VH4-11-2	1	1,0%	15
Ab44	127	4	VH4-11-2	2	2,1%	100
6H-3C4	124	4	VH4-11-2	3	3,1%	59
FS-6	108	4	VH4-11-2	6	6,2%	86
FS-2	114	4 .	VH4-11-2	. 6	6,2%	84
HIG1	126	4	VH4-11-2	7	7,2%	62
FS-4	105	4	VH4-11-2	8	8,2%	86
SA-4A	123	4	VH4-11-2	9	9,3%	125
LES-C	119	4	VH4-11-2	10	10,3%	99
DI .	78	4	VH4-11-9	16	16,5%	58
Ab26	126	4	VH4-31-4	8.	8.1%	100
TS2	124	4	VH4-31-12	15	15,2%	110
265-695	115	4	VH4-11-7	16	16,5%	. 5
WAH	129	4	VH4-31-13	19	19,2%	93
268-D	122	4	VH4-11-8	. 22	22,7%	6
58P2	118	4	VH4-11-8	0	0,0%	104
mAb67	128	4	VH4-21-4	1	1,0%	45
4.L39	115	4	VH4-11-8	2	2,1%	. 108
mF7	111	4	VH4-31-13	3	3,0%	75

Table 2C: (continued)

Name'	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference ⁷
33.C9	122	4	VH4-21-5	7	7,1%	129
Pag-1	124	. 4	VH4-11-16	5	5,2%	50
B3	123	4	VH4-21-3	8	8,2%	53
IC4	120	4	VH4-11-8	6	6,2%	70
C6B2	127	4	VH4-31-12	4	4,0%	48
N78	118	4	VH4-11-9	11	11,3%	7 7
B2	109	4	VH4-11-8	12	12,4%	53
WRD2	123	4	VH4-11-12	6	6,2%	90
mAb426.4.2F20	126	4	VH4-11-8	2	2,1%	52
E54 4.58	115	4	VH4-11-8	1	1,0%	26
WRD6	123	4	VH4-11-12	10	10,3%	90
mAb426.12.3F1.4	122	4	VH4-11-9	· 4	4,1%	52
E54 4.2	108	4	VH4-21-6	2	2,0%	26
WIL	127	. 4	VH4-31-13	0	0,0%	90
COF	126	4	VH4-31-13	0	0,0%	90
LAR	122	4	VH4-31-13	2	2,0%	90
WAT	125	4	VH4-31-13	4	4,0%	90
mAb61	123	4	VH4-31-13	5	5,1%	45
WAG	127	4	VH4-31-4	0	0,0%	90
RF-SJ4	108	4.	VH4-31-12	2	2,0%	85
E54 4.4	110	4	VH4-11-7	0	0,0%	26
E55 4.A1	108	4	VH4-11-7	0	0,0%	26
PR-SJ1	103	4	VH4-11-7	1	1,0%	85
E54 4.23	111	4	VH4-11-7	1	1,0%	26
CLL7 7-2	97	4	VH4-11-12	0	0,0%	29
37P1	95	4	VH4-11-12	0	0,0%	104
ALL52 30-2	91	4	VH4-31-12	4	4,0%	29
EBV-21	98	5	VH5-12-1	0	0.0%	13
CB-4	98	5	VH5-12-1	0	0,0%	13
CLL-12	98	5	VH5-12-1	0	0,0%	13
L3-4	98	5	VH5-12-1	0	0,0%	13
CLL11	98	5	VH5-12-1	0	0,0%	17
CORD3	98	5	VH5-12-1	0	0.0%	17
CORD4	98	5	VH5-12-1	0	0.0%	17
CORD8	98	5	VH5-12-1	0	0,0%	17
CORD9	98	5	VH5-12-1	0	0,00/	17

zς

Table 2C: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference ⁷
CD+1	98	5	VH5-12-1	0	0,0%	17
CD+3	98	5	VH5-12-1	0	0,0%	17
CD+4	98	5	VH5-12-1	0	0,0%	17
CD-1	98	5	VH5-12-1	0	0.0%	17
CD-5	98	5	VH5-12-1	0	0,0%	17
VERG14	98	5	VH5-12-1	0	0,0%	. 17
PBL1	98	5	VH5-12-1	0	0,0%	17
PBL10	98	5	VH5-12-1	0	0,0%	. 17
STRAb SA-1A	127	5 ·	VH5-12-1	0	0,0%	125
DOB'	122	5	VH5-12-1	0	0,0%	97
VERG5	98	5	VH5-12-1	0	0,0%	17
PBL2	98	5	VH5-12-1	1	1,0%	17
Tu16	119	5	VH5-12-1	1	1,0%	49
PBL12	98	5	VH5-12-1	1	1,0%	17
CD+2	98	5	VH5-12-1	1	1,0%	17
CORD10	98	5	VH5-12-1	1 .	1,0%	17
PBL9	98	5	VH5-12-1	1	1,0%	17
CORD2	98	5	VH5-12-1	2	2,0%	17
PBL6	98	5	VH5-12-1	2	2,0%	17
CORD5	98	5	VH5-12-1	2	2,0%	17
CD-2	98	5	VH5-12-1	2	2,0%	17
CORD1	98	5	VH5-12-1	2	2,0%	17
CD-3	98	5	VH5-12-1	3	3,1%	17
VERG4	98	5	VH5-12-1	3	3,1%	17
PBL13	98	5	VH5-12-1	3	3,1%	.17
PBL7	98	5	VH5-12-1	3	3,1%	17
HAN	119	5	VH5-12-1	3	3,1%	97
VERG3	98	5	VH5-12-1	3	3,1%	17
PBL3	98	5	VH5-12-1	3	3,1%	17
VERG7	98	5	VH5-12-1	3	3,1%	17
PBL5	94	5	VH5-12-1	0	0,0%	17
CD-4	98	5	VH5-12-1	4	4,1%	17
CLL10	98	5	VH5-12-1	4	4,1%	. 17
PBL11	98	· 5	VH5-12-1	4	4,1%	17
CORD6	98	5	VH5-12-1	4	4,1%	17
VERG2	98	5 .	VH5-12-1	5	5,1%	17

Table 2C: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference ⁷
83P2	119	5	VH5-12-1	0	0,0%	103
VERG9	98	5	VH5-12-1	6	6,1%	17
CLL6	- 98	5	VH5-12-1	6	6,1%	17
PBL8	98	5	VH5-12-1	7	7,1%	17
Ab2022	120	5	VH5-12-1	3	3,1%	100
CAV	127	5	VH5-12-4	0	0,0%	97
HOW'	120	5	VH5-12-4	o	0,0%	97
PET	127	5	VH5-12-4	0	0,0%	. 97
ANG	121	5	VH5-12-4	. 0	0,0%	97
KER	121	5	VH5-12-4	0	0,0%	97
5.M13	118	5	VH5-12-4	0	0,0%	107
Au2.1	118	5	VH5-12-4	1	1,0%	49
WS1	126	5	VH5-12-1	9	9,2%	110
TD Vn	98	5	VH5-12-4	1	1,0%	16
TEL13	116	5	VH5-12-1	9	9,2%	73
E55 5.237	112	5	VH5-12-4	2	2,0%	26
VERG1	98	5	VH5-12-1	10	10,2%	17
CD4-74	117	5	VH5-12-1	10	10,2%	42
257-D	125	5	VH5-12-1	11	11,2%	6
CLL4	98	5	VH5-12-1	11	11,2%	17
CLL8	98	5 ·	VH5-12-1	11	11,2%	17
Ab2	124	5	VH5-12-1	12	12,2%	120
Vh383ex	98	5	VH5-12-1	12	12,2%	120
CLL3	98	5	VH5-12-2	11	11,2%	17
Au59.1	122	5	VH5-12-1	12	12,2%	49
TEL16	117	5 '	VH5-12-1	12	12,2%	73
M61	104	5	VH5-12-1	0	0,0%	103
TuO ·	99	5	VH5-12-1	5	5,1%	49
P2-51	122	5	VH5-12-1	13	13,3%	121
P2-54	122	5	VH5-12-1	11	11,2%	121
P1-56	119	5	VH5-12-1	9	9,2%	121
P2-53	122	5 _.	VH5-12-1	10	10,2%	121
P1-51	123	5	VH5-12-1	19	19,4%	121
P1-54	· 123	5	VH5-12-1.	3	3,1%	121
P3-69	127	5	VH5-12-1	4	4,1%	121
P3-9	119	5	VH5-12-1	4	4.1%	121

Table 2C: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline	% diff. to germline ⁶	Reference
1-185-37	125	5	VH5-12-4	0	0,0%	124
1-187-29	125	5	VH5-12-4	0	0,0%	124
P1-58	128	5	VH5-12-4	10	10,2%	121
P2-57	118	5	VH5-12-4	3	3,1%	121
P2-55	123	5	VH5-12-1	5	5,1%	121
P2-56	123	5	VH5-12-1	20	20,4%	121
P2-52	122	5	VH5-12-1	11	11,2%	121
P3-60	122	5	VH5-12-1	8	8,2%	121
P1-57	123	5	VH5-12-1	4	4,1%	121
P1-55	122	5	VH5-12-1	14	14,3%	121
MD3-4	128	5	VH5-12-4	12	12,2%	5
P1-52	121	5	VH5-12-1	11	11,2%	121
CLL5	98	5	VH5-12-1	13	13,3%	17
CLL7	98	5	VH5-12-1	14	14,3%	17
L2F10	100	5	VH5-12-1	1	1,0%	46
L3B6	98	5	VH5-12-1	1	1,0%	46
VH6.A12	119	6	VH6-35-1	13	12,9%	122
s5A9	102	6	VH6-35-1	1	1,0%	46
s6G4	99	6	VH6-35-1	1	1,0%	46
ss3	99	6	VH6-35-1	1	1,0%	46
6-1G1	101	6	VH6-35-1	0	0,0%	14
F19L16	107	6 .	VH6-35-1	0	0,0%	68
L16	120	6	VH6-35-1	0	0,0%	69
M71	121	6	VH6-35-1	0	0,0%	103
ML1	120	6	VH6-35-1	0	0,0%	69
F19ML1	· 107	6	VH6-35-1	0	0,0%	68
15P1	127	6	VH6-35-1	0	0,0%	104
VH6.N1	121	6	VH6-35-1	0	0,0%	122
VH6.N11	123	6 ·	VH6-35-1	0	0,0%	122
VH6.N12	123	6	VH6-35-1	0	0,0%	122
VH6.N2	125	6	VH6-35-1	0	0.0%	122
VH6.N5	125	6	VH6-35-1	. 0	0,0%	122
VH6.N6	127	6	VH6-35-1	0	0,0%	122
VH6.N7	126	. 6	VH6-35-1	0	0,0%	122
VH6.N8	123	6	VH6-35-1	0	0,0%	122
VH6.N9	123	F	VH6-35-1	0 .	0,0%	122

Table 2C: (continued)

Name ¹	aa²	Computed family ³	Germline gene⁴	Diff. to germline ⁵	% diff. to germline ⁶	Reference'
VH6.N10	123	6	'VH6-35-1	0	0,0%	122
VH6.A3	123	6	VH6-35-1	0 .	0,0%	122
VH6.A1	124	6	VH6-35-1	0	0,0%	122
VH6.A4	120	. 6	VH6-35-1	0	0,0%	122
E55 6.16	116	6	VH6-35-1	0	0,0%	26
E55 6.17	120	6	VH6-35-1	0	0,0%	26.
E55 6.6	120	6	VH6-35-1	0	0,0%	26
VHGL 6.3	102	6	VH6-35-1	0	0,0%	26
CB-201	118	6	VH6-35-1	0	0,0%	109
VH6.N4	122	6	VH6-35-1	0	0,0%	122
E54 6.4	109	6	VH6-35-1	1	1,0%	26
VH6.A6	126	6	VH6-35-1	1	1,0%	122
E55 6.14	120	6	VH6-35-1	1	1,0%	26
E54 6.6	107	6	VH6-35-1	1	1,0%	26
E55 6.10	112	6	VH6-35-1	1	1,0%	26
E54 6.1	107	6	VH6-35-1	2	2,0%	26
E55 6.13	120	6	VH6-35-1	2	2,0%	26
E55 6.3	120	6	VH6-35-1	2	2,0%	26
E55 6.7	116	6	VH6-35-1	2	2,0%	26
E55 6.2	120	6	VH6-35-1	2	2,0%	26
E55 6.X	111	6	VH6-35-1	2	2,0%	26
E55 6.11	111	6	VH6-35-1	3	3,0%	26
VH6.A11	118	6	VH6-35-1	3	3,0%	122
A10	107	6	VH6-35-1	3	3,0%	6 8
E55 6.1	120	6	VH6-35-1	4	4,0%	26
FK-001	124	6	VH6-35-1	4	4,0%	65
VH6.A5	121	6	VH6-35-1	4	4,0%	122
VH6.A7	123	6	VH6-35-1	4	4,0%	122
HBp2	119	6	VH6-35-1	4	4,0%	4
Au46.2	123	6	VH6-35-1	5	5,0%	49
A431	106	. 6	VH6-35-1	5	5,0%	68
VH6.A2	120	6.	VH6-35-1	5	5,0%	122
VH6.A9	125	6 .	VH6-35-1	. 8	7,9%	122
VH6.A8	118	6	VH6-35-1	10	9,9%	122
VH6-FF3	118	6	VH6-35-1	2	2,0%	. 123
VH6.A10	. 126	6	VH6-35-1	12	11,9%	122

Table 2C: (continued)

Name ¹	aa².	Computed family ³	Germline gene⁴	Diff. to germline ^s	% diff. to germline ⁶	Reference ⁷
VH6-EB10	6-EB10 117 6		VH6-35-1	3	3,0%	123
VH6-E6	119	6	VH6-35-1	. 6	5,9%	123
VH6-FE2	121	6	VH6-35-1	6	5,9%	123
VH6-EE6	116	6	VH6-35-1	6	5,9%	123
VH6-FD10	118	6	VH6-35-1	6	5,9%	123
VH6-EX8	113	6	VH6-35-1	6	5,9%	123
VH6-FG9	121	6	VH6-35-1	_ 8	7,9%	123
VH6-E5	116	6	VH6-35-1	9	8,9%	123
VH6-EC8	122	6	VH6-35-1	9	8,9%	123
VH6-E10	120	6	VH6-35-1	10	9,9%	123
VH6-FF11	122	6	VH6-35-1	11	10,9%	123
VH6-FD2	115	6	VH6-35-1	11	10,9%	123
CLL10 17-2	88	6	VH6-35-1	4	4,0%	29
VH6-BB11	94	6	VH6-35-1	4	4,0%	123
VH6-B41	93	6	VH6-35-1	7	6,9%	123
JU17 ·	102	6	VH6-35-1	3	3,0%	114
VH6-BD9	96	6	VH6-35-1	11	10,9%	123
VH6-BB9	94	6	VH6-35-1	12	11,9%	123

Table 3A: assignment of rearranged V kappa sequences to their germline counterparts

Family ¹ .	Name	Rearranged ²	Sum
1	Vkl-I	28	•
1	Vk1-2	0	
1	Vk1-3	1	
1	Vk1-4	0	
1	Vk1-5	7	
1	Vk 1-6	0	
1	Vk1-7	0	
I	Vk1-8	2	
1 1	Vk1-9	9	
1	Vk1-10	0	•
1	Vk1-11^	1	
1	Vk1-12	7	
1	Vk1-13	1	
1	Vk1-14	7	
1	Vk1-15	2	
ļ	Vk1-16	2	
į	Vk1-17	16	
. 1	Vk1-18	1	
i	Vk1-19	33	
1	Vk1-20	1	
1	Vk1-21	i	
1	Vk1-22	0	
1	Vk1-23	0	119 entries
2	Vk2-1	0	
2	Vk2-2	1	•
2	Vk2-3	0	
. 2	Vk2-4	0	
2	Vk2-5	0	
2	Vk2-6	-16	
2	Vk2-7	0	
2	Vk2-8	0	
2 -	Vk2-9	1	
2	Vk2-10	0 '	
2	Vk2-11	7	
2	Vk2-12	0 .	25 entries
3	Vk3-I	1	
3	Vk3-2	0	

WO 97/08320

Table 3A:

(continued)

Family 1	Name	Rearranged ²	Sum
3	Vk3-3	. 35	
3	Vk3-4	115	
3	Vk3-5	0	•
. 3	Vk3-6	0	
3	Vk3-7	1	•
3	Vk3-8	40	192 entries
4	Vk4-1	33	33 entries
5	Vk5-1	1	1 entry
6	Vk6-1	0	
6	Vk6-2	0	0 entries
7	Vk7-1	0	0 entries

Table 3B: assignment of rearranged V lambda sequences to their germline counterparts

Family ¹	Name	Rearranged ²	Sum
1	DPL1	1	·
1	DPL2	14	
1 .	DPL3	6	
1	DPL4	1	
1	HUMLV117	4	
1	DPL5	13	
1	DPL6	0	
1	DPL7	0	
1	DPL8	3	
1	DPL9	0	42 entries
2	DPL10	5	
2	VLAMBDA 2.1	0	
2	DPL11	23	
2	DPL12	15	
2	DPL13	0	
2	DPL14	0	43 entries
3	DPL16	10	
3	DPL23	19	
3	Humlv318	9	38 entries
7	DPL18	1	
7	DPL19	0	1 entries
. 8	DPL21	2	
8	HUMLV801	6	8 entries
9	DPL22	0	0 entries
unassigned	DPL24	0	0 entries
10	gVLX-4.4	0	0 entries

Table 3C: assignment of rearranged V heavy chain sequences to their germline counterparts

Family ¹	Name	Rearranged ²	Sum
1	VH1-12-1	38	
1	VH1-12-8	2	
1	VH1-12-2	2	
.1	VH1-12-9	2	•
1	VH1-12-3	. 0	
1	VH1-12-4	0	
1	VH1-12-5	3	
1	VH1-12-6	0	
1	VH1-12-7	23	
1	VH1-13-1	1	
1	VH1-13-2	1	
1	VH1-13-3	0	
1	VH1-13-4	0	
1	VH1-13-5	0	
1	VH1-13-6	17	
1	VH1-13-7	0	
1	VH1-13-8	3	
1	VH1-13-9	0	
1	VH1-13-10	0	
1	VH1-13-11	0	
1	VH1-13-12	10	
1	VH1-13-13	0	
1	VH1-13-14	0	
1	VH1-13-15	4	
. 1	VH1-13-16	2	
1	VH1-13-17	0	
.1	VH1-13-18	1	
1	VH1-13-19	0	
1	VH1-1X-1	1	110 entries
2	VH2-21-1	0	
2	VH2-31-1	0	
2	VH2-31-2	1	
2	VH2-31-3	.1	
2	VH2-31-4	0	
2	VH2-31-5	2 .	
2	VH2-31-6	0	
2	VH2-31-7	0 .	

Table 3C: (continued)

Family ¹	Name	Rearranged ²	Sum
. 2	VH2-31-14	1	
2	VH2-31-8	0 '	
2	VH2-31-9	0	•
2	VH2-31-10	0	
2	VH2-31-11	1	
2	VH2-31-12	0	•
2	VH2-31-13	1	7 entries
3	VH3-11-1	0	•
3	VH3-11-2	0 .	
3	VH3-11-3	5	
3	VH3-11-4	0	
3	VH3-11-5	1	
3	VH3-11-6	1	
3	VH3-11-7	0.	
3	VH3-11-8	5	
3	VH3-13-1	9	
3	VH3-13-2	3	
3	VH3-13-3	0	
3	VH3-13-4	0	
3	VH3-13-5	0	
3	VH3-13-6	0	
3	VH3-13-7	32	
3	VH3-13-8	4	
3	VH3-13-9	0	
3	VH3-13-10	46	
3	VH3-13-11	0	•
. 3	VH3-13-12	11	•
3	VH3-13-13	17	
3	VH3-13-14	8	
3	VH3-13-15	4 .	
3	VH3-13-16	3	
3	VH3-13-17	2	
3	VH3-13-18	1	
3	VH3-13-19	13 .	
. 3	VH3-13-20	. 1	
3 .	VH3-13-21	1	
3	VH3-13-22	0	

Table 3C: (continued)

Family ¹	Name	Rearranged ²	Sum
3	VH3-13-23	0	
3	VH3-13-24	4	
, 3	VH3-13-25	1	
3	VH3-13-26	6	•
3	VH3-14-1	1	
3	VH3-14-4	15	
3	VH3-14-2	0	•
3	VH3-14-3	0	
3	VH3-1X-1	0	
3	VH3-1X-2	0	
3	VH3-1X-3	6	
3	VH3-1X-4	0	
3	VH3-1X-5	0	
3	VH3-1X-6	11	
3	VH3-1X-7	0	
3	VH3-1X-8	1	
3	VH3-1X-9	0	212 entries
4	VH4-11-1	. 0	****
4	VH4-11-2	20	
4	VH4-11-3	0	
4	VH4-11-4	0	•
4	VH4-11-5	. 0	
4	VH4-11-6	0	
4	VH4-11-7	5	
4	VH4-11-8	7	
4	VH4-11-9	3	
4	VH4-11-10	0	
4	VH4-11-11	0	
4	VH4-11-12	4	
4	VH4-11-13	0	
4	VH4-11-14	0	
4	VH4-11 - 15	0	
4	VH4-11-16	1	
4	VH4-21-1	0	
4	VH4-21-2	0	
4	VH4-21-3	1	
		•	



Table 3C: (continued)

Family ¹	Name	Rearranged ²	Sum
4	VH4-21-5	1	
4	VH4-21-6	1	
. 4	VH4-21-7	0	
4	VH4-21-8	0	
4	VH4-21-9	0	
4	VH4-31-1	0	
4	VH4-31-2	0	
4	VH4-31-3	0	
4	VH4-31-4	2	
4	VH4-31-5	0	
4	VH4-31-6	0	
4	VH4-31-7	0	
4	VH4-31-8	0	
4	VH4-31-9	0	
4	VH4-31-10	0	
4	VH4-31-11	0	
4	VH4-31-12	4	
4	VH4-31-13	7	
4	VH4-31-14	0	
4	VH4-31-15	0	
4	VH4-31-16	0	
4	VH4-31-17	. 0	
4	VH4-31-18	0	
4	VH4-31-19	0 .	
4	VH4-31-20	0	57 entries
5	VH5-12-1	82	
5	VH5-12-2	1	
5	VH5-12-3	0	
5	VH5-12-4	14	97 entries
6	VH6-35-1	74	74 entries

 \sim \sim SUBSTITUTE SHEET (RULE 26)

WO 97/08320 Table 4A: Analysis of V kappa subgroup 1

PCT/EP96/03647

	Framework I															
amino acid'		2	က	4		9	7	∞	6	10	Ξ	12	13	14	15	16
Α		1							1			<u>:</u>	102		1	
В	<u> </u>		1	<u> </u>		1		: : : :	<u>.</u>	<u></u>		<u></u>	<u></u>	<u>.</u>		
С							•••••		: : : :					1		
D	64	<u> </u>							<u>:</u>	<u>.</u>		<u>:</u>	<u>:</u>	<u>.</u>		<u> </u>
E	8		14						: : : : :		· · · · · · · · · · · · · · · · · · ·	<u>.</u>	<u>.</u>	<u></u>	1	
F									1	6		<u>.</u>		1		
G													<u>.</u>	<u>.</u>		105
Н											**********					
		6 5													4	
Κ			1													
L	ļ	6		21							96		1			•••••
Μ	1			6 6				•••••			•••••					•••••
N				•••••												••••
P								103		1		2			1	
Q			62			8 8					1					
R												•••••				
S							89		102	80		103		10 3		•••••
T		1			88			•••••		18						•••••
. V		1	9								8		2		98	
. W																
X	1															
Y																
unknown (?)																
not sequenced	31	31	18	18	17	16	16	2	1							
				:		:	:				·····÷		***********	105	•••••	•••••••••••••••••••••••••••••••••••••••
oomcaa ³	64	65	62	66	88	88	89	103	102	80	96	103	102	103	98	105
· mcaa¹	D	1	Q	М	Т	Ω	S	Р	S	S	L	S	Α	S	V	G
rel. oomcaas	96%	88%	71%	76%	100%	%66	100%	100%	98%	26%	91%	986%	97%	9,086	93%	100%
pos occupied ⁶	4	5	5	2	1	2	1	1	3	4	3	2	3	3	5	1

گ² SUBSTITUTE SHEET (RULE 26)

amino acid¹	17	18	19	. 20	21	22	23	24	25	.92	27	A	80	ပ ·	٥
Α .			1	1		1			103						
В											1				
. C .							105								
D	101														
Е	2							1	1		2				
F					2										
G										1					
Н											1				
1			6	4	101	1									
К								2			1				
L								1							
М															
N										1					
Р															
Q								20			100				
R		94						81							
S		5		1						102					
Т		6		99		103			1	1					
. V			98		2			**********							
W															
X	1														
Y	1														
_												105	105	105	105
unknown (?)						·····							·····		••••••
not sequenced															
sum of seq ²	105	105	105	105	105	105	105	105	105	105	105	105	105	105	105
oomcaa³	101	94	98	99	101	103	105	81	103	102	100	105	105	105	105
mcaa*	D	R	V	T	1	Т	С	R	Α	S	Q	-	-	-	-
rel. oomcaas	%96	90%	93%	94%	· %96	%86	100%	77%	98%	97%	95%	100%	100%	100%	100%
pos occupied ⁶	:					:		5	3		:		1	1	1

PCT/EP96/03647

Table 4A: Analysis of V kappa subgroup 1

4A. Allalysis of	CDRI														
amino acid'	ш	u_	28	.62	30	31	32	33	34	35	36	37	38	39	40
. А					1	1		1	42						
В												1	1		
. C							1								·····
D			25		1	5	7				1	1			
E							1					2			
F				1	1		7				6				
G			25		7	3			4						
Н					1	2	2		1			2			
1				98	1	4			1						
K						7								95	
L					2	1		101							
М										-					
N			6		16	42			50						
Р							•••••								102
Q							••••••					98	103	2	
R					16	3	2							3	1
S			41	2	57	32	3	1	1			*******			1
TT			7			4	•••••		4					1	
V			1	4	1		•••••	1	••••						
W						•	21			104					
X									1						
Y					1		60				98				
_	105	105		•••••											
unknown (?)	[•••••	·								······································		3	
not sequenced						1	1	1	1	1	1	1	1	1	1
sum of seq²	105	105	105	105	105	104	104	104	104	104	104	104	104	104	104
oomcaa³	105	105	41	98	57	42	60	101	50	104	98	98	103	95	102
mcaa¹	-	-	Ş	ı	S	Ν	Υ	L	Ν	W	Υ	Ω	Q	K	Р
rel. oomcaa³	100%	100%	39%	93%	54%	40%	58%	970%	48%	100%	94%	94%	%66	91%	%86
pos occupied ⁶	1	1	6	4	12	11	9	4	8	1	2		:		

WO 97/08320

Table 4A: Analysis of V kappa subgroup 1

	Fram	ewor	k II										DR II		
amino acid'	41	42	43	44	45	46	47	48	49	20	22	52	23	54	52
. A			94							50	95				
В															••••••
. C															
D										21	1	1	1		
E	1	3			1	1				1		1			33
F						1			3			1			
G	100		1							9	2				
Н									2						
		1				1		100					1		
K		95			86					16			2		
L		1				89	103							101	
M								2							
N					10					2		1	25		
Р				104						1					
Q		1			1										6
R		,			3	3							1	1	••••••
S					1				5	1	1	99	41	2	
Ţ		3			1					1	4	1	31		
V			9			9					1		1		•••••
W															
Χ					1								1		
· Y									92	1					_
-												·			
unknown (?)	3		·								·····				
not sequence		1	<u> </u>		==	-			: -						_
sum of seq ²	104	104	104	104	104	104	103	102	102	103		•	:		:
oomcaa³	100	95	94	104	86	89	103	100	92	50		· · · · · · · · · · · · · · · · · · ·	:·······	101	
mcaa*	G	K	Α	Р	K	L	L	1	Υ	Α	Α	S	S	L	(
rel. oomcaa ^s	%96 96%	91%	%06	100%	83%	969%	100%	98%	%06	49%	91%	95%	39%	92%	
pos occupied		2 6		•					4	10	6	6	9	3	

WO 97/08320

Table 4A: Analysis of V kappa subgroup 1

-A. Marysis of			09.00												
amino acid'	26	57	58	59	09	61	62	63	64	65	99	29	. 89	69	70
A	3					- :	i		,		2	1	1	1	
В				1								•••••			
C .															
D	1														67
Е				**********									1		30
F			1				103					3			
G	2	105							105	4	101		102		
Н									,						3
1	3		4				1	3							
Κ	1					1									1
L								1				.,			
М														1	
N	6														
Р	1			101	2										••••••
Q										1					•••••
R	1					103		1		1	1			2	•••••
·S	68			2	103			98	•••••	96	•••••••••••••••••••••••••••••••••••••••	100	••••••		•••••
Т	19			1		1		2		3				101	•••••
V			99				1								1
W														•••••	******
X			1		••••						1		1		2
Y								·				1			1
-					••••••							•••••			•••••••
unknown (?)					-								•••		
not sequenced	:						405	105	105		105	105	105		405
sum of seq ²	÷	:		•••••••••••••••••••••••••••••••••••••••	***********					••••••		105	••••••		•••••
oomcaa,		105		101		:		:	105	••••••	•••••	100 c			67 D
mcaa'	S	G	V [.]	Р	S	R	F	S	G	S	G	S	G	T	D
rel. oomcaas	65%	100%	94%	96%	0/086	98%	.0/086	93%	100%	91%	%96	95%	97%	%96	64%
pos occupied ⁶	10	1	4	4	:	:	•	•		5	4	4	4	4	7



PCT/EP96/03647

WO 97/08320

Table 4A: Analysis of V kappa subgroup 1

•	Fr	amew	ork II	i							-				
amino acid'			73	74	75	9/	77	78	79	. 08	81	82	83	84	82
Α		3	•			1				2		•		101	1.
В					1	•••••			3		2				
. C															
D						1					16	101			
E			•••••								83				
F	102	1	21										73		
G							4				1			2	
Н														-	
ı					9 9	. 5							17		
К															
L			81					103	1				1		
М															1
N						7	4								1
P										97					1
Ω									97						
R						2	1	•••••	2						
S		2		1		86	94			4			1		
Т		98		102		2	1	••••••							97
V	1		2		4			1					11		1
W															
X	<u> </u>			1							1	2			
Y	1												-		
_															
unknown (?)	Ē			······································). 			,						
not sequenced	*==														
sum of seq ²	104	104	104	104	••••••	: :	: :		103						
oomcaa³	102	······································	81	102	99	:		103	:		: :	101	······································	101	• • • • • • • • • • • • • • • • • • • •
mcaa*	F	Ţ	L	Τ	l	S	S	L	Q	Р	E	D	F	Α	Ţ
rel. oomcaa ^s .	0/086	94%	78%	%86	95%	83%	%06	990%	94%	94%	81%	%86	71%	98%	95%
pos occupied ⁵			3	3	3	7	5	:	:	3	5	2	5	2	€

Table 4A: Analysis of V kappa subgroup 1

				İ.						CDR	111					
amino acid'	98	87	88	89	90	91	92	93	94	95	A	В	ں	0	ш	ட
Α					1	7	1		5	1						
В				2	3											
С			102						:	· · · · · · · · · · · · · · · · · · ·						
D							23	5	1	······································		-			•	
E							1	1	-	1	1	Ī			<u> </u>	
F		7		:		3		······································	13	;		1				
G						1		1	2	1		1	-			
Н		1		4	6	7	3	1				1		-		
l							4	1	2	1	·		•			(
K	1				7		1									
L				7		6	2		18	2			<u> </u>			
М												<u></u>	••••••			
N						6	31	19	1				<u></u>	<u></u>	<u> </u>	
Р									1	82	6	<u> </u>			 !	•••••
Q		: : : : : : :		90	86	1	2								<u></u>	
R						1		· 2	2							
S	1					27	3	58	5	10			•••••			
Т						3	1	15	25							••••
V				,					5							
W						*			1				•••••			*******
X																•••••
Y	101	93				42	32	1	23							•••••
_										3	82	88	89	89	89	89
unknown (?)		1														
not sequenced	2	3	3	2	2	1	1	1	1	4	16	16	16	16	16	16
sum of seq²	103	102	102	103	103	104	104	104	104	101	89	89	89	89	89	89
oomcaa,	101	93	102	90	86	42	32	58	25	82	82	88	89	89	89	89
mcaa⁴	Υ	Υ	С	Q	Q	Υ	Υ	S	Т	Р	-	-	-	-	-	-
rel. oomcaa ^s	98%	91%	100%	87%	83%	40%	31%	56%	24%	81%	92%	%66	%00.I	%00	%00	%000
pos occupied ⁶		3	1			:	12	······	······	8	······································				1	1



WO 97/08320

Table 4A: Analysis of V kappa subgroup 1

-							Frai	mew	ork	IV					
amino acid'	96	97	98	99	100	101	102	103	104	105	106	∢	107	108	sum
A	1														627
В		•••••			1					1					19
C															209
D	1									15		<u> </u>			459
E					2					65					258 -
F	6		86								2				451
G				87	29	87								2	894
Н	2	1													40
1	5							· · · ·	1		72	<u>.</u>			606
К	1	1						77					79		480
L	18	1	1						22	4	2				793
M		1									5				77
N	1										1		2		232
Р	6			•••••	7									1	620
0	1				48					1					865
R	6			•••••	<u>.</u>			6					2	70	413
S	2	2			<u> </u>					•••••					1636
Т	2	82			<u></u>		87	3					2		1021
V	2				<u>.</u>			1	63		3		•••••		440
W	15				<u> </u>					•••••			••••		141
X					ļ	<u></u>	•••••								14
Y	16														564
-	4	1		<u></u>	<u>.</u>	-						85		1	1250
unknown (?)			ļ		<u>.</u>	<u>.</u>								<u></u>	7
not sequenced	-	:		-		-	:	: -	:	:	:	:	:	:	7
sum of seq²			:	·-······	· - · · · · · · · · · ·	· -	:	:	:	:	:		-	1	•
oomcaa ³	18	82	86	87	•••••••	• 🕶 • • • • • • • • • • • • • • • • • •	•		:	:	72		:	70	
mcaa'	L	· ! • • • • • • •	F	÷·····	•÷	· † · · · · · ·	÷	<u>:</u>		:		<u> </u>	-	R	•
rel. oomcaas	20%	92%	%66	100%	55%	100%	100%	89%	73%	26%	85%	100%	93%	95%	
pos occupied ⁶	17	7	2		5	1	1	4	3	5	6	1	4	4	Ú

 $\Im\Im$

Table 4B: Analysis of V kappa subgroup 2

					····						Fran	new	ork	1							
amino acid'	_	2	3	4	2	9	7	8	6	10	=	12	13	14	15	16	11	18	19	20	21
А																			22		
В								•											٠		
С																					
D	14																				
E	3																15				
F		•							1	1											
G																22					
Н																					
1		8																			22
К																					
L		3		1					17		18				6						
М				15																	
N																					
Р								18				18			15			22			
Q						18											7				
R.																					
S							18			17										22	
Т					17									21							
V		6	17	1		ė.							18								
W																					
×																					
Y																					
-																					
unknown (?)					1																
not sequenced	5	5	5	5	4	4	4	4	4	4	4	4	4	1	1						
sum of seq ²	17	17	17	17	18	18	18	18	18	18	18	18	18	21	21	22	22	22	22	22	22
	14																				
mcaa¹	D	١	V	М	T	Q	S	Р	L	ς.	L	Р	V	Τ	Р	G	Ε	Р	Α	S	1
rel. oomcaa'	82%	47%	100%	%88	94%	100%	100%	100%	94%	94%	100%	100%	100%	100%	71%	100%	0/089	100%	100%	100%	100%
pos occupied ^r																		••••••	1	1	1

PCT/EP96/03647

Table 4B: Analysis of V kappa subgroup 2

											CDR	l I			•						
amino acid'	22	23	24	25	56	27	Ø	8	ں	٥	ш	ш.	28	53	30	31	32	33	34	35	20
Α																	*				
В			<u></u>		<u>.</u>			,													
C		22																			
D										1			9		1	1			11	·	
E																				1	
F															2						
G											1			22							
Н										16							1		1		
ı								•									••••				
К			1			••••										1					
L						1		22	13					•				22			••••
M							•		1												
N													10		7	12			9		••••
Р																•					••••
Q	1			•••••		21	•••••		•••••						•••••	•••••	•				• • • • •
R			21								2			•	•••••	•••••			••••••		•••••
S	21			22	22		22		•••••		19		1			•••••					••••
T										•••••						8					
V						••••			8												
W										1				*****						22	••••
Χ					•••••		•••••						1	•••••	1				1		••••
Υ			·							4			1	•••	11		21				1
-												22									
unknown (?)			•••••																		••••
not sequenced																					••••
	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	2
	21			:	• • • • • • • • • • • • • • • • • • • •				•••••••••••••••••••••••••••••••••••••••	•••••			········		•	••••••	•••••••	•••••		····÷	• • • •
	S						•••••		••••••								•••••••	•••••	• • • • • • • • • • • • • • • • • • • •		• • • • •
									•••••••••••••••••••••••••••••••••••••••				•••••			•••••••••••••••••••••••••••••••••••••••	•••••	_		•••••••	
rel. oomcaa'	95%	100%	95%	100	100	95%	100í	100	59%	73%	%98	1000	45%	100	50%	55%	95%	100%	50%	100%	ò
pos occupied"	:			:																	

Table 4B: Analysis of V kappa subgroup 2

JIC 40. MIAIYSIS O					ran		ork	11								(DR	11			
amino acid'	37	38	39	40	41	42	43	44	45	46	47	48	49	20	51	52	53	54	52	26	57
А										•									14		
В																					
С	.	-																			
D	ļ															<u>.</u>			7		
E	ļ	<u> </u>							1												
F	ļ	<u>.</u>																			
G	ļ	<u>.</u>			22										12				1		22
. Н]										•										
<u> </u>	ļ									. 1		22									
K	ļ		15											5							
L	16									14	21		•••••	14	1						
M	ļ	<u> </u>						•••••													
N		<u>.</u>									••••••					<u>′</u>	18			<u> </u>	
Р	ļ			22	•••••			21			••••••				••••••						
0	6	22				22		•••••	12	•••••				1							
R			7					•••••	8	7	•••••			1				22		<u> </u>	
S	ļ				•••••		21		•••••						2	22				22	
T	ļ										_						1			<u>.</u>	
V	ļ						••••••				. 1			••••	6						
W X	ğ														•••••						
Y							•••••	·•• •• •• •• •• •• •• •• •• •• •• •• ••					21								
_	-												21				1				-
unknown (?)									••••••												
not sequenced				•••••			1	1	1				1	1	1						
sum of seq ²	22	22	22	22	22	22					22	22					22	22	22	22	22
oomcaa'	16														•••••			•		·····	••••
mcaa'	L											••••••	• • • • • • • • • • • • • • • • • • • •				*******	••••••	:	••••••	:
rel. oomcaa ^s												100%						•••••		100%	
pos occupied ^a	:	-	: :	: :				: :	: :									•••••		· · · · · ÷	•••••

102

Table 4B: Analysis of V kappa subgroup 2

														Fra	me	worl	(111				
amino acid'	28	29	09	61	62	63	64	65	99	29	89	69	70	7	72	73	74	75	76.	11	78
Α																					
В																	•				
С																					
D			22				1				. 1		22								
E																					
F					21									22							
G							21		22		21										
Н																					
																	1	21			
K																	19				
L																21	1				
М																					
N									-												••••
Р		22	١																		
Q																					
R				20				1												20	
S				1		22		21		22									20	1	
T				1								22			21				1		
V	22				1																2
W															••••						
Χ .																					
Y																					
-																					
unknown (?)															1						
not sequenced												7				1	1	_1	. 1	1	
sum of seq?	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	21	21	21	21	21	2
oomcaa ^a	22	22	22	20	21	22	21	21	22	22	21	22	22	22	21	21	19	21	20	20	2
mcaa'	٧	Р	D	R	F	S	G	S	G	S	G	T	D	F	T	L	Κ	1	S	R	١
rel. oomcaa ^s	100%	100%	100%	91%	95%	100%	95%	35%	100%	100%	95%	100%	100%	100%	35%	100%	%06	%00ı	95%	95%	7000
pos occupied"	1	1		<u></u>													·······	1	<u></u> .	2	

																	(DR	Ш		
amino acid'	79	08	81	. 82	83	84	85	98	87	88	89	90	91	92	93	94	95	A	В	၁	_
Α		20											14			1					
В							Ţ					1			1						
· C										21			•								
D			1	21																	
E	19	<u> </u>	20																		
F]		<u></u>						<u></u>												
G	1	<u> </u>	<u></u>			21				<u></u>			6			1		2			
Н	.		ļ								<u>.</u>		1		7						
	ļ		<u></u>				1					*				1					
К	ļ		<u></u>																		
L			ļ				1							12			2				
М	ļ										21										
N	ļ															•••••					
Р	.	1														2	16	, 1			
Q	1											20	1		13						
R	ļ													1							
S																3	2				
T														8		7					
V					21		19														
W																6					
X																					
Y								21	21												
																		14	17	17	17
unknown (?)																					
not sequenced																	=				
sum of seq²	:			:	:		:				:	:	:	•••••••••••••••••••••••••••••••••••••••	•	••••••••	••••••	•••••••	********	•	******
	19				- 3							••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••				• • • • • • • • • • • • • • • • • • • •	17
mcaa•	Ε			:						••••••		· · · · · · · · · · · · · · · · · · ·		••••••	·····	•••••	• • • • • • • • • • • • • • • • • • • •	-	-	-	
rel. oomcaa'	%06	95%	95%	100%	100%	100%	%06	100%	100%	100%	100%	95%	67%	57%	62%	33%	80%	8.2%	100%	100%	100%
pos occupied ⁶						:		•								•••••••					

PCT/EP96/03647

Table 4B: Analysis of V kappa subgroup 2

		uogi							Fra	mev	vorl	(IV					
amino acid'	ш	ш.	96	97	86	66	100	101	102	103	104	105	106	A	107	108	sun
А																	7
В		·										1					
· C																	4:
D																	11:
<u>E</u>												13					7
F			1		17												7
G						17	2	16				1					23
Н																	2
<u> </u>			3										14				9
K		·								12					13		6
L			2								11						21
М																	3
N																	5
Р			1														15
О ,			. 1				14										15
R										4						12	12
S														•••••			32
T				17					16								14
V .											5			•••••			14
·W			2									•••••					3
Χ																	
Y			7														12
_	17	17												13			13
unknown (?)														••••			
not sequenced	5	5	5	5	5	. 5	6	6	6	6	6	7	8	9	9	10	21
sum of seq ²	17	17	17	17	17	17	16	16	16	16	16	15	14	13	13	12	
oomcaa,	17	17	7	17	17	17	14	16	16	12	11	13	14	13	13	12	
•	·····	-	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	Q	•	.	Κ				-			
rel. oomcaaʻ	100%	100%	41%	100%	100%	100%	88%	100%	100%	75%	%69	87%	100%	100%	100%	100%	
pos occupied ^a	1	1	7	1	1	1	2	1	1	2	2	3	1	1	1	1	

105

Table 4C: Analysis of V kappa subgroup 3

4C. Allalysis of		<u> </u>									Fra	mew	ork l			
amino acid'	-	2	က	4	2	9	7	8	6	10	=	12	13	14	15	16
А		5					2		27						1	
В	1	<u>:</u> :	<u> </u>													
C												2				
D	2		<u>.</u>						14					<u> </u>		
E	7 6		27													
F.		1	<u>.</u>											1		
G	1								82			<u> </u>			1	152
Н										1		:		:		
1		75														
K	3								<u> </u>							
L		4	1	104			1				150		129		1	
М	5			13												
,N														5		
Р								124							147	
Q						123			(`				
R					1											
S							119		3	1		150	1	141		
T		2			117					147				5	1	
V		1	8 9	1			1				1		22		1	
W																
Χ.																
Y																
-																
unknown (?)																
not sequenced																
sum of seq ²	88	88	117	118	118	123	123	124	126	149	151	152	152	152	152	152
oomcaa'	76								82		• • • • • • • • • • • • • • • • • • • •		••••••	•••••••		
mcaa'	Ε	1	V	L	T	Q	S	Р	G	Ţ	L	S	L	S	Р	G
rel. oomcaaʻ	9/098	85%	76%	. %88	99%	100%	97%	100%	65%	99%	99%	%66	85%	93%	97%	100%
pos occupied"	6	6	3						:				:	:	6	1

108

Table 4C: Analysis of V kappa subgroup 3

																CDF
amino acid'	11	82	19	500	21	22	23	24	25	56	27	Α,	8	J	٥	ш
Α			178	2					166	1						
В					·											
C				-			181	,		1				·		·
D	6															•••••
E	146	1									1					
F		٠			7	1										
G	1	1							-1	1		1			,	
Н											17				-	
ı		1		5	2						,					
K		1						5								
L					173						1	1				
M																•••••
N												9				*****
P ·																••••••
Q		,						••••••			159					• • • • • • •
R		175						176		1	1	10				
S						180			7	175		87				
T		1		174					7	2		1				••••••
V		1	4	1					1			1				•••••
W							•	1								•••••
Χ																•••••
Υ						1					1					
······································												72	182	182	182	18
unknown (?)					•				-		1					
not sequenced																
	153	181	182	182	182	182	181	182	182	181	181	182	182	182	182	18
	146						· · · · · · · · · · · · · · · · · · ·							• • • • • • • • • • • • • • • • • • • •	•••••	
mcaa*	Ε			T	L	S	С	R	А	S	Q	S	-	-	-	-
				٥	.0					.0		C	%	%	ο/,	č
rel. oomcaa ^s	95%	97%	98%	96%	95%	93%	100%	97%	910%	97%	98%	48%	100%	100%	100%	ò
pos occupied ⁶	3	7				:		:	5	:	6	8	1	-	1	

1°7

WO 97/08320

Table 4C: Analysis of V kappa subgroup 3

									<u> </u>						Fran	new
amino acid'	<u></u>	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
A				1	1			181								
В		<u></u>		<u>.</u>			<u></u>									
. C			<u> </u>													
D		<u> </u>	1	1	2	1	<u>.</u>									
<u>E</u>		<u> </u>				1							1			
F		1	<u> </u>			7				1						
G		<u></u>	2	7	3	1		2						1	184	
Н			1			2				1		12	1	1		
l		24	4	1	1											
K				1	1								153			
L		8	1			1	176					3				2
-M										<u> </u>						
· N			3	12	25	32										
Р					1									170		
Q					1	1					183	167	1			18
R			10	3	18	16		1			1		27	5		
S		72	86	151	118	4								5		
Ţ		1	1	3	8	1							1			
V		76	68		1		7					3		2		
W			5						185							
Χ																
Y				1	1	115				183	٠					
	182															
unknown (?)											1					
not sequenced					·											
sum of seq ²	182	182	182	181	181	182	183	184	185	185	185	185	184	184	184	184
oomcaa¹	182	76	86	1 51	118	115	176	181	185	183	183	167	153	170	184	18
mcaa¹ .	-	V	S	S	S	Υ	L	A	W	Y	Q	Q	Κ	Р	G	Q
rel. oomcaa³	100%	42%	47%	83%	65%	63%	%96	98%	100%	%66	99%	%06	83%	92%	%001	0/086
pos occupied"	1	6		:	:	12		:					······································		1	•••••

100

Table 4C: Analysis of V kappa subgroup 3

	rk II									(DR I	l				
amino acid	43	44	45	46	47	48	49	20	51	52	53	54	55	99	22	58
А	176							4	147				176	1		
В						•									·	
. C									1							
D								43					2		4	
E															·	
F				1		1	4			•						
G								125					2	10	179	
Н							9		1							
ı						178								1		16
K			1								7	1				
L		1		179	174	1										
- M						3					1					
N			1					1			53			2		••••••
Р	5	184								2			2	2		
Q							1									
R.			182					1			4	180				
S							3	6	4	179	74	1		5		
T	3								11	2	44			164		
V				3	9			3	19				3			1
W							1					1				
Χ																
Y							165			_					2	
_																
unknown (?)			1													
not sequenced																
sum of seq ⁷	184	185	185	183	183	183	183	183	.183	183	183	183	185	185	185	18
oomcaa³	176	184	182	179	174	178	165	125	147	179	74	180	176	164	179	16
mcaa*	Α	Р	R	L	L	1	Υ	G	Α	S	S	R	Α	T	G	
rel. oomcaa ^s	%96	%66	%86	98%	95%	97%	90%	0%89	80%	%86		98%	95%	968	97%	
pos occupied ⁶		:		<u> </u>		-		:		-	:		:	:		1

WO 97/08320 PCT/EP96/03647

Table 4C: Analysis of V kappa subgroup 3

													F	rame	work	111
amino acid'	59	09	61	62	.63	64	65	99	29	89	69	70	7.1	72	73	74
А		68						3		5	3	1		3		
В																
. C .															<u> </u>	
D		112				1		·				152	<u> </u>			
E							<u> </u>	1		1	<u></u>	30	÷			••••••
F				183								<u> </u>	183		2	•••••
G					<u></u>	184	3	178		177						••••••
Н		1						<u></u>			• · · · · · · · · · · · · · · · · · · ·					
1				1										1		. 3
K			1					: : :								
L				1				:		<u></u>			<u></u>		182	•••••
- M						••••••	······	1	••••••••••••••••••••••••••••••••••••••							•••••
N		1				<u>.</u>								1		
Р	177	• • • • • • • • • • • • • • • • • • •					<u></u>				•••••••••					
Q				••••••••••••••••••••••••••••••••••••••			•				•••••••	1	•••••••••••			•••••••••
R			182		2		1				2		•••••			
5	7				180		179		185		3			7		2
T	1		2		3		2				177		***********	172		179
V		3						1		1						
W										1	•••••					
X											•					•••••
Υ													1	ψ-		••••••
-			·													
unknown (?)							-	1			•				•	
not sequenced												•••••••••••••••••••••••••••••••••••••••				•••••
sum of seq ²	185	185	185	185	185	185	185	185	185	185	185	184	184	184	184	184
	177			:	:							-			•••••••	
mcaa'	Р	D	R	F	S	G	S	G	S	G	Т	D	F	T	L	T
rel. oomcaa³	%96	61%	98%	999%	97%	99%	97%	%96	100%	0/95	96%	83%	930%	93%	99%	92%
pos occupied"	3	······	•		:			5	•		:		:	:	2	3
`		•••••••				•••••		0				·····	4	<u>.</u> ب	<u></u>	

Table 4C: Analysis of V kappa subgroup 3-

	····	po se					-									
amino acid'	75	9/	77	78	79	80	8	82	83	84	85	98	87	88	68	06
А							3			174						
В	·				1											
. C									.2				1	182		
D			1				3	182								
E					149		175									2
F		1							178		2	1	4			
G			3					1		2						
Н											1				1	7
1	178							1	1		9					
κ							1									
L				178		1		·	1		7		1			1
·M										1	5					
N	1	5														
Р						149										
Q					34									1	181	155
R		1	111							3						1
S		169	65			34			1				2			
Т		8	4							1						8
V	4			6					1	3	159					7
W																
Х																
Y	1										1	183	176		1	2
-																
unknown (?)																
not sequenced																
sum of seq ⁷	184	184	184	184	184	184	182	184	184	184	184	184	184	183	183	183
oomcaa¹ .	178	169	111	178	149	149	175	182	178	174	159	183	176	182	181	155
mcaa*	ı	S	R	L	E	Р	E	D	F	Α	V	Υ	Υ	С	Q	Q
rel. oomcaas	97%	92%	%09	97%	81%	81%	%96	, %66	97%	95%	86%	99%	%96	%66	%66	85%
pos occupied	4	5		:	:	. 3		:	:	:		:	-		:	

Table 4C: Analysis of V kappa subgroup 3

WO 97/08320

					(CDR I	11									
amino acid'	91	92	93	94	95	⋖	В	၁	۵	ш	, LL	96	97	86	66	100
А		1	8	3	3											1
В																
· C	2			1			<u>.</u>					. 2				
D		8	5										1			
E		2										1				
F	5		2									7		166		
G	1	104	15		1	1	2					1			166	41
Н	4	1										2				
1			1			1						4				
K			2			1						1				1
L				2	7	5						42				
M		1	•		1	2										
N		28	71									1				
Р				1	139	24						7	2			9
Q	1		1		3	1						3				114
R·	34	2	3		2	2						19			,	
S	2	33	58	102	15	2						1	8			
T		2	13	1	1	2						1	154			
V					3	· 1						2				
W				69								24				
Х																
Υ	134	1	1								'	43				•
-			3	3	7	127	167	169	169	169	169	8	1	1	1	1
unknown (?)																
not sequenced						14	14	14	14	14	14	14	. 17	16	16	16
sum of seq²	183	183	183	182	182	169	169	169	169	169	169	169	166	167	167	167
oomcaa¹	134	104	71	102	139	127	167	169	169	169	169	43	154	166	166	114
mcaa'	Υ	G	N	S	Р	-	-	-	-	-	-	Υ	T	F	G	Q
rel. oomcaas	73%	57%	39%	26%	76%	75%	%66	100%	100%	100%	100%	25%	93%	990%	99%	%89
pos occupied ⁶	8		:	:			:								···· ·	

WO 97/08320

Table 4C: Analysis of V kappa subgroup 3

		F	rame	work	IV]
amino acid'	101	102	103	104	105	106	∢	107	108	sum
А										1345
В			,							2
С	·									375
D		Ī	<u> </u>		23	 !			·	564
E			3		141					759
F						-6				765
G	166								1	1804
Н					1					64
1						143				803
Κ			152					157		489
L				54		1			2	1596
М						3				36
N		1		·				3		255
Р		1		1						1147
Q			1		1					1314
R ·			9			2		4	134	1326
S		2		·						2629
Т		162	1					1		1593
· V				111		11				646
W										287
X			,							
Y			1							1014
_	1	1	1	1	1	1	166	1	1	2151
unknown (?)										4
not sequenced	16	16	15	16	16	16	17	17	45	337
sum of seq ²	167	167	168	167	167	167	166	166	138	
oomcaa,	166	162	152	111	141	143	166	157	134	
mcaa*	G	T	Κ	V	Е	1	-	K	R	
rel. oomcaa'	%66	97%	, %06	9/099	84%	86%	100%	95%	97%	
pos occupied ^a	2	5	. 7		5	7	1	5		

Table 4D: Analysis of V kappa subgroup 4

4D: Analysis of V			ogic	, o p	-			- 2	···-		Fran	new	ork l					
amino acid'	-	2	<u>س</u>	4	S	ဖ	7	8	6	01	=	12	13	14	15	91	17	18
А												24					1	
В																		
. С						·				1						1		
D	25			·					26									
Е																	25	
F																		
G												1				24		-
Н																		
1		26																
K						1												
L				1	,						26				26			
М				24														
N	1																	
Р								26				1						
Q			1			25												
R																		26
5							26			25				26		1		
Ţ					26													••••••
. V			25	1								`	26					••••••
W																		
X								,										
Υ																		
~																		
unknown (?)																		
not sequenced	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
sum of seq ²	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
oomcaa,	25	26	25	24	26	25	26	26	26	25	26	24	26	26	26	24	25	26
mcaa*	D	١	V	М	Ţ	Q	S	Р	D	S	L	Α	٧	S	· L	G	Е	R
rel. oomcaa ^s	%96	100%	%96	92%	100%	. %96	100%	100%	100%	%96	100%	92%	100%	100%	100%	92%	%96	100%
pos occupied ⁶	· 2	1	2		•••••••••••••••••••••••••••••••••••••••	2			:		······· <u> </u>		••••••	••••••	:		2	• • • • • • • • • • • • • • • • • • • •

Table 4D: Analysis of V kappa subgroup 4

														CDR			-	
amino acid'	19	20	21	22	23	24	25	26	27	<	· ຜ	ں	٥	w	ш.	28	29	3
Α	26						1				1							
В																		••••
. C .					33													
D											1		1			1		•••••
E																		
F ·																·		
G																		
Н	ŀ																	
			26								1							
K						33										2		3
L											2	31						
M	Î						•••••										••••••	•••••
N	Ì			26												30	31	••••
Р							1								1			
Q									32									
R			-						1								1	
S .					•		31	33		33				32	32		1	
T		26	•••••	• • • • • • • • • • • • • • • • • • • •		•								1			•	•••••
V											28	2		·				••••
W																		
X	Î			•••••					••••••									••••
Y											,		_32					
-																		
unknown (?)					-													
not sequenced	7	7	7	7	•••						•			••••				
sum of seq'	26	. 26	26	26	33	33	33	33	33	33	33	33	33	33	33	33	33	3
oomcaa ³			••••••	26	• • • • • • • • • • • • • • • • • • • •						••••••							
mcaa'	Α	• • • • • • • • • • • • • • • • • • • •	ı	Ν	С	Κ	S	S	Q	S		L	•••••	S				I
rel. oomcaa ^s	100%	100%	100%	100%.	100%	100%	94%	100%	97%	100%	85%	94%	97%	92%	97%	91%	94%	
pos occupied ⁶	1	1	1	1	1						:			:				

WO 97/08320

Table 4D: Analysis of V kappa subgroup 4

-			_								Fran	newo	ork I					
amino acid'	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
Α				32					•	2								
В																		
. С		<u></u>									-							
D																		
E											1							
F .		<u></u>															-	
G											3 2							
Н						2												••••
l	ļ																	3
K									33						32			. .
L			3 3													29	33	
· M																		
N	33																	
Р										31			31	33				
Q							32	33				32						
R							1					1			1			
S													2					
Т				1						•								••••
V																4		.
W					33													
X														٠				
Y		3 3				31												
_																		
unknown (?)									,		,							
not sequenced																		
sum of seq ²	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	3
oomcaa³	33	33	33	32	33	31	32	33	33	31	32	32	31	33	32	29	33	3
mcaa*	N	Υ	L	Α	W	Υ	Q	Q	Κ	Р	G	Q	Р	Р	К	L	L	١
rel. oomcaas	100%	100%	100%	97%	100%	94%	97%	100%	100%	94%	97%	97%	94%	100%	97%	88%	100%	,010
pos occupied ⁶	1	1	1	:	1	:		1	1		:	***********	2	1		···········	1	••••

Table 4D: Analysis of V kappa subgroup 4

				(DR	11							<u>.</u>					
amino acid'	49	20	51	52	53	54	52	26	57	28	59	09	61	62	63	64	65	99
Α			30								·					,		
В																		
C																		
D												33						
E							32											
F ·														33			,	
G									33						1	33		3
Н																		
					1	,												
K																		
L																		
М											<u></u>							
N					2													
Р				1							33		1					
Q																		
R						3 3					<u> </u>		32					
S			1	31	1			33							32		33	
Ţ			2	1	29													
V							1			33								
W		33																
X																		
Υ	33																	
-																		
unknown (?)																		
not sequenced				-		·												
sum of seq?	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	3
oomcaai	33	33	30	31	29	33	32	33	33	33	33	33	32	33	32	33	33	3
mcaa*	Υ	W	Α	S	T	R	E	S	G	٧	Р	D	R	F	Ś	G	S	C
rel. oomcaa'	100%	100%	91%	94%	9/088	100%	9/0/6	100%	100%	100%		100%	97%	100%	97%	100%	100%	1000,
pr=pccupied%+	. 1	1			:						1	1		1		1	1	

Table 4D: Analysis of V kappa subgroup 4

	-				Fr	ame	worl	CIII										
amino acid'	67	89	69	20	71	72	73	74	75	9/	77	78	79	80	81	82	83	84
Α														33				3
В																		
. C · '															: :			
D				32						<u></u>		<u> </u>		<u> </u>		33	······································	
Ë									• • • • • • • • • • • • • • • • • • •						33	<u> </u>		
F .					32				••••••••••••••••••••••••••••••••••••••						•			
G		33		1				•	 !	 !		<u></u>		<u> </u>	•••••			
Н						·				••••••••••••••••••••••••••••••••••••••	<u></u>				•			
<u>l</u>							•••••	•••••	33								•	
K																•	••••	
L							33					32	••••				••••	•••••
M									•	•		1	•••••					
N										2	1						•••	
Р										••••••								
Q											(•••••	32	,				•••••
R											5		1					•••••
S	3 3									30	32							
T			33			33		33		1								•••••
V					1												33	•••••
W															·····	•••••		
Χ.																	*****	
Υ						·												•
_																		
unknown (?)							,								·····			· · · · · · ·
not sequenced																		••••••
sum of seq ²	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
oomcaa¹		:	33	:	32				:	:	:	:	•	33	••••••	•••••	••••••••••	
mcaa'	S	G	Т	D	F	T	L	T	1	S	:	L	Q	Α	Ε	D	V	A
rel. oomcaa ^s	100%	0,001	100%	97%	97%	100%	100%	100%	100%	91%	97%	97%	97%		%001	%00	100%	υ/o/L
pos occupied"	1	1	1		2	-1	1			:	2	:	:		 1	1	1	

Table 4D: Analysis of V kappa subgroup 4

											CI	DR II	1					
amino acid'	82	98	87	88	83	90	91	92	93	94	95	⋖	8	ں	۵	ய	u.	96
А										1								
В					•	<u> </u>												
. С			<u></u>	33														•••••
D								1	1									••••
E																		
F			1					1						·				••••
G									2									
Н			1		3													•••••
1										2								••••
K															<u>.</u>			
L		 ,				1		2		1	3							
М																		••••
N									4	4								
Р										1	29	1						
Q				••••••	30	32					1							
R									1			1						
S							2		23	2								
Т									2	22								
V	33																	••••
W																••••••••••••••••••••••••••••••••••••••		
X								i										. <u></u>
Y		33	31				31	29					•					_
_												13	15	15	15	15	15	
unknown (?)			•••••		<u>.</u>										•••••	• • • • • • • • • • • • • • • • • • • •		
not sequenced	<u> </u>				<u></u>							:			18			_
sum of seq ²		:		:		:	:	:	: :	33								
oomcaa3	33	33	31	33	30	32	31	29	23	22	29	13	15	15	15	15	15	
mcaa*	٧	Υ	Y	С	Q	Q	Υ	Y	S	Ţ	Р	-	-	-	-	-		1
rel. oomcaa ^s	100%	100%	94%	100%	910%	%26	94%	9/088	70%	0/0/29	88%	87%	100%	100%	100%	100%	100%	
pos ocmipied".	1	1	3	1	:		:	:		:	:		1	1	1	1	1	

WO 97/08320 PCT/EP96/03647

Table 4D: Analysis of V kappa subgroup 4

						Fra	ame	work	IV					
amino acid'	97	86	66	100	101	102	103	104	105	106	A	107	108	Sui
A														18
В				•	••••					•••••		••••		
С				••••••	•••••					•		••••••		(
D									•					1
E					••••		•••••		14			•••••		10
F		15						•	•					
G		**********		4	15							• • • • • • • • • • • • • • • • • • • •		2:
Н				••••								••••••		
1		•••••						••••		14				1:
K							14					13		1!
L		••••						4						2
М	1								•••••					
N											•	1		1:
Р						1	•••••		•••••					15
Q				11				1						20
R		•					1	•••••••••••••••••••••••••••••••••••••••	1		-	1	11	1
S	2									1				49
Т.	12					14								2:
V								9						19
W						••••••	-	1		······· <u></u>				(
Χ							••••••		•••••		••••••			
Υ .									•••••		•••••			2
-											15			1 (
unknown (?)								••••••	••••••		*******			
not sequenced	18	18	18	18	18	18	18	18	18	18	18	18	22	·5
sum of seq ⁷			:					15				==	بــــــ	
oomcaa¹			:	11				:		:	15	••••••		
mcaa*	Т		G	Q	G	Ţ	K	V	E	1		K	R	
rel. oomcaa' ·	%08	100%	100%	73%	0001	93%	93%	%09	93%	93%	%001	87%	%001	
pos occupied ⁶	3	1	1	2	1	•••••	. 2	•			1	3	1	

WO 97/08320

Table 5A: Analysis of V lambda subgroup 1

											Frar	new	ork I				<u> </u>		
amino acid'	_	7	٣.	4	5	9	7	æ	6	10	=	12	13	14	15	91	17	18	19
А											19		18	20					
В																			
· C																			
D																			
E										•				•••••	•			1	
F.												·							
G													22			42			
Н	2																		
l			. 1								1								
К																		14	
L			1	41						,	1								
М			·																
N																			
Р							41	.41						1	41				
Q	22		1			41											42		
R									·									25	
5 .		39							41			41			1			1	
Т					41									19				1	
V		1	38								20		1	1					42
w																			
X																			
Y																			
Z	16													·					
-										41									
unknown (?)																			
not sequenced	2	2	1	1	1	1	1	1	1	1	1	1	· 1	1					
sum of seq'	40	40	41	41	41	41	41	41	41	41	41	41	41	41	42	42	42	42	42
oomcaa'	22	39	38	41	41	41	41	41	41	41	20	41	22	20	41	42	42	25	42
mcaa'	Q	S	٧	L	T	Q	Ρ	Р	S	-	٧	S	G	Α	Р	G	Q	R	٧
rel. oomcaa ^s	55%	%86	93%	100%	100%	. %001	100%	100%	100%	100%	49%	100%	54%	49%	%86	100%	100%	%09	100%
pos occupied"		2				• • • • • • • • • • • • • • • • • • • •										•••••			1

WO 97/08320 Table 5A: Analysis of V lambda subgroup 1

									••		CD	RI							
amino acid'	20.	21	22	23	24	52	56	27	٥		28	29	30	3	⋖	32	33	34	25
Α	2			,				1				2	2			1			
В							<u> </u>												••••
С.				42															
D										3			3	1		3		1	.
E								·					1						
F					1				1			<u> </u>			1	1			••••
G			·			42	3	1			2	39	4	2					
Н														2		2		2	
1	1	41								1	37			<u> </u>				1	
K										1			1						
L		1									1								
М											1								
N								2	1	37			13	31	2		1	9	
Р																1			
Q																1			
R							1	1					5						<u></u>
S	1		42		38		34	34	38				13	1	1	3		19	
T	38				3		4	3	2			1		1		7		2	<u>.</u>
V					•						1					2	40		<u></u>
W																			
Χ																	<u>.</u>		
Y														4	1	20	<u> </u>	7	-
Z											<u> </u>								<u> </u>
_															36		<u> </u>	<u> </u>	<u>.</u>
unknown (?)															<u> </u>		<u> </u>	<u> </u>	<u>.</u>
not sequenced															1	1	1	1	
sum of seq'	42	42	42	42	42	42	42	42	42	42	42	42	42	42	41	41	41	41	
oomcaa,	· · · · · · · · · · · · · · · · · · ·	41		· · · · · · · · · · · · · · · · · · ·		÷				:	•		:	:	:	:	;	•	•
mcaa ⁴	T	١	S	С	S	G	S	S	S	N	1	G	N	N	_	Υ	٧	S	
rel. oomcaas		98%			· · · · · · · · · · · · · · · · · · ·	<u> </u>	<u>:</u>	:	:	:	1	:	:		:	49%	%86	46%	
pos occupied	•	,	•			•	•			•	•			•	:	:	:	:	÷

122

Table 5A: Analysis of V lambda subgroup 1

					-	ram	iewo	rk II											
amino acidi	36	37	38	39	40	41	42	43	44	45	46	47	48	49	20	51	52	53	54
Α							4	40									1		
В																			· • • • • • • • • • • • • • • • • • • •
· C																			
D				,		1									13	10	8		
E										2					5			1	
F	1			4										1				<u> </u>	····
G			••••			39						<u></u>			1				
Н	1	1	6	1										1				1	
1									<u> </u>	<u> </u>			40		1				
K							1			35					1	1		18	
L			1	31							41	40						1	
М							1						1				,	1	
N							·			1					3	28	30	2	
Р					42	1			42					į					
Q		39	34															15	
R		2		1		1				4		<u> </u>			7			2	41
S								1						<u> </u>	9	2	. 3	1	
Ţ							36	1							1				
V			1	5							1	2	1						
W																			
Χ																			
Y	40										÷			40	1	1			
Z																			
-																		`	
unknown (?)																			
not sequenced	1																		
sum of seq'	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	4
oomcaa¹	40	39	34	31	42	39	36	40	42	35	41	40	40	40	13	28	30	18	4
mcaa'	Υ	Q	Q	L	Р	G	1	Α	Ρ	K	L	L	1	Υ	D	N	N	K	F
rel. oomcaa'	95%	93%	91%	74%	100%	93%	9098	95%	100%	83%	980%	95%	95%	95%	31%	%/9	71%	43%	
pos occupied		•	4	•			:	:		1	2	:		:	10	:	:		· · · · · ·

WO 97/08320 PCT/EP96/03647

Table 5A: Analysis of V lambda subgroup 1

•	CD	RII											<u> </u>						
amino acid'	22	26	¥.	8	ပ	٥	w	57	58	59	09	61	62	63	64	65	99	V	8
Α	1														5				
В																			
C																			
D					21						38		•						
Е													·						
F.													38						
G								41			2				36			,	
Н				·							1								
į į									17				3						
K				,													38		
L		1								1									
M																			
N																			
P	38									38									
Q																			
R												42					4		
S	2	40								2				42		42			
Т															1				
· V									24				1						
W																			
X			•••••																
Y																			
Z																			
_			41	41	41	41	42											42	42
unknown (?)												<u> </u>							
not sequenced	1	1						1	. 1	1	1								
sum of seq²	41	41	41	41	41	41	42	41	41	41	41	42	42	42	42	42	42	42	42
oomcaa³	38	40	41	41	41	41	42	41	24	38	38	42	38	42	36	42	38	42	42
mcaa¹	Р	S	-	-	-	-	-	G	V	Р	D	R	F	S	G	S	Κ	-	-
rel. oomcaa ^s	93%	%86	100%	100%	100%	100%	100%	100%	29%	93%	93%	100%	%06	0001	%98	100%	%06	100%	100%
pos occupied ⁶	3			1			:	;	2		:							1	1

Table 5A: Analysis of V lambda subgroup 1

				Fra	amev	vork	111	· 		-									
amino acid'	67	89	69	2	7	72	73	74	75	92	77	78	79	8	81	82	83	84	85
А		1	3		41			24						2	-			38	1
В						••••			••••										********
· C												·							••••••
D		1													1	41			37
E													1		24		42		1
F .																			
G		40						17		1	42				15				
Н													1						2
ı		-							41										1
K																			
L							42					41							
M																			
N																1			•
Р														2					
Q				·									31						
R													8						
S .	42		1	42		24				20				20				1	
Т			38			18				21				17				3	
V					1			1	1			1		1	·				
W											٠		1		2				
X																			
Y														<u></u>					
Z						·													
-																			
unknown (?)																			
not sequenced																			<u>-</u>
sum of seq?	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42
oomcaa¹	42	40	38	42	41	24	42	24	41	21	42	41	31	20	24	41	42	38	37
mcaa'	S	G	T	S	A	S	L	Α	١	T	· G	L	Q	S	Ε	D	Ε	Α	D
rel. oomcaa'	100%	92%	%06	100%	980%	57%	100%	57%	980%	20%	00001	98%	7 4 0/0	48%	57%	98%	100%	%06	88%
pos occupied ⁶	1				:			3									;		5

WO 97/08320

Table 5A: Analysis of V lambda subgroup 1

		. س <u>ر جي جي ۽ جي</u>								CDF	R 111								
amino acid	98	87	88	83	06	91	92	93	94	95	⋖	8	ں	۵	w	u.	96	97	98
А				22	15			1				16					4	1	
В					<u> </u>														
С			42																
D	1						39	17			7								
E										j		1					1		
F		2								1									3
G			<u></u>	14	<u>.</u>		<u></u>	1				-17	1				5	1	
Н		1											1						
l											1							1	
K											1								
L				1						37			1					1	
М								••••••			•••••							1	-
N							2	2			9	1					•••••	<u></u>	ļ
Р				••••••						1	•••••						6	ļ	<u>.</u>
Q				3														<u> </u>	<u>.</u>
R									5	1	2						2	÷	<u>.</u>
S	ļ			•••••	4			17	35	<u>.</u>	18		1		<u></u>		1	<u> </u>	<u>.</u>
T	.				22			1	1	<u></u>	1				<u></u>	<u></u>		<u> </u>	<u> </u>
<u> </u>	.			1				1		1	<u></u>	2				<u></u>	:	34	
W		<u></u>				38		!	ļ	<u> </u>					ļ		7		-
X	İ				<u></u>	.		.	ļ						ļ	ļ	<u></u>		-
Y	42	39	<u></u>	ļ		3		1		<u></u>	<u></u>		<u>.</u>		ļ		3	<u> </u>	-
Z	<u></u>	<u> </u>	<u>.</u>			<u> </u>			<u> </u>		<u> </u>	<u> </u>						<u> </u>	+
_	<u> </u>	<u></u>	<u> </u>	<u> </u>		<u> </u>		<u> </u>	<u> </u>	ļ	2	4	35	39	38	38	1	<u> </u>	-
unknown (?)	.		<u> </u>	<u>.</u>	<u></u>	<u> </u>		<u> </u>	<u></u>	<u> </u>	<u></u>	<u>.</u>	<u> </u>		<u> </u>		<u> </u>		
not sequenced		<u> </u>	<u> </u>	1		+ =			1		=		3		:	-	÷		÷
sum of seq ²																		•	
oomcaa,	42	3 9	42	22	•••••••••••••••••••••••••••••••••••••••					37	:		:	39	38	38	:	34	•••••
mcaa*	Υ	Y	С	Α	T	W	D	D	S	L	S	G	·	_	<u> </u>	-	V	V	
rel. oomcaas	100%	93%	100%	54%	54%	93%	95%	41%	85%	%06	44%	41%	%06	100%	100%	100%	23%	87%	2
pos occupied	1											•••••••					10) (6

1 2 G SUBSTITUTE SHEET (RULE 26)

Table 5A: Analysis of V lambda subgroup 1

•			F	ram	ewo	rk IV						
amino acid'	66	100	101	102	103	104	105	106	٧	107	108	sum
Α						·		•				285
В										Ī		
C												84
D												224
E		1										. 81
F										<u> </u>		87
G	36	31	36							26		559
Н												25
1							<u></u>	•				188
К					30					<u> </u>		141
L						25			34			344
М										-		5
N					1							176
Р											1	296
Q					3				1		18	251
R					1					2		156
S		1								2		720
T		3		36	1		36					359
V						11		36	1			282
W										1		92
. Х												
Υ .												202
Z												16
-												524
unknown (?)	ļ	<u>!</u>	<u></u>			<u> </u>					<u> </u>	
not sequenced	4	6	6	6	6	6	6	6	6	10	22	141
sum of seq'	36	36	36	36	36	36	36	36	36	31	19	
oomcaa ³	36	31	36	36	30	25	36	36	34	26	18	
mcaa'	G	G	G	Т	Κ	L	T	V	L	G	Ω	
rel. oomcaa'	100%	.%98	100%	100%	83%	%69	100%	100%	94%	84%	95%	
. pos occupied ⁶	1			1	5	· • · · · · · · · · · · · · · · · · · ·	········	1	······································			

Table 5B: Analysis of V lambda subgroup 2

											Fran	new	ork l						
amino acid'		2	3	4	2	9	7	8	9	10	Ξ	12	13	14	15	16	17	18	19
А			35					30			6		1	1					
В									_										
· C																			
D												•••••				1			
Е									••••••			•••••						••••	
F .									•••••	•								•••••	
G									•••••				42			42			
Н	2			•			•		•••••		•						1		•••••
1			1		-				••••									•••••	28
К									•								,		••••••
L				40											3				1
М									••••										
N		•																	••••••
Р							42	6							40	•••••			
Q	22		4			41				•••••				••••••		••••••	42		••••••
R				•••				6	1										•••••
S .		41							40			42		42				43	
т					42				1					••••••					•••••
V		1	2								36								14
W											•								•••••
X														•••••••••••••••••••••••••••••••••••••••		•••••			•••••
Y														•					••••
Z	16													•					
-										42									
unknown (?)						1									•••••				
not sequenced	3	1	1	3	1	J	1	1	1	1	1	1					_	_	
sum of seq ²	40	42	42	40	42	42	42	42	42	42	42	42	43	43	43	43	43	43	43
oomcaa³	22	41	35	40	42	41	42	30	40	42	36	42	42	42	40	42	42	43	28
mcaa'	Q	S	Α	L	T	Q	Р	Α	S	- ·	V	S	G	S	Р	G	Q	S	1
rel. oomcaa ^s	55%	%86	83%	100%	100%	0/086	100%	71%	95%	100%	96%	100%	%86	%86	93%	•••••••	98%	100%	92%
pos occupied ⁶	3		······	••••••			····· i	- 1		••••••••••••	2	•••••		· · · · · · · · · · · · · · · · · · ·			:		9

WO 97/08320

Table 5B: Analysis of V lambda subgroup 2

•				- 4							CD	RI							
amino acid'	20	21	22	23	24	25	56	27	٥	ш	28	29	30	31	٧	32	33	34	35
А					3		1						1			1			
В																			
· C				42				-	1					1					•••••
D										39		1	4		5				•••••
E															1				
F.		1											1			4			
G						43		1				39	26						
Н								1						<u> </u>	1	1	<u> </u>		
I		41			1						6	<u> </u>							
К												<u> </u>			4	<u></u>			••••
Ĺ		1														4			
M																			
N								1	3	4		1	4	3	28				
P								1											
Q																			
R									1				2						
S			42	•	3		3	35	38				5	1	2	4	1	42	
T	43				36		39					1		1					
V											37		••••••				41		
W			<u> </u>							•									4
X			<u> </u>					••••											
Y			•	······································				1				1	••••	37		29			
Z						•													
<u>-</u>						700			-				3 (1		-		
unknown (?)			<u> </u>		<u></u>	 !		•••	•••••••• •	······································			••••		1				
not sequenced		······································	1	1		<u></u>			<u></u>						•		1	1	
sum of seq ²	~	43	42	42	43	43	43	43	43	43	43	43	43	43	43	43	42	42	4
oomcaa ³	·····	·····	÷	:	36	-	······	••••••••	·····	······					• • • • • • • • • • • • • • • • • • • •		-	:	
mcaa'	Т	ı	S	С	T	G	:······	S	:	D	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	··········	Υ	• · · · · · · · · · · · · · · · · · · ·	• 	V	:	Ν
rel. oomcaa'	%00 l	······································				·····			980%		 : :	910%					%86		
,	ļ	<u></u>	·	†		Ī	· · · · · · · · · · · · · · · · · · ·	:	;	:	:	:	:	1	:		:	<u> </u>	
pos occupied ⁶	1	3	1	1	4	1	3	7	4	2	2	5	7	5	7	6	2	1	<u>.</u>

Table 5B: Analysis of V lambda subgroup 2

						Fran	iewo	rk II											
amino acid'	36	37	38	39	40	41	42	43	44	45	46	47	48	49	20	51	52	53	54
А		í			1	4		40											
В																			
C																			
D				1		2						<u></u>			20	1	2	1	
E															.20			2	
F	2													7		1			
G						36									2	2		1	
Н .			2	34														1	-
1							1				1	9	43				1		
К							40			41							1	21	
Ĺ			1	1							38	6							
М												26					1		
N				2											1		8	12	
P		- 2			41				43										
Q		41	39		·					2									
R		1			·		1										2		43
S					1									2			21	3	
Т							1						•				7		
V						1		3			4	2				39			
W														••••••					
X																			
Y	41			5			•••••••							34			•	2	••••
Z										•									
_																			
unknown (?)		1	1						•••••		•								•••••
not sequenced																			
sum of seq²	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43
	41	:	:····	:		.	:			•••••			• • • • • • • • • • • • • • • • • • • •			•••••		•	!
mcaa'	:	:	Q	• · · · · · · · · · · · · · · · · · · ·	Р		Κ	······································		Κ	• • • • • • • • • • • • • • • • • • • •	М			D	• • • • • • • • • • • • • • • • • • • •		K	·
)				••••••	•••••					_			•••••			
rel. oomcaas	95%	95%	91%	79%	95%	84%	93%	93%	1000	95%	98%	9009	100%	79%	47%	91%	49%	49%	100%
pos occupied ⁶	:	:	3	:	:	:	:						• • • • • • • • • • • • • • • • • • • •		•		:	:	!

130

WO 97/08320 PCT/EP96/03647

Table 5B: Analysis of V lambda subgroup 2

	CDI	R 11																	
amino acid	55	26	⋖	82	ں	۵	w	57	28	59	09	19	62	63	64	65	99	٧	B
А			į												2				
В			·				<u> </u>			<u> </u>		<u> </u>							
C	ı.				*			į								1			
D											17								
E											٠								
F													42						
G								43	1						41				
Н											2								
1								•	3										
K						•											42		
L			Ī	*******							1	-	1						
M												-							
N											19							*	•••••
P	43									15									•••••
Q																			-
R												43					1		•••••
S		43		•••••						28	2		••••	43		42			•••••
T				•••••			·····	••••••			••••••	•				••••			••••
V							·····		39			Ī							••••
W							Ť		******			····· 							
Χ							····· <u></u>	••••••				····· i							•••••
Υ							······ i	•			2	*******	••••		••••••				•••••
Z								•••••											
			43	43	43	43	43											43	4
unknown (?)										•••••	•••••								
not sequenced	#										•••••			••••			<u></u>		
sum of seq²	·	43	43	43	43	43	43	43	43	43	43	43	43	. 43	43	43	43	43	4
oomcaa,	·	· · · · · · · · · · · · · · · · · · ·		:			•••••	•••••				43			· · · · · · · · · · · · · · · · · · ·		:		
mcaa'	Р		_	-	-	-	-	G		S	• • • • • • • • • • • • • • • • • • • •		F	S		S	:	-	-
		· · · · · · · · · · · · · · · · · · ·	%	%	%	%				·····		•••••	• • • • • • • • • • • • • • • • • • • •					%	Š
rel. oomcaa'	100%	100	100%	100%	100	100	100%	100	91%	%59	440/	100%	⁄ ₀ 86	100%	95%	%86	98%	100%	5
pos occupied	1	1	1	1	1	1	1	1	3	2	6	1	2	1	2	2	2	1	

13/

Table 5B: Analysis of V lambda subgroup 2

			· ·	Fra	ame	work	: 111								<u> </u>	-			
amino acid'	<u> </u>	89	69	70	71	72	73	74	75	9/	77	78	79	80	81	82	83	84	85
Α		3		1	43									36				43	
В																		·	
. C																			
D		1	2										•		3	42			39
E				٠							1		•		38		43		•••••
F .								•									•		******
G		39									42				1				•••••
Н						••••••	•••••	••••••			••••••								2
ı						•••••			35		•••••								•••••
· K			1				••••				••••		•••••						•••••
L							43					43	•••••						•••••
М													••••						•••••
N			38										••••••		1	1		•••••••••••••••••••••••••••••••••••••••	1
Р.						•								2					••••••
Ω .						•				••••••			41					•••••••••••••••••••••••••••••••••••••••	•••••
R			••••							······			2	••••••					· • • • • • • • • • • • • • • • • • • •
S	42			1		43			•••••	42				••••					••••••
ī			1	41				43		1				2					•••••
V						• • • • • • • • • • • • • • • • • • • •			8		•••••			3					••••••
W			••••			•••••••					•••••					••••••			·••••••
X			•••••			••••••			••••							•••••			•••••
Y		•••••				•••••••													•••••
Z								•••••			•••••								•••••
_																			e we
unknown (?)			1											•••••••••••••••••••••••••••••••••••••••					1
not sequenced	1																		
			43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43
oomcaa'		39						••••••	••••••	····· ·		-		36	••••••	•••••••		••••••••	
mcaa'		G	••••••		Α	S		T		S						D	Ę	A	
							••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		••••••			••••••	**********				
rel. oomcaas	100%	91%	%88	95%	%001	100%	100%	000	81%.	98%	%86	100%	95%	84%	%88	%86	%001	%00 l	910%
pos occupied ⁶			•••••••••••••••••••••••••••••••••••••••		•••••••			•			:	······································		:	:	:	·····		
233 occupied		٠		٠				1	4	2	2	1	2	4	4	2	1	1	3

WO 97/08320

Table 5B: Analysis of V lambda subgroup 2

										CDI	R III								
amino acid'	98	87	88	83	90	91	92	93	94	95	4	ထ	ں	۵	ш	ч.	96	97	98
А				2	1		21		1								1	1	·
В																			
· C			43	11															
D								3	1	2							1		
E							1	1											•••••
F		3				3				1		1					· 5		4
G							1	21	3	4							1		
Н						1						<u> </u>		<u></u>					
·							1	1		1	2	<u></u>		<u></u>			1	7	
K										3									
L												1	1				6	5	
М																	1	1	
N									.5	7	5						1		
Р								1				4							
Q										1	2								
R							2		3			1					5		
S ·		1		30	41			12	23	14	9						1		
T							16	4	4	3	21						٠	-	
V			·				1										11	28	
W																	5		
Х																			
Y	43	39				39			1	6							4		
Z																			
-										1	۔3	36	42	43	43	43			
· unknown (?)							,		2										
not sequenced					1						1							1	
sum of seq ⁷	43	43	43	43	42	43	43	43	43	43	42	43	43	43	43	43	43	42	4
oomcaa¹	43	39	43	30	41	39	21	21	23	14	21	36	42	43	43	43	11	28	4
mcaa'	Υ	Υ	С	S	S	Y	Α	G	S	S	T	-	-	-	-	-	٧	V	F
rel. oomcaas	100%	91%	100%	20%	986%	91%	49%	19%	53%	33%	9,009	840/0	980/0	100%	100%	100%	26%	67%	7000
pos occupied ⁶	1	3	:				:		:			 5		••••••			13	:	

WO 97/08320 PCT/EP96/03647

Table 5B: Analysis of V lambda subgroup 2

				Fran	newo	ork I	V]
amino acid'	66	100	101	102	103	104	105	106	A	107	108	sum ˈ
Α		1										280
В	ž.	,				<u> </u>						
С			•									99
D		-	•									188
E					***********							107
F									•			113
G	42	33	42							19		567
Н			**********			•						48
					,		1					184
K					36		•••					189
L						28			40			264
M												29
N					1							146
Р												238
Q					1						14	250
R		1			2	-				4		121
S							1			2		831
Т		7		41			40					398
V						14		42	1			327
W												48
X												·
Y					1							285
Z												16
-												555
unknown (?)												8
not sequenced	1	1	1	2	2	1	1	1	2	15	28	80
sum of seq²	42	42	42	41	41	42	42	42	41	25	14	
oomcaa³	42	33	42	41	36	28	40	42	40	19	14	
.mcaa⁴	G	G	G	T	Κ	L	Т	٧	L	G	Q	
rel. oomcaas	100%	29%	100%	100%	9/088	67%	92%	%00I	%86	0,9,	%00 	
pos occupied ^a	1	4	1	1				1		3	1	

134

WO 97/08320 PCT/EP96/03647

Table 5C: Analysis of V lambda subgroup 3

ĺ											Frar	new	ork l						
amino acid'		2	3	4	5	9	7	8	6	10	=	12	13	14	15	16	17	18	19
А					1		1	2	7					20	1				27
В	·									<u> </u>									
C																			
D			5				10												
E			20										1			1			
F	1	1										1			1				
G			1													37			
Н																			,
l																			
K						••••		••••••					••••				2		
L				37							4		1		9				*******
М												Ī							
N								•••••											
Р						•	26	35	1						27				1
Q	4		4			38							•••••				36		••••••
R						•••••							••••••						,
S	13	14			1		1		28			37		18					*******
7					36	••••		1					••••••					38	
V		•••••	8	1		•••••			2		34		36						10
W		•••••		•••••		•••••••													
Х											•								
Υ		23									•••••								•••••
Z											••••		•••••						
-	20									38									
unknown (?)		•••••				•••••		•			•••••						•		
not sequenced				•••••		••••••					•			•••••			•	•	••••••
sum of seq ²	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38
oomcaa³		23		• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	26					37		•••••••			36		•••••
mcaa'	-	Υ	Ε	L	T	. O	Р	. Р	S	-	٧	S	٧	Λ	Р	G	Q.	Т	Α
rel. oomcaas	53%	61%	53%	92%	92%	,000 100%	9,89	95%	74%	,000 100%	%68	92%	95%		71%	92%		%00 I	710%
pos occupied ^a		3		••••••			·····			1		: :	:			: :	:		

Table 5C: Analysis of V lambda subgroup 3

•						0					CE	RI							
amino acid'	20	21	25	23	24	25	26	27	0	w	28	29	30	31	⋖	32	33	34	35
Α			1					5					1	1			21	3	
В																			
· C				38					-									5	
D							30	1					10			3		1	
E							2	2				1	3	6					
F														1		2			
G					9	38		1	•	••••••		23	4						
Н							1									2		9	
ı		38									9			1					
К								7					2	13					
Ĺ											28								
M	1													1					
N			2				4	9			1		2			1		2	
Р			1									3							
Q					10									4					
R	25							2				10	1				1		
S	9		1		19			10					11	2		8		14	
Т	3		33					1				1	4						
V																1	15		
W																			38
X																			
Y							1							8		20	1	4	
Z																			
-									38	38					37				
unknown (?)				·															
not sequenced															1	1			
sum of seq'	38	38	38	38	38	38	38	38	38	38	38	38	38	37	37	37	38	38	38
oomcaa,	25	38	33	38	19	38	30	10	38	38	28	23	11	13	37	20	21	14	38
mcaa•	R	1	Τ	С	S	G	D	S	-	-	L	G	S	К	-	Υ	Α	S	W
rel. oomcaa ^s	%99	100%	87%	100%	%0S	100%	79%	26%	100%	100%	74%	51%	29%	35%	100%	54%	55%	37%	100%
pos occupied ^a	4							9	: :	1						•••••			

WO 97/08320

Table 5C: Analysis of V lambda subgroup 3

					F	ram	cwo	rk II											
amino acid'	36	37.	38	39	40	41	42	43	44	45	46	47	48	49	20	51	52	23	54
A							,	23								1		1	•••••
В																			•••••
С																			
D															9	22	2	8	
Е			1					<u></u>							5	3		3	•••••
F	3													2			1		
G						36									9	2		··	
Н							1							1	3			1	· • • • • • • • • • • • • • • • • • • •
1										1			28				1		
K				32											2	6	1	13	
L			2							6	33	1							
M											1	į	1						
N '																1	19	9	
P					36	•	1		38										
Q		37	35	1			36								9			1	
R		1		4		2						<u></u>			1	1		1	3
<u>S</u>				1	2			14				<u></u>					10	1	<u> </u>
T												<u> </u>				2	4	<u></u>	<u></u>
V								1		31	4	37	9				<u> </u>	<u> </u>	ļ
W																<u></u>		<u>.</u>	
X	1																<u></u>	<u></u>	
Y	35													35		<u>.</u>			
Z																<u> </u>			
······································															<u>.</u>			<u> </u>	
unknown (?)													••••				<u>.</u>	<u>.</u>	<u></u>
not sequenced	ı l																	<u> </u>	
sum of seq ⁷	===	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	3
oomcaa¹		37		÷	•	•	•	•	:	:				•	:	22			
mcaa*	Υ	••••••••••	Q	·	:	÷	Q	•=			:	٧	•	:	•	D	N	K	
rel. oomcaa ^s	92%	70%	92%	84%	15%	5%	5%	10%	%00	12%	37%	92%	7 40%	32%	74%	58%	20%	34%	
pos occupied	*******																		•

WO 97/08320

PCT/EP96/03647

Table 5C: Analysis of V lambda subgroup 3

	CE)R II						Γ											
amino acid'	52	99	⋖	80	ပ	٥	ш	57	58	59	9	61	62	63	64	65	99	⋖	8
А		1											7						
В															<u> </u>			<u> </u>	
С																		<u></u>	
D											9	<u></u>			-		<u> </u>		<u> </u>
E											27				:	<u></u>			
F		<u>.</u>											38						
G								38							38	·····		} 	
н	ļ	<u> </u>						-											
1		<u></u>	<u></u>						37										•••••
K		<u></u>	<u> </u>	<u></u>											:				**********
L		<u>.</u>			<u></u>														
M		<u></u>		<u></u>															
N		<u>.</u>															21		
Р	37	1								36									
Q																			
R												38							
S	1	36								1				38		38	12		
Т																	5		
V					,														
W									*******										
X																			
Y																			
Z																			
-			38	38	38	38	38											38	38
unknown (?)										<u></u>	1								
not sequenced									1	1	1								
sum of seq'	38	38	38	38	38	38	38	38	37	37	37	38	38	38	38	38	38	38	38
oomcaa³	37	36	38	38	38	38	38	38	37	36	27	38	38	38	38	38	21	38	38
mcaa'	Р		-	-	-	-	- [G	١	Р	Ε	R	F	S	G	S	Ν	-	-
rel. oomcaa ^s	97%	95%	100%	100%	100%	100%	100%	100%	100%	97%	73%	100%	100%	100%	0001	100%	55%	%00I	%001
pos occupied ⁶	2	3	1	1	1	1	1	1	:	:	:	1	1			1	3	1	1

138

Table 5C: Analysis of V lambda subgroup 3

•				Fra	męv	vork	111												
amino acid'	67	89	69	70	71	72	73	74	75	9/	77	78	79	80	81	82	83	84	85
А				1	36	1		1				11	1	34				38	
В																	<u></u>		
· C																	<u></u>		
D																38			37
E													10		14		38		1
F																			
G		37									28				10				
Н			1														•		
1,						1		1	37	1					1			<u></u>	
К			1														<u></u>		
L							38					<u> </u>		<u> </u>	2		<u></u>		
М															10				
N			28							1		İ			•				
Р																			
Q		1											25						
R					·					1	10		1						
S	37		2			11				23				1					<u></u>
Т	1		6	37		25		36		12		13		2			<u></u>		
V					2				1			14	1	1	1		<u></u>		
W																			
X																			
Υ																			
Z																			
<u>-</u>																			
unknown (?)																			
not sequenced												1							
sum of seq ²	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38
oomcaa,	37	37	28	37	36	25	38	36	37	23	28	14	25	34	14	38	38	38	37
mcaa'	S	G	N	T	Α	Ţ	L	Ţ	1	S	G	V	Q	Α	Е	D	Ε	Α	D
rel. oomcaa ^s	97%	97%	74%	97%	95%.	%99	100%	95%	92%	61%	74%	37%	%99	%68	37%	100%	100%	100%	97%
pos occupied		2			:		•									1	1	1	2

WO 97/08320 PCT/EP96/03647

Table 5C: Analysis of V lambda subgroup 3

										CD	R III			···					
amino acid'	98	87	88	83	90	91	92	93	94	95	∢	&	ں	۵	w	ш	96	97	86
А					13	3	, 2			1	2						4		
В								<u> </u>		<u></u>					<u> </u>	······································	<u> </u>		
· C			38					<u> </u>		<u></u>	<u> </u>		<u> </u>		<u> </u>		<u> </u>		
D							32	1	1		6		<u> </u>		<u> </u>		<u> </u>		
E				1	Ì							2	Ī				2		
F		2						2		:	••••••••••••••••••••••••••••••••••••••		1						35
G									3	14	3	·····		1			3	1	
Н											··········	12	1					<u></u> :	
1 .										••••••				•••••••••••••••••••••••••••••••••••••••				4	
K									***********		1	••••••	†		<u></u>			•••••	
L				1				1		1		1	1				4	2	
M									1	•						•	1		••••••
N				10			2	1	2	••••••	10	1							
Р									1			•••••	3				1		•••••
Q				25						1	1		• • • • • • • • • • • • • • • • • • •						
R .						10		1	2	•		2	• - - -						••••••
S .				1	14	1		28	26	13		1		*********	•••••	1			
T						1		3		7				••••				••••••	
V					11												18	28	
W				·		23			•								1	•••••••••••••••••••••••••••••••••••••••	
X																			
Y	38	36					1		1		1	3	1				3		
Z																			
_											10	15	31	36	37	36		1	
unknown (?)									·							•••••••••••••••••••••••••••••••••••••••			
not sequenced							1	1	1	1	2	1	1	1	1	1	1	1	3
sum of seq²	38	38	38	38	38	38	37	37	37	37	36	37	37	37	37	37	37	37	
oomcaa,		;	:	:	:	:		:			10	·····			••••••			• • • • • • • • • • •	
mcaa'	Υ	:	С			:	:			G		-	-	-	-	-	٧	V	F
rel. oomcaa ^s	100%	95%	100%	%99	37%	61%	%98	0/09/	%02	38%	28%	11%	34%	97%	100%	92%	49%	0/09/	%00 l
pos occupied ⁶	1	2	1		3				:		9	:				2	·····	6	

Table 5C: Analysis of V lambda subgroup 3

•			F	ram	ewo	rk IV	,					
amino acid'	66	001	101	102	103	104	105	106	٧	107	108	su
Α												26
В			•		•••••							
С			·····							1		8
D								<u> </u>				22
E					2					Ī		14
F												Ş
G	35	31	35							24		46
Н												3
l												16
·K					30							1
L ·						28			33			23
M									,	-		•
N												12
Р									1			24
Q											7	27
R					2							1
S										2		50
Ţ		4		35			35					34
V						7		35				30
W												. (
Χ												
Υ												2
Z					·							
-				<u> </u>						•••••		6
unknown (?)						<u> </u>						
not sequenced	3	3	3	3	4	3	3	3	4	11	28	
sum of seq²	35	35	35	35	34	35	35	35	34	27	7	
oomcaa ³	35	31	35	35	30	28	35	35	33	24	7	
mcaa*	G	G	G	Т	К	L	Т	V	L	G	Ω	
rel. oomcaa'	100%	89%	100%	100%	88%	900%	100%	100%	97%	9,068	100%	
pos occupied ⁶	1	÷	•	1		<u> </u>		1	†···· ·		1	

Table 6A: Analysis of V heavy chain subgroup 1A

																Fra	mev	vori	(
amino acid'	-	7	က	. 4	٠ ،	S.	9	7	<u></u>	6	ç	2	=	12	13	14	72	16	1	28	5	70
Α						1	14			60)							24	1			
В									<u></u>		<u>.</u>											
С			<u> </u>							<u>.</u>												
D									<u> </u>	<u>.</u>	<u>.</u>											
E	1		<u> </u>	<u>.</u>		2	1		2	<u>.</u>	(54										
F		<u>.</u>	<u></u>	<u>.</u>							<u>.</u>							•••••				
G		<u>.</u>	<u>.</u>						58	3	1						64					
Н				2						<u> </u>												
		2						<u></u>	<u>.</u>	<u>.</u>	<u>.</u>											
K		2												57	64			•••••			60	
L				2 5	59					<u>.</u>	<u>.</u>		3									
М		1	<u>.</u>																			
N									<u>.</u>					6								
P		<u>.</u>	<u>.</u>					<u>.</u>								63						
Q	53		5	6		2	45		<u>.</u>									•••••	ļ	<u>.</u>	····-	
R		<u>.</u>	1					<u></u>			<u>.</u>			1					ļ	<u></u>	3	<u></u>
S	<u> </u>	<u>.</u>	<u>.</u>			•••••		60)		3			<u> </u>		1		40	63	<u></u>	<u> </u>	<u> </u>
T	1	<u>.</u>		<u>.</u>			<u></u>			<u>.</u>	<u>.</u>			<u> </u>					<u> </u>	<u> </u>	1	<u> </u>
V	2	5	5		1	5 5	<u></u>			<u>.</u>			61	<u></u>					<u> </u>	64	<u></u>	6
W		<u>.</u>				·	<u></u>		_					<u></u>					<u> </u>	<u> </u>	ļ	<u> </u>
X			<u>.</u>	<u>.</u>										<u>.</u>	<u></u>				<u></u>	<u> </u>	ļ	<u> </u>
Υ						•••••								ļ	ļ			ļ	ļ	ļ	ļ	
Z		3												<u> </u>	<u> </u>				<u> </u>	<u> </u>	<u> </u>	<u>!</u>
							ļ			<u></u>			<u></u>	<u>.</u>					<u></u>	<u> </u>	<u>.</u>	<u>.</u>
unknown (?)	••••												<u> </u>	<u></u>				<u>.</u>	ļ	<u> </u>	<u> </u>	<u>.</u>
not sequence				_							6	6				-			\div	6 6		<u> </u>
sum of seq ²	;		···÷···	·····		•••••	••••••		•••••				:	•=	:	64	:	:		:	:	:
oomcaa ³	*		···÷···	•••••	•••••	••••••	••••••	•	•••••	••••		•	÷		• • • • • • • • • • • • • • • • • • • •	63		.,				
mcaa*	0	\			L	Ų		2			Α		V		K	Р	G	S	• • • • • • • • • • • • • • • • • • • •	. .		١
rel. oomcaa ^s	%0 0 b	200	07.70	93%	%86	92%	750%	2 0	0000	0/n/6	94%	100%	95%	89%	100%	%86	100%	630%	980%	100%	940%	
pos occupied	•	:	1			:		•	- 1	•	:		:	i		2	:	i	1	•	:	3

WO 97/08320

Table 6A: Analysis of V heavy chain subgroup 1A

			•											CD	RI					
amino acid'	21	22	23	24	25	26	27.	28	29	30	31	∀	۵	32	33	34	35	36	37	38
Α				62				1							41					•••••
В			Ì																	
· C		63	İ																	•
D							1											<u>.</u>		
Ε																				•••••
F .									69					3		3				
G				1		69	41		1		_				23					
Н										1				1			1			
								1								61	1		1	
К			63							1	1							<u></u>		
L															1	2				
М																4				
N										2	5						4			
Р										-					1					
Q																				
R		1	1							1	1									7
5	63				68		1			40	60			2			60			
Ţ	1			2				68		25	3				3		4			
V															1				69	
W					<u> </u>													70		
Χ																	·			
Υ		Ţ		<u> </u>		••••••••••••••••••••••••••••••••••••••	27							64						
Z																				
-												70	70							
unknown (?)										-	Ī									
not sequence	d 6	6	6	5	2	1														
sum of seq ²		64	64	65	68	69	70	70	70	70	70	70	70	70	70	70	70	70	70	7
oomcaa ³	*******	• • • • • • • • • • • • • • • • • • • •	63		•••••	••••••	• • • • • • • • • • • • • • • • • • • •				:	:			:	:	:	:	:	:
mcaa ⁴	:	• •••••••	K	• • • • • • • • • • • • • • • • • • • •	•••••••	•••••••	G	••••	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	·	-	-	Υ	:		S	W	•	
rel. oomcaas	%86	8%	98%	95%	100%	100%	29%	7%	%6	70%	9/09	100%	%00	91%	29%	87%	%98	100%	%66	
pos occupied	•	1			†	1	-	:	:	•		1	•	:		:	<u>&</u> 5	Ī		-

Table 6A: Analysis of V heavy chain subgroup 1A

				Fra	me	work	(II							`						
amino acid'	33	40	4	42	43	44	45	46	47	48	49	22	51	52	⋖	8	ن	53	54	52
A		70									1				5					
В									<u> </u>	<u></u>										
С									<u> </u>		<u> </u>									
D								1	<u> </u>	<u> </u>										
E								69												
F													2					3	39	
G			1	68		69			1		69	39			1		,			6
Н			1																	
1													65	38				34		
K ·																				
L				1			68			1		1						2	4	
М										67				2				4		
N														4				3	22	
Р			68				1								44		<u>.</u>	<u></u>		ļ
Q	69				69											,	<u>.</u>	1	1	
R	1			1		1						4					<u>.</u>	1	<u></u>	<u>.</u>
S		<u>.</u>	<u>.</u>	<u> </u>	1		<u>.</u>	<u>.</u>	1	1				22			<u></u>	<u> </u>	1	<u>.</u>
T		<u> </u>	<u>.</u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>				1	2	4		<u></u>	1	3	<u> </u>
V				<u> </u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u>:</u>	1			2	2	16	<u> </u>	<u> </u>	1	<u> </u>	<u>.</u>
W		<u>!</u>	<u>.i</u>	<u> </u>	<u> </u>	<u></u>	1	<u>.</u>	67	<u> </u>		26				<u></u>	<u></u>	<u></u>	<u> </u>	<u>.</u>
X		<u>.</u>			<u></u>	ļ	<u></u>		<u></u>	<u></u>	<u> </u>					<u></u>		ļ	<u> </u>	
Υ		<u>.</u>		<u></u>	<u></u>	<u></u>	<u>.</u>	<u>.</u>	1	<u></u>						ļ		20	<u> </u>	<u></u>
Z		<u> </u>			<u> </u>		<u>!</u>							<u> </u>		<u> </u>		<u> </u>		_
		<u>.</u>	<u>.</u>	<u></u>						<u></u>	<u></u>				<u></u>	70	70	<u></u>	<u>.</u>	<u>.</u>
unknown (?)		. .	<u>.</u>	<u></u>	<u>.</u>				<u> </u>		<u> </u>	<u> </u>		<u></u>	<u></u>		<u> </u>		<u>.</u>	<u>.</u>
not sequence	d		<u> </u>						<u>.</u>			<u> </u>				<u></u>	<u> </u>	<u> </u>		-
sum of seq ²	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70) 7
oomcaa,	69	70	68	68	69	69	68		• ÷ • • • • • • •	÷		39	•••••••	38	· · · · · · · · · · · · · · · · · · ·	70	70	34	•	• • • • • • • • • • • • • • • • • • • •
mcaa'	Q	Α	Р	G	Q	G	L	E	W	М	G	G	1	1	Р	-	-	1	F	
rel. oomcaa ^s	% 66	100%	920%	%26	%66	%66	920%	%66	%96	%96	%66	999	93%	54%	63%	100%	100%	49%	56%	
pos occupied		•									:	:	:	:	:		÷	:) (3

WO 97/08320

Table 6A: Analysis of V heavy chain subgroup 1A

		DR	11																	
amino acid¹	99	23	28	29	9	19	62	63	64	65	99	29	89	69	20	7	72	73	74	75
Α	1	34			69											43				
В				<u> </u>															- !	••••
· C																				
D	15		1							2							70			••••
<u>E</u>									1									33		
F				1				48				3		4						•••
G	1						3			67										••••
Н	ļ		1				. .													••••
1	4												1	44				1		
K	1		2	1			47		1		1							8		
L	1	1						22				2		1		3				
M														21						••••
N	9		59				18													
Р	1	7						,												
Q	1	1				70			64											
R	2	<u></u>					2		1		69							1		••••
S :		1	2		1										5				70	••••
T	34	26	4						3				66		65	24		27		6
V		<u> </u>								1		65	3							
W	1	<u> </u>					· .													
X		<u> </u>	<u> </u>			<u> </u>	<u></u>	<u></u>												
Υ	<u> </u>	<u>.</u>	1	68	ļ	<u></u>	ļ	ļ	,											••••
Z																				
			<u> </u>																	
unknown (?)		<u> </u>	<u>.</u>	<u>.</u>	<u></u>		<u> </u>													
not sequenced	1		<u> </u>																	
sum of seq ²	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	7
oomcaa,	34	34	59	68	69	70	47	48	64	67	69	65	66	44	65	43	70	33	70	(
mcaa'	T	Α	N	Υ	Α	Q	K	F	Q	G	R	V	T	1	T	Α	D	Ε	S	ļ
rel. oomcaa ^s	49%	49%	84%	97%	%66	100%	9/2/9	%69	91%	. %96	%66	93%	94%	63%	93%	61%	100%	47%	100%	
pos occupied	:	:	:	:	:	;		•	5	:	2	:	:	:	:		-	5	1	Ī.,

Table 6A: Analysis of V heavy chain subgroup 1A

•					Fr	am	ewo	rk I	<u> </u>															_
amino acid	9/	77	, α	0 6	2	8_	8	82	⋖		۰ ۵	ပ	83	84	85	ä	6	à 6	8	68	90	9	9	7
Α			6	34			1							3	3			1	70			<u>.</u>		
В			<u>.</u>	<u></u>					<u> </u>	<u>.</u>								<u>‡</u> .				<u> </u>	<u>.</u>	
· C		<u> </u>	<u>į</u>	<u></u>					<u></u>	<u>.</u>	<u></u> .											<u> </u>	7	· C
D			<u></u>				2		<u>.</u>					<u></u>	2	6 7	0					<u> </u>	<u> </u>	•••
E							64		<u>.</u>				· • • • • • • • • • • • • • • • • • • •		4	4						<u> </u>	-	
F	<u> </u>													<u></u>						1	1		2	
G		<u>.</u>							<u>.</u>		1										ļ			
Н					1					1				<u></u>							<u></u>	.ļ		•••
1			1					3	3	1	1			<u>.</u>	<u></u>					2	<u></u>	<u>.</u>		٠.,
K											<u> </u>		3									<u> </u>		
L						3		63	3			70		<u>.</u>						2	<u> </u>			
М						67		<u>.</u>						<u>.</u>				1		1	<u> </u>			•••
N	4	¥								1	16			<u>.</u>							<u> </u>			
Р													<u></u>								<u>.</u>			
Q					1		3						<u></u>							<u></u>	ļ			
R		3							2	23	1		62	2						<u> </u>	<u>.</u>			
S	62	2		1	•••••	<u></u>	<u></u>	<u>.</u>	4	41	49		<u></u>	6	7			1		<u> </u>	<u>.</u>			•••
T		1	69	2		<u></u>	<u></u>	<u> </u>		3	2			1				67		ļ	<u>.</u>			••
V			<u> </u>	3		<u></u>	<u></u>		4			<u></u>	<u>.</u>	1						64	1			
W			<u> </u>									<u>.</u>	<u> </u>							ļ				
X												<u></u>	<u>.</u>							ļ				
Υ		,.			68							ļ	ļ							ļ	6	9 (8	
Z												<u> </u>								<u> </u>				=
_						<u></u>						ļ								ļ				•••
unknown (?)		<u>.</u>	<u></u>									<u> </u>	<u>.</u>						<u></u>	<u> </u>				
not sequence												L			_	_				<u> </u>		$\stackrel{\perp}{-}$	_	_
sum of seq ²			70																					
oomcaai	6	2	69	64	68	3 6	7 6																	
mcaa⁴		5		Α	<u>:</u>	N					÷		· ·	••••		•••••••••••••••••••••••••••••••••••••••	D		·	•	/	Y	Y	
rel. oomcaa	, ,	0/n68	%66	91%	970%	0000	0,000	0/-16	90%	59%	70%	1000%	200	0/ ₀ 52	%96	63%	100%	0,096	100%		0	%66	97%	
pos occupied	•	~ ^	 າ	Δ.		3	2	4	3	 G		6	1	4	2	2	1	4	ļ.	1		:	2	

WO 97/08320 PCT/EP96/03647

Table 6A: Analysis of V heavy chain subgroup 1A

Ī				-			-			CDR	111	*								
amino acid'	93	94	95	96	97	98	66	100	∢	ω	ပ	۵	ω_	LL_	ေ	=			× ·	10
Α	66	2	16		1	1	1	4	1	2	2	1	1		1	1	1	2		1
В											<u> </u>									
. С					1	1	16	2		1	1	7	2	1						
D			16	5	3		3	5	4	3	4			1	1	14				59
E			9				2			1			1			1				
F .					1	3		2		3	1	2		2	1				28	2
G		2	14	13	20	10	14	5	20	15	16	3	3	4	15	1	1	7		
Н										1	1	1		1				· .		
1				2	5	2	2		2	2	1	1			1					
К		5			2	1			1								<u> </u>			
L		1	4	4	2	5	2	1	1		4	2		1			1		1	
М			1		2		1		1			1	1				<u> </u>		10	
N				2	2	1	2	1	2	2	2	2			1	1	4			
Р				20	3		1	3	2	2	2	4	2	1	4	1	· .	1		1
Ω .				1			1		1	1	1					į				
R		55	1	5	7	8	1	4		2		1		16						
S		. 1	1	5	5	5	5	21	5	11	8	4	3		2	1		2		1
Т	1	3	3	5	4	1	3	4	2	5	2		1			1	1			
V	3		3	2	4	3	3	3	4	2	2	2	1	2	1					
W		<u> </u>	<u></u>	1	1	3	1	1			2		3				1	5	1	
X																	<u> </u>			
Y		1		2	3	20	5	4	9	1	2	11	20	10	6	9	10	7	1	
Z																				
_				1	2	2	3	6	11	11	14	23	26	26	31	34	46	39	21	1
unknown (?)		-								<u> </u>	<u> </u>		1		1	1		2	3	
not sequenced	1		2	2	2	4	. 4	4	4	5	5	5	5	5	5	5	5	5	5	5
sum of seq?	70	70	68	68	68	66	66	66	66	65	65	65	65	65	65	65	65	65	65	65
oomcaa ³	**********	· - ·····	· - · · · · · · ·		•			•	:	:	:	:			•	:	46		:	:
mcaa'	Α	R	Α	Р	G	·Y	С	S	G	_	-	-	-	-	-	-	_	-	F	D
rel. oomcaa ^s	94%	,9%	74%	0,067	0,66	30%	740%	32%	30%	23%	25%	35%	40%	40%	48%	52%	71%	%09	43%	91%
pos occupied		• • • • • • • • • • • • • • • • • • • •	·· ፣ · · · · · ·	:::::::::::::::::::::::::::::::::::::::					:	:		:	:	•	•	•	1		1	

147

Table 6A: Analysis of V heavy chain subgroup 1A

. [Fra	me	ΝO	rk	IV					
amino acid'	102	103	104	105	106	107	100	3	<u>6</u>	10		117	113	sum
Α														67 0
В								<u>.</u>						
С							<u>.</u>	<u></u>						165
D		1	1				<u> </u>							308
E	1	1					ļ	<u></u> .						297
F	2						ļ							226
G			58	•••••	59	1	ļ	1						928
. Н			•••••	1			ļ							14
1 .	3						ļ			4				286
K				3		1	ļ							325
L	3			1				40	1					386
M	1			<u></u>	<u> </u>		<u>.</u>	3						189
N				1		ļ	-							176
Р	5						-						1	238
Q				52	·:									494
. R				1										351
S			<u></u>		<u> </u>				_				51	11
T			<u> </u>			5	4			51	••••••	1		736
V	15	<u>:</u>	· ! ·····					1	54		54	••••••		699
W		59		1		-								243
X		<u> </u>			-	-		•••••	<u></u>					1
Y	34				-			•••••	<u> </u>				ļ	542
Z	<u> </u>		<u>!</u>	┿	╧	÷	_			<u> </u>	<u> </u>		-	뒥
-	1								<u> </u>	<u> </u>	<u></u>			578
unknown (?)		<u>.</u>							1	1.5	16	1.0		
not sequenced			\div						$\overline{\cdot}$	15	7			- -
sum of seq'	÷	6	•••••••		•	•••••	••••			55	:	:		:
oomcaa,	÷		···•	···• • · · · · · ·	••••	•••••	1 T	. L	54 V	51 T	54 V	_ 53	••••••••	••••
mcaa,	Y	W	/ C	C				. L	. · ·					
rel. oomcaa ^s	5.7%	9.20%	2, 70	0,655	0670	0.00	0/096	71%	%96	93%	100%	980%	000	30%
pos occupied		9	3	4	7	1	3	5	5 3	3 2	1	1	2	3

Table 6B: Analysis of V heavy chain subgroup 1B

														Fr	ame	wor	k I			
amino acid'		5	က	4	2	9	7	80	6	10	=	12	13	14	15	16	17	18	13	20
А							,		32	_	٠					34				
В																				
C																				
D																				
E		1			5	1				35										
F																				
G								27							35					
Н			1											1						
l																				1
К		3	1									34	33						33	
L			3	26	1															
М		-		1	1															•••••
N					,															
Р									1					33			1			
Q	21		20			26														
R	1											1	2							
S .							27									1	34			
Т									1					1					2	
V	3	21			20						∙35							35		34
W																				
X																				
Y					•															
Z																				
-																				
unknown (?)								`												
not sequenced	15	15	15	13	13	13	13	13	6	5	5	5	5	5	5	5	5	5	5	5
sum of seq²	25	25	25	27	27	27	27	27	34	35	35	35	35	35	35	35	35	35	35	35
oomcaa3	21	21	20	26	20	26	27	27	32	35	35	34	33	33	35	34	34	35	33	34
mcaa ⁴	0	٧	Q	L	٧	Q	S	G	Α	Ε	V	K	`K	Р	G	Α	S	٧	Κ	V
rel. oomcaa ^s	84%	34%	30%	%96	74%	%9€	.00%	100%	34%	100%	100%	97%	94%	34%	100%	97%	97%	100%	94%	97%
pos occupied ⁶	: · · · · · · · · · · · · · · · · · · ·	:	:			:	:	:	:	:	:	:	:	:	:	:			:	2

149.

Table 6B: Analysis of V heavy chain subgroup 1B

						. — —										CDI						_	
amino acid'	21	22	23	3	74	25	26	27	28	29	30	7	5	∢ 0	ء · د	25	33	34	35	36	37	2	ဂ -
Α					30						<u></u>		2				6				<u></u>		••••
В			<u>.</u>	<u>.</u>							<u></u>	<u> </u>									<u></u>		••••
. C		3:	5	<u>.</u>							<u> </u>	<u>.</u>							•••••		<u> </u>	<u>.</u>	
D										<u> </u>	<u> </u>	<u>.</u>	1				5		1		<u> </u>		!
E				3					<u></u>	<u></u>	<u> </u>	<u>.</u>	1								<u>.</u>		••••
F								2		3 9	ļ					2	2		·				••••
G		<u></u>			1		40					1 1	4				1				ļ	<u></u>	1
Н									<u>.</u>	<u>.</u>	ļ	<u>.</u>				3	1	: :	34	<u></u>	ļ		•••
·		<u> </u>					•••••		1	<u>.</u>	<u>.</u>	1						9		<u> </u>	<u> </u>		••••
K	<u> </u>	<u> </u>		28				<u> </u>	<u></u>	<u> </u>	<u>.</u>	1								<u> </u>	<u> </u>		
L		<u> </u>	<u></u>					<u> </u>	<u> </u>	1	ļ <u>.</u>	<u>.</u>	1				<u>.</u>	5	-	<u> </u>	. <u> </u>	2	•••
M		<u> </u>							<u></u>	<u> </u>	<u>.</u>	<u>.</u>						23	·····	<u> </u>	<u>.</u>		
N		<u> </u>						1	<u>.</u>	<u>.</u>	<u>.</u>	1	3					1	3	ļ			
Р	<u> </u>	<u>.</u>						<u></u>	<u>.</u>	<u>.</u>							1		<u></u>	<u>.</u>	-		
Q		<u>.</u>		2			ļ	<u></u>					1				1	ļ	1	<u>.</u>			
R		<u> </u>	<u>.</u>	2				<u>.</u>		2	<u>.</u>					1	•••••	ļ	<u></u>	<u>.</u>			3
S	35	5	<u>.</u>			40		<u></u>	!	5	<u>.</u>	2	15			2	1		ļ	<u> </u>	<u>.</u>	<u></u>	
T		<u> </u>	<u>.</u>		3			<u> </u>	3	2	3	4					1	<u> </u>	<u>.</u>	<u>.</u>	<u>.</u>	<u></u>	••••
V					1		<u>.</u>		1	<u></u>	<u></u>	1	1				2	2	<u> </u>	<u>.</u>	3	8	····
W						<u>.</u>												<u>.</u>	<u>.</u>	4	0		••••
X						<u>.</u>																	
Υ								3	6				1			32	19)		1	<u></u>		
Z					<u> </u>	<u> </u>											<u> </u>	<u> </u>	<u> </u>	<u> </u>	_	_	
_														40	٠40		<u></u>		<u>.</u>				
unknown (?)					<u></u>											·····	<u> </u>		<u> </u>	<u>.</u>			••••
not sequence			5				<u> </u>					_					<u> </u>		<u> </u>		<u> </u>		
sum of seq ²														40									
oomcaa ³	3	5	35	28	30) 4(0 4	0 3	6 3	2 3	39	34	15	40	40			9 2	3 3	4 4	10	38	
mcaa*	9	5	С	K	Α	S	(; \	′	T.	F	T	S	-	-	Υ	Y	N	1 +	۱ ۱	N	٧	
rel. oomcaa ^s	7000	0,001	%001	80%	36%	90001	7,000	2000	9000	8000 8000	%86	35%	38%	100%	100%	80%	7007	40%	0,000	82%	100%	95%	
pos occupied	ļī				····	••••••	•••••	•	•			:		:	:	:	:	•	•	:	1	2	

Table 6B: Analysis of V heavy chain subgroup 1B

				Fra	me	worl	(11													
amino acid'	39	40	41	42	43	44	45	46	47	48	49	20	5	52	⋖	Ω	U	23	54	55
Α		39				1					1				7			1		
В																				
. C .																	·			
D														1				<u>į</u>	1	••••
E	ļ			1				39										1	1	
<u> </u>	ļ						. 2						1					1		••••
G	Į			39		28	•••••				39	1			1			9	•••••••	3
Н	ļ																	2		
<u> </u>	ļ									3			34					<u></u>		
K	ļ				1													<u></u>	1	••••
L	ļ		1		•••••		37						1							
M					••••					37		2	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••						•
N					•••••	•••••	<u></u>							35	:			20	12	
<u>P</u>	. .	······	34				1								31					
Q	39	<u></u>			39			1												
R	1	ļ				10						4							1	
S	. 	<u> </u>	1			1								2				1	20	
T	ļ	<u> </u>	4											1					3	
V	ļ	<u></u>					<u></u>	<u> </u>	<u> </u>					1	1					<u></u>
W		<u> </u>						<u></u>	40			33								<u> </u>
X		ļ	ļ										•••••		••••••					
Υ .								<u> </u>	ļ									2		
Z	-	-				_	-	<u> </u>		-			-			40	40	-	-	
		ļ	<u></u>	<u></u>				<u></u>	<u></u>	<u></u>	ļ					40	40			ļ
unknown (?)	8	<u> </u>	<u></u>	· · ·					<u></u>	<u></u>	<u> </u>					<u></u>	<u>:</u> :	<u></u>	<u></u>	<u></u>
not sequence	====	-	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	_
sum of seq ²		· - · · · · · · · · ·	÷	÷		••••••••	• • • • • • • • • •	:			:		:	:	:	:	:	:	:	:
oomcaa'		39 A	· ÷ · · · · · · · ·	39 G	•	•••••••	·:		•; •••••	÷	÷	33 W		35 N		40	40	20 N		÷
mcaa'			· ‡	<u> </u>	<u> </u>		·	·	÷		.	<u></u>				ļ		<u>:</u>		
rel. oomcaa ^s	98%	%86	85%	%86	%86	70%	93%	%86	100%	93%	98%	83%	85%	88%	78%	100%	100%	20%	50%	
pos occupied	:	;	:	:	:	:	;	:	:		•	£*	:	5	•	1	1	9	8	

151

Table 6B: Analysis of V heavy chain subgroup 1B

		DR	—-																	
amino acid'	99	22	28	59	9	61	62	63	64	65	99	29	89	69	2	7	72	73	74	75
Α	1	2			27	2				1		1				2				12
В								<u></u>		<u></u>								<u></u>		•••••
. C											<u> </u>									
D	1	•••••								4							35			
E	2		2			1				1						1				•••••
F				4				39						3						
G	15		6		1					34										
Н			1	1													1			
		1	1									1	1	13						22
K	2	2	8				36		1							1				••••
L						1		1	•					1						
М														23				1		
N	17		18				1										4			
Р															,				3	
Q						36			.37							••••				
R			2				1		2		37					34		1		
S .	1			2	11		1									1			37	
Т		35	2		1		1						39		40	1		38		
V	1											38						<u>.</u>		
W											3	•					<u>.</u>	<u>.</u>		
×																	<u> </u>	<u></u>		
Y				33											••••			<u></u>		
Z	Ì																	<u> </u>		
<u>-</u>																		<u>.</u>		
unknown (?)				<u>.</u>						<u> </u>	<u> </u>						<u> </u>	<u>.</u>	<u> </u>	<u></u>
not sequenced	B							<u> </u>											<u> </u>	
sum of seq'	40	4() 40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	4
oomcaa,	17	3	5 18	33	27	36	36	39	37	34	37	38	39	23	40	34	35	38	37	2
mcaa*	N	Ţ	N	Υ	Α	O	K	F	Q	G	R	V	Ţ	М	Ţ	R	D	T	S	١
rel. oomcaa ^s	43%	880%	45%	83%	9689	%06	%06	98%	93%	85%	93%	95%	%86	58%	100%	85%	%88	95%	93%	7011
pos occupied	· {	-	:						:	:	2		2		:	6	1	•	:	:

WO 97/08320

Table 6B: Analysis of V heavy chain subgroup 1B

				F	ram	ewo	rk II	l												
amino acid'	9/	11	78	79	8	81	82	¥	8	ပ	83	84	82	98	87	88	83	66	91	92
Α			35									1	2			40				
В																				
С									<u> </u>											37
D	1					4							19	40			1			
E						35							19							
F .			1									2							2	1
G						1		1	2				-							
Н											,									
1 .		1															1			
K			·								1									
L					2		39			39							2			1
M					37	•••••	1					······································		٠. ا			2			
N	7					••••		1	2											
Р						•••••						1							1	
Q					•••••		••••													
R	4							2	16		37									
S	27		<u></u>	1				35	20		1	36						1	1	
T	1	39	<u> </u>					1			1				40					
V		<u> </u>	4		1					1			•••••				33			
W		<u> </u>	<u> </u>	<u> </u>	<u> </u>								••••••			•••••				
X		<u> </u>											•••••							
Υ	I	<u> </u>	•	39	••••••••••••••••••••••••••••••••••••••								•••••	•				38	35	
Z	1	 !	<u> </u>	<u></u>	!···-								•••••							
_													700							
unknown (?)	I	······	<u></u>										••••••		•••••	•••••	 	••••••		<u> </u>
not sequenced	1	<u> </u>	<u> </u>						†·····								1	1	1	
sum of seq ²	-7	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	39	39	39	39
oomcaa,		÷	••••••	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	:		·····	37		:	:		:	7	7	:	:
mcaa*	S	÷	· ÷ ······	· • •••••••	• • • • • • • • • • • • • • • • • • • •	•••••••	L	S	S	L	R	S	·····	D	T		••••••••	Υ	÷	С
rel. oomcaas	0,	%	9/	%	.0%	%	9/c	%	9,	9/	%	%	%	%C	00%	% 0	%	%	%	%
ici. Outilead	089	086	880	986	930	88	980	88	20	380	93%	8	48(ĕ	Ď	Õ	85%	97%	90	950%
pos occupied	5	2	2 3	2	3	3	2	5	4	2	4	4	3	1		1	5	•	•	

Table 6B: Analysis of V heavy chain subgroup 1B

			1								CDR										
amino acid¹	93	94	95	96	97	86	8	3 5	3 ⋅	∢ ،	20	ں	٥	<u></u>	ц.	<u></u>	エ		<u> </u>	~	101
Α				_			-		•	- :	•			1					5		
В			<u> </u>	<u> </u>																	
. C		1	<u> </u>	<u> </u>	<u>.</u>	3	}				2	1									
D			7			2	2	3	1	5	4		1		2	2	1	2			27
E			2	<u></u>	1				1	1		2		1		1					•••••
F			<u>.</u>	· ¿		1				·	····	•	••••••••••••	1		*********			•••••••••••••••••••••••••••••••••••••••	15	••••
G		1	7	-	7 5	5 !	5	9	4	7	1	3		2	2	1		1	3		1
Н		<u>.</u>	1	<u>.</u>	<u>.</u>			2			1	1									•••••
ı		1	<u>.</u>		<u> </u>	1	3	1	1	1	1	1	1							1	
K		1		<u></u>		1				1	1		1		1			1			
L			2)	4	4 4	4	3		<u></u>	1	2	1	1	2		1	<u>į</u>		2	
М					2		1	1								1				4	
N						1			1		1	1	1			3		1			
Р					6	4		,		1	1		3	2				1			•••••
Q						1							1	2	1						
R	1	3	ı İ		5	1	1	3					1		1				1	ļ	
S			1	3	3	1	4	3	6	3	2	2	1		1				<i></i>	<u></u>	
T			2	1	1	2	2	1	5	1	1	1	<u>.</u>	1			1		1	<u> </u>	
V	1			7	1	1		1	3	1	2	<u> </u>	1			1	2	1		<u> </u>	<u></u>
W				1		1		2	2		1	1					1		4	<u> </u>	
X												<u></u>		<u></u>						<u></u>	
Y					5	5	4	2	3		4	3	3	2	1	2	5	6	2		
Z												<u> </u>		<u> </u>			-			<u> </u>	<u> </u>
-					1	1	4	6	8	10	11	14	20	23	25	25	25	23	18	11	<u>.</u>
unknown (?)			<u></u>									<u>.</u>						<u>.</u>		3	<u>.</u>
not sequence	d	1	1	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	. 4	_
sum of seq ²	3	9 3	9 3	7 3	7 3	17 3	37	37	37	36	36	36	36	36	36	36	36	36	36	36	3
oomcaa³	3	7 3	1	7	7	5	5	9	8	10	11	14	20	23	25	25	25	23	18	15	2
mcaa'	Δ	\ F	? [) (G I	C	G	G	-	-	-	-	-	-	-	-	-	-	-	F	
rel. oomcaa	2000	0.500	0/26/	1940	19%	14%	14%	24%	22%	28%	31%	30%	26%	64%	%69	%69	%69	64%	50%	47%	
pos occupied		••••	:	:		:	:		:	:	:			:	:	:	:		:	. :	5

Table 6B: Analysis of V heavy chain subgroup 1B

WO 97/08320

							vork	IV					
amino acid'	102	103	104	105	106	107-	108	109	110	Ξ	112	113	Su
Α													34
В													
С													7
D	2												17
E				1									15
F	1												13
G .			27		26					1			45
Н	1												5
<u> </u>	7								3				11
K				2									19
L							12			1			20
M							2						14
N	1												13
Р	1			1			,						12
Q				23									25
R							1						24
S	3								1		18	18	43
T						21	6		16		1		35
V	6		,					21		18			34
W		29											15
Χ													
Υ	11												29
Z								- 1					
	3												39
unknown (?)				<u> </u>									
not sequenced	4	11	13	13	14	19	19	19	20	20	21	22	4:
sum of seq ²	36	29	27	27	26	21	21	21	20	20	19	18	
oomcaa³	11	29	27	23	26	21	12	21	16	18	18	18	
mcaa ⁴	Υ	W	G	Ω	G	T	L	٧	T	٧	S	S	
rel. oomcaas	31%	100%	100%	85%	100%	100%	57%	100%	9/008	%06	95%	100%	
pos occupied ⁶	10	1	1	4	1	1	4	1	3	3	2	1	

Table 6C: Analysis of V heavy chain subgroup 2

L						<u>.</u>										ram	iewo)rk i				_
amino acid' -	- (7	က	4	2	9	7	. «	0	, ;	2	=	12	13	14	<u> </u>	. 6	1	- =	- 61		?=
Α											3			<u>.</u>							<u>.</u>	••••
В	<u> </u>			<u>.</u>							<u>‡</u> .			<u></u>								••••
С			<u> </u>	<u>.</u>							<u></u>			<u></u>								
D			<u></u>								<u></u>											••••
E	1		<u> </u>	<u>.</u>			6											2				
F			<u> </u>										ļ									
G			<u>.</u>						6													••••
Н			<u>.</u>										<u></u>									
ı		1	<u>.</u>	<u>.</u>									ļ								<u></u>	
К			<u>!</u>	<u></u>		3				<u> </u>		•••••	<u> </u>		6		1			<u></u>		
L					6							6							<u>‡</u>	6		
М													<u>.</u>									
N								1														
Р							,	1		6						6			1			
Q	2																	4				••••
R						2						ļ										••••
S		<u> </u>	<u></u>					4				<u> </u>	<u>.</u>									
T .		<u> </u>	<u></u>	6		1					2	ļ					5		5		6	
. V			5							<u> </u>	1	ļ		6								
W			<u></u>									ļ										••••
X											•••••	<u>.</u>										
Υ		<u>.</u>										ļ										
Z	3	<u> </u>										<u> </u>		4	_					-		
-	ļ	<u>.</u>										ļ										
unknown (?)	 	<u>.</u>										<u>.</u>										<u></u>
not sequenced			1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	_	1		=
sum of seq ²	(3	6	6	6	6	6	6	6	6	(3	6	6	6	6	6	6		6	6	
oomcaa ³		3	5	6	6	3	6	4		÷ · · · · · · ·	÷ • • • • • •		6	6	6	6	5	••••••	·····÷	6	6	-
mcaa'	Z	'	V	T	L	K	Ε	S	G	Р	Α	. []	L į	٧	K	Р	T	Q	Τ	L	T	
rel. oomcaas	Z/00/v	2	83%	100%	100%	20%	100%	67%	100%	100%	200%		% 001	100%	100%	100%	83%	67%	83%	100%	100%	-
pos occupied	:		·····		.	3		:	:	Ţ 	7	:	,	1	1	1			:			

156

Table 6C: Analysis of V heavy chain subgroup 2

			•									上				CD					<u> </u>	
amino acid¹	21	22	23	24	75	3 6	76	27	28	29	30	,	- - -	Α	ω	32	33	34	35	36	37	38
Α									. 1			<u>.</u>		1			1			<u></u>	<u></u>	<u> </u>
В				<u> </u>		<u></u>					<u> </u>	<u>.</u> į								<u> </u>	<u>.</u>	<u> </u>
C	į	7								<u></u>	<u> </u>	<u>.</u>					2			<u> </u>	ļ	<u> </u>
D				<u> </u>							<u> </u>	<u>.</u>		1						<u> </u>	<u>.</u>	<u>.</u>
E										<u></u>	<u></u>	<u>.</u>						••••			ļ	<u>.</u>
F				:	3			6		1	ļ									<u></u>		
G							7	••••		<u>.</u>	ļ				4		3		3			<u>.</u>
Н			<u></u>	<u> </u>							<u></u>						.			<u>.</u>	<u> </u>	
			<u></u>	<u> </u>	<u>.</u>			•••••		<u></u>	ļ				1			•••••	<u></u>	<u></u>		<u>'</u>
K			<u>.</u>	<u>.</u>						<u> </u>	<u>.</u>	‡					. .		<u></u>	<u> </u>	. 	<u></u>
L			<u></u>	<u>.</u>	2			1	<u> </u>	ε) -	‡							<u> </u>	<u> </u>	<u>.</u>	<u>.</u>
M			<u></u>	<u>.</u>				·	<u></u>	<u> </u>	<u>.</u>					5		<u></u>	<u></u>	<u></u>	<u>.</u>	<u>.</u>
N		<u></u>		ļ					<u></u>	ļ	.ļ	.	2						<u></u>	ļ		·
Р				<u>.</u>					ļ	ļ								<u></u>	ļ	ļ		
Q		ļ	<u></u>	<u>.</u>							<u>.</u>								ļ			-
R	ļ	<u></u>	<u></u>	<u>.</u>					ļ		<u>.</u>				2		1	<u></u>				
S	.	<u> </u>	1	<u> </u>		6			6	<u> </u>	<u>.</u>	6	2	4		····•			4	!		<u>.</u>
T	6	<u> </u>	6	<u> </u>					<u>.</u>	<u>.</u>		1	3	1		•••••		<u></u>	<u> </u>	<u> </u>		
V		<u> </u>	<u> </u>		2			<u></u>	<u></u>			<u> </u>				2		7	· -		<u></u>	
W	ļ	<u></u>	<u>.</u>															<u></u>	<u>.</u>		7	
X	ļ	<u> </u>	<u> </u>	<u>.</u>							<u>.</u>			••••		·····			-	<u>.</u>	<u>.</u>	
Υ	.	ļ	<u> </u>			1																
Z	_	_	<u> </u>	<u> </u>	+			_	<u> </u>	-	-	-				-	_		-		+	\dotplus
-		ļ	ļ											ļ						<u></u>		
unknown (?)	ļ	ļ							<u> </u>					<u></u>			<u></u>					
not sequenced	====		<u> </u>					-	-	<u> </u>	-	_			_	_		<u> </u>				+
sum of seq ²	6	5 7	7	7	7	7	. 7		7	7	7	7	7	7	7	7		7		7	7	7
oomcaa3	6	·÷		6	3	6			••••		6	6	3	÷•••••	· .			3		4	7	7 I
mcaa'	T	С	T		F	S	G	F	2	l	-	S	T	S	G	М	G			5 V	·· ‡ ····	
rel. oomcaas	100%	100%	9030	0,000	430%	%98	100%	960%	0.00	0/200	0/00	%98	43%	57%	57%	71%	430%	1000%	2007	0/2/0	100%	0 0 0 0
pos occupied	,	1					*******	•••••••							:	:	:	4			:	1

WO 97/08320

Table 6C: Analysis of V heavy chain subgroup 2

-				Fra	mev	worl	(11													
amino acid'	33	40	41	42	43	44	45	46	47	48	49	20	51	25	Α	Ω	U	23	54	52
Α						6					7									
В																				
C																	· <u> </u>			
D														2				<u> </u>	3	6
Е						••••	••••	7												
F														2						
G		1		7		1														•••••
Н												2								1
ı													6							
K					6															
L					<u> </u>		7			7		2	1	1						
М					<u> </u>					-										
N				<u></u>															3	
Р		5	7	<u></u>		<u></u>		<u>.</u>		.										
Q	6		<u></u>					<u></u>		<u></u>	<u></u>									
R	1				1	<u>.</u>	<u></u>	<u>.</u>		<u></u>	<u> </u>	2								
S		1	<u> </u>	<u>.</u>	<u>.</u>	<u></u>	<u></u>		<u></u>	<u></u>	<u> </u>							2		<u> </u>
Ţ	<u> </u>		<u></u>	<u></u>	<u>.</u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>.</u>								<u> </u>
<u>V</u>	.	<u></u>	<u></u>	<u> </u>	<u>.</u>	<u>.</u>	<u>.</u>	<u>.</u>	<u> </u>	<u> </u>	<u> </u>								<u></u>	<u> </u>
W		<u> </u>	<u></u>	<u>.</u>	<u>.</u>	<u></u>	<u>.</u>	<u></u>	7	<u> </u>	<u></u>	1					<u>.</u>	4	<u></u>	<u></u>
X			<u>.</u>	<u>.</u>			<u>.</u>	<u></u>	<u></u>	<u> </u>	<u> </u>			1			<u></u>	1	1	ļ
Υ		<u></u>					<u>.</u>		<u>.</u>	<u> </u>		<u>.</u>		1	1	ļ	<u></u>	ļ	ļ	<u></u>
Z	<u> </u>	<u> </u>							<u> </u>		<u></u>	<u> </u>								
-	<u></u>	<u> </u>	<u> </u>	<u>.</u>					<u></u>	. .	<u> </u>		<u></u>		6	7	7	<u> </u>	<u> </u>	<u></u>
unknown (?)	.	<u> </u>	<u>.</u>	<u> </u>		ļ			<u> </u>	ļ	<u>.</u>	<u>.</u>	<u></u>		<u></u>	<u></u>	<u></u>	<u> </u>		<u> </u>
not sequenced		<u> </u>				<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>			<u> </u>	<u> </u>	<u> </u>	_	<u> </u>
sum of seq ⁷	7	7	7	7	7 7	7	7 7	7 7	7	7 7	7	7	7	7	7	7	7	7	7	<u>'</u>
oomcaa³ -	6		.÷			•••••••		7 7	7	7 7	7	' 2	6	······	6	7	7	. 💠	· ÷ · · · · · · ·	}
mcaa'	0	Р	Р	G	K	Α	L	E	W	L	Α	Н	1	D	-	-	-	W	D]
rel. oomcaa ^s	%98	710%	100%	100%	86%	860%	100%	100%	100%	100%	100%	29%	86%	29%	86%	100%	100%	57%	43%	ò
pos occupied		:	:	:	:	;	•	:	•	•	•		:	:	:	:	:	3	:	:

158

Table 6C: Analysis of V heavy chain subgroup 2

	<u> </u>	DR	11																	
amino acid'	26	22	28	59	09	61	62	63	64	65	99	29	89	69	70	7	72	73	74	75
Α																				
В																				
. C																				
D	5																6	1		
<u>E</u>	1								1											
<u> </u>		1		1																
G																				
Н				1																
l									<u> </u>	<u></u>				6			<u></u>			
K	1	6							4	<u></u>						6				(
L								7				7								
М																				
N																	1			
Р						2														
Q																				
R			2			1			2		7					1				
S			2		6		7			4			1		5				7	
T						4				3			6		2			6		
V														1						
W				1			٠													
Χ					1															
Υ			3	4																
Z																				
-																				
unknown (?)																				
not sequenced																				
sum of seq ²	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
oomcaa ³	5	6	3	4	6	4	7	7	4	4	7	7	6	6	5	6	6	6	7	
mcaa'	D		Υ	Υ	S	T	S	L	. K	S	·R	L	T	ı	S	K	D	T	S	k
rel. oomcaa ^s	71%	%98	43%	57%	96%	57%	100%	100%	57%	57%	100%	100%	%98	. %98	71%	%98	%98	%98	100%	70.70
pos occupied	:	:	:			•	:	:			:						•	:	:	

WO 97/08320

Table 6C: Analysis of V heavy chain subgroup 2

					_	mev																_
amino acid'	9/	77	78	2 0	(a	3 6	5 6	78	< 0	э	ن 	83	84	82	86	2	3 8	9 6	6 8	S 6	5 6	22
Α														1	<u></u>			5				••••
В			<u>.</u>	<u></u>							<u>.</u>				<u></u>				<u> </u>			•••
. С			<u> </u>	<u></u>											ļ				<u>!</u>	<u>!</u>		
D			<u>.</u>									6	•••••			7				<u>†</u>		
Ε			<u> </u>																			
F			<u>.</u>			1									<u>.</u>							•••
G			<u>.</u>															2				
Н										<u></u>	<u> </u>			<u> </u>								
1							2		1													
K									<u></u>												<u></u>	
L						6			<u> </u>													
М								7			5		<u></u>	<u>.</u>								•••
N	5			<u>.</u>						6		1	<u></u>									•••
Р													7									•••
Q			7																			•
R			<u>.</u>																			•••
S	2	2			<u></u>								<u>.</u>	<u> </u>					<u>-</u>			
T				<u>.</u>			5		5				<u>.</u>				7		7			••••
V				7	7						1		<u>.</u>		6					<u></u>		•••
W				<u></u>								<u></u>	<u>.</u>									•••
Х											<u>.</u>	<u>.</u>										
Υ										,		<u></u>								7	7	
Z												<u> </u>	<u> </u>					1			_	_
-									1	1	1	<u> </u>										
unknown (?)									<u> </u>	<u></u>	<u> </u>	<u>.</u>										
not sequence	Ħ												<u></u>		_						_	_
sum of seq		7	7	7	7	7	7	7	7	7	7	,	7	7	7	7	7	7	7	7	7	
oomcaa ³		5	7	7	7	6	5	7	5	6	5	5	6	7	6	7	7	5		·÷	7	
mcaa ⁴	١	1 (O.	٧	٧	L	T	М	T	N	М	D	F)	V	D	T	Α	T	Υ	Υ	
rel. oomcaa	, 70,	0/-1/	100%	100%	100%	9098	71%	100%	71%	%98	7 10%	0000	000	0/001	%98	100%	100%	71%	100%	100%	100%	-
pos occunied			1				2	:	:	:	:			:	•	1	1	2	1	1	1	

Table 6C: Analysis of V heavy chain subgroup 2

										CDI	3 111									
amino acid'	93	94	92	96	97	86	66	100	A	8	ပ	۵	w	ட	9	I	_	_	×	101
Α	5							, 1	2	1										
В																				<u>.</u>
C									·				•							<u> </u>
D																				(
Е								2			1									
F																			3	
G						1	1		1	2	1	1	1	1						.,
Н		1		1	٠												<u></u>			
1			3			2											<u></u>			
K							1									<u></u>				
L								1		1						<u></u>	<u></u>		1	
М				·				1											2	
N				1	2												1			
Р				1	1		1		1											
Q			1																	
R		6	1			1	••••	•	1											
S				1		1	1			<u></u>						<u></u>				
T				1			1		1	<u> </u>										
V	2		1	1	1		1	1			1									
W						1						·			1			1		
Χ-																				
Y					2						1	2	1	1	1			2		
Z																				
-										2	2	3	4	4	4	6	5	3		
unknown (?)																				<u></u>
not sequenced			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
sum of seq ²	7	7	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	<u>.</u>
oomcaa ³	5	6	3	1	. 2	2	1	2	2	2	2	3	4	4	4	6	5	3	3	<u>.</u>
mcaa*	Α	R	١	Н	N	1	G	E	Α	-	-	-	-	_	-	-	-	-	F	C
rel. oomcaas	71%	%98	50%	17%	33%	33%	17%	33%	33%	33%	33%	50%	67%	9/0/9	9/2/9	100%	83%	20%	20%	1000%
pos occupied ^a																1	2	3	3	

Table 6C: Analysis of V heavy chain subgroup 2

					F	ran	ıew	ork	IV						
amino acid'	102	103	104	105	106	0 0	2	108	109	110	111	113	1 1	<u> </u>	um
Α											1				35
В			-												
C .															16
D										<u></u>					43
E									<u> </u>						21
F									<u>.</u>						18
G				6		6			<u>.</u>	<u>.</u>					55
Н									<u>.</u>						6
									<u>.</u>						29
K					1			1							42
L	1							3							78
М									<u>.</u>						20
N									<u>.</u>						23
Р		l						1							41
Q					3	,		<u></u>							23
R					2			<u></u>							41
S		<u> </u>						<u>.</u>	<u>ļ</u>	<u>.</u>			6	3	82
T							6	<u> </u>	1		5				102
V		3						<u>.</u>	<u>.</u>	6		6			68
W			6					<u> </u>							29
X		<u></u>						ļ							4
Υ		1													3
Z							<u> </u>			_					:
_							ļ		<u>.</u>						5
unknown (?)						ļ	<u>. </u>							
not sequence	ed	1	1	1	1	1	<u>!</u>	1	1	1	1	1	_		5
sum of seq	,	6	6	6	6	6	5	6	6	6	6	•••••		•••••	
oomcaa	ļ	3	6	6	• • • • • • • • • • • • • • • • • • • •	·····	••••••	•	3	6	5			••••	
mcaa'		V	W	G					L	V	T	V	S	S	
rel. oomcaa	35	20%	100%	100%	20%	100%	70001	0/2001	20%	100%	83%	100%	100%	100%	
pos occupie	d ^e	4	1	1	. 3		1	1	4	1	2	1	1	1	١

SUBSTITUTE SHEET (RULE 26)

Table 6D: Analysis of V heavy chain subgroup 3

														Fı	rame
amino acid'	,	2	က	4	2	9	7	8	6	10	=	12	13	14	15
А					1		1			12		1		3	1
В			1			1							1		
C															
D	1					1				16					
E	110		9		15	166			9				8		2
F											4				
G								181	193	174		1			202
Н			5										4		
												9			
K		5	3										26		
L		1	5	176	43						140			1	
M		12		1											
N					`			***************************************		1	********				•
P													1	194	
Q ·	41		138	1	3	12			***************************************				162		
R			6						************	•••••••••••••••••••••••••••••••••••••••			4		
S							178			2				8	
T	 				,	••••	1								•••••
V	5	147		1	118						62	195			••••••
W						•••••••									
Χ									•••		•				
Υ .	 	•••••	••••••		***********				••••						*******
Z	8				······································			•••••							,
_												-			
unknown (?)	1			• • • • • • • • • • • • • • • • • • • •	•••••				•		••••	******			
not sequenced	47	47	45	33	32	32	32	31	10	7	6	6	6	6	
sum of seq ²		-	167					181	202	205	206	206	206	206	20
oomcaa,	•	• • • • • • • • • • • • • • • • • • • •	138			• • • • • • • • • • • • • • • • • • • •	·:·······	:	· · · · · · · · · · · · · · · · · · ·	:	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	:		
mcaa*	E	V	Q	L	V	E	S	G	G	G	L	٧	Q	Р	G
	_	_	_	·-	-	_	_	%	-	_	,	_			
rel. oomcaa ^s	67%	%68	83%	%86	%99	92%	%66	100%	%96	85%	%89	95%	79%	94%	ò
pos occupied		:					3	:		:		······			

,63

Table 6D: Analysis of V heavy chain subgroup 3

	vork l											_				0
amino acid'	16	17	18	13	70	21	77	23	24	75	3 6	97	27	78	% 	8
Α							1	83	192			1				•••••
В										•••••						
. С						1 2	209									
D																7
E	8							8				3		1		•••••
F		1	1			1			•••••				201		201	
G	134								2		2	207				
Н									•••••							
ı								2		<u></u>	····		3	17	1	
K				15						<u></u>						
L			205		201								6		3	
М			1											1		· · · · · · · · · · · · · · · · · · ·
N					<u></u>].					<u>.</u>			•	10		1
Р								1		-			•••••	2	•••••	
Q			1													
R	62			191												1
S		206				207		4	2	2 2	209			15		17
T	4	1		2				4	4	1			1	163	:	
V					8			7	, ()				1	6	
W																<u> </u>
Χ													···································			
Υ		<u></u>														
Z		<u> </u>			<u> </u>					-					<u> </u>	-
-																
unknown (?)								<u> </u>				••••••	<u></u>			
not sequence	d 4		<u> </u>		3					3	3		-		÷	1
sum of seq ²					209											
oomcaa,	134	206	205	•	201		:									1 1
mcaa*	G	S	L	R	L	S	С	Α	А		S	G	F	T	F	
rel. oomcaa	£40/n	%bb	0,060	9.000	0/096	0,066	100%	7000	8840	0/n7.6	100%	%86	7010	95%0 780%	0.50%	0,50
pos occupied		•			•	3	÷			5	1	3	3	4	8	4

WO 97/08320 PCT/EP96/03647

Table 6D: Analysis of V heavy chain subgroup 3

		~		CD	RI									F	ram
amino acid'	31	A	8	32	33	34	35	36	37	38	39	40	41	42	43
А	1			17	80		1			1		187		1	
В															•
. C.												1		1	
D	26			3	7		2				·				
E	1				10									1	-
F .				5											
G	13				31	•	1					2	•••••	209	
Н				4			88	***********		••••	•••••		••••••		**********
1	1		********	1		15			12						
K	7			**********							1	•			20
L	3				••••••	3			2	3	1	2	1		••••••
М			•••••			193					`				•••••••
N	35			8		•••••••••••••••••••••••••••••••••••••••	34		•••••						
P				1			1					4	191		•••••
Q		••••••						••••••	•••••		209	•••••••••••••••••••••••••••••••••••••••	1		*******
R	7	••••••		***********						207	• • • • • • • • • • • • • • • • • • • •	7			
S	103		••••	17	8		72	***********			••••••	3	14		*******
T	9		************	************	15		10				•••••••	4	5		•••••
V	2	••••••			7	1	•••••		197			2			••••••
W			•••••		30		••••••	212			•••••				•••••
Χ	1						•••••				••••••	***************************************			••••••
Υ	1			154	19		3						•••••	••••••	*******
Z						••••••		***************************************			••••				*******
-		210	210												
unknown (?)										••••••	**********		••••••	······································	•••••
not sequenced	2		••••	2	2	•••••			1	1	1		••••••		•
sum of seq ²		210	210	210	210	212	212	212	211	211	211	212	212	212	21
oomcaa		•••••		154		••••••					•••••		••••••	209	
mcaa'	S	-	-	Υ	Α	М	Н	W	V	R	Q	Α	Р	G	Ķ
rel. oomcaa ^s	49%	%001	%001	73%	38%	910%	42%	%00	93%	98%	%66	%88	%06	%66	9020
pos occupied ⁶	14	1										:			

WO 97/08320

Table 6D: Analysis of V heavy chain subgroup 3

	work li				·										
amino acid¹	44	45	46	47	48	49	20	51	52	4	<u> </u>	ပ —	53	54	52
А	1					77	42		1	2		14		7	
В			3							1					
C													1		
D			1							7			94	8	
E			198						3	2	1		2		
F							7	1	2	1				1	8
G	207					33	11		10	46			4	163	8
Н							6			1					
					3		3	191		1					
K								1	37	2	30		3	1	
L		211			5		12	1							
M							1	1							
N							13		7	9	2		13	11	•••••
Р		1								1			1		••••
Q	Î		7				7			10					
R	1						24	1	17	5	1		2		1
S	3			1		102	11	9	118	43		1	74	17	8
T							3	5	4	2	<u></u>	13	12	3	
V			3		204		49	2		1		6			
W				210			1		8	6					
Χ			••••										4		
Υ .			•	1			22		5	58					
Z															
_										14	178	178	2	1	
unknown (?)									<u></u>						<u></u>
not sequence	d								<u> </u>					<u> </u>	_
sum of seq ²	i			212				•	•	•				•	•
oomcaa ³	207	211	198	210	204	102	49	191	118	58	178	178			
mcaa'	G	L	E	W	V	S	V	1	S	Υ	-	-	D	G	
rel. oomcaa	%86	100%	93%	990%	%96	48%	23%	%06	56%	27%	84%	84%	44%	77%	
pos occupied		1 2	·	3	:	:	:			19	:		12		;

Table 6D: Analysis of V heavy chain subgroup 3

WO 97/08320

		DR II												· · ·	
amino acid'	56	57	28	29	09	61	62	63	64	9	99	29	89	69	20
А	9	1	2		174	33							1		
В	1	2													
· C															
D	11		17			160									
E	8	3	2			1			2						
F	1		3	2								207			
G	5	1	5		4	5				212	1				
Н	1		4												
l	3	37	2					8					14	208	
К	1	61							199		8				
L	1	1	1		1							1		1	
М	8		2		1										
N	51		4			2			2						
Р	1	1			6	8	18		1						*****
Q	3	2							2		2				
R	5	4			5				6		201				
S	48		11		4		193					2	7		211
Т	42	97	5	-	7								189		1
V		2			10	2		204				1		3	
W			2		•										
×	4		1			1									
Y	9		151	210			1					1	1		
Z															
-															
unknown (?)															
not sequenced															
sum of seq ²	212	212	212	212	212	212	212	212	212	212	212	212	212	212	212
oomcaa¹	51	97	151	210	174	160	193	204	199	212	201	207	189	208	211
mcaa'	N	T	Υ	Υ	Α	.D	S	V	K	G	R	F	T	1	S
rel. oomcaa'	24%	46%	71%	990%	82%	75%	91%	%96	94%	100%	95%	%86	89%	%86	100%
pos occupied ⁶	······································	:		<u>:</u>		:	:	:		1	4			:	2

Table 6D: Analysis of V heavy chain subgroup 3

										Frame	ewor	k III			
amino acid'	7.1	72	73	74	75	92	77	78	79	80	8	85	⋖	ω	ပ
А				57			1	8						1	
В											2				
С															
D		199	38		2	2			1				10		
E		6			4						5				
F									13						
G													1	4	•••••
Н						1			1		2		2		
l			1				2	2				3	1	1	•••••
K					186	6							3		
L								188		209		3	1		212
М	1				2		10	3		2		205			•••••
N		5	170		2	188					3		181	10	
Р							1							•	
Q					7				••••		199				
R	211				1	1					••••		2		:·····
5				153	8	10	56	.	3		•••••		*	186	:
T							142				1		4	2	<u></u>
<u>V</u>				1				11		1		1			
W											•••••	<u></u>		<u></u>	
· X		2	2			4							1		<u></u>
Υ									194						
Z		<u>. </u>								<u>!</u>		<u> </u>		<u> </u>	<u> </u>
-				••••••••••••••••••••••••••••••••••••••						<u> </u>		ļ			
unknown (?)															
not sequence		ļ	1				<u> </u>		<u> </u>			<u> </u>			
sum of seq ²			211		•••••••		••••••	· · · · · · · · · · · · · · · · · · ·		•	:	:	:	:	
oomcaa3		:	170	: · · · · · ·	•: • • • • • • • • • • • • • • • • • •	••••••	· • • • • • • • • • • • • • • • • • • •				:	:	:		: .
mcaa•	R	D	N	S	K	N	Ţ	Ŀ	Υ	L	Q	М	N	S	L
rel. oomcaa	100%	94%	81%	73%	%88	%68	67%	890%	%26	%66	94%	97%	85%	%088 %088	2 3
pos occupied	ď.	:	:	3	:	:	:	; !	5 !	5 3	, ,	3 4	1 1	1	7

Table 6D: Analysis of V heavy chain subgroup 3

										T					
amino acid'	83	84	85	98	87	88	88	90	91	92	93	94	95	96	97
Α		149	1		1	207					173	2	15	9	11
В														·	
C									1	210		5	2		1
D		5	15	209								2	54	7	6
E	1		190										11	· 2	11
F .							1		15			1		9	E
G	1	1	6			4	. 1				2	8	34	26	35
Н		1							1					3	11
l		8					2						4	15	10
K	30											60	4	3	5
L							18					1	6	11	
М					2		1							6	
N		1		1								2	20	4	
Р		9									1	3	4	29	1(
Q				1								5	3	9	
R	177											103	9	3 0	19
S ·		1			1							3	9	8	1
Т	3	28			207		1				25	15	7	6	2
V		9					187				10	1	7	7	1
W										1			3	4	
X				1											•••••
Υ								211	194				12	9	
Z															
_													1	3	
unknown (?)															
not sequenced					1	1	1	1	1	1	1	1	7	12	1
sum of seq ²	212	212	212	212	211	211	211	211	211	211	211	211	205	200	19
oomcaa ³	177	149	190	209	207	207	187	211	194	210	173	103	54	30	3
mcaa ⁴	R	Α	E	D	T	Α	٧	Υ	Υ	С	Α	R	D	R	G
rel. oomcaa ^s	83%	20%	· %06	%66	%86	%86	%68	100%	95%	%001	82%	49%	26%	15%	7007
pos occupied ⁶	:	:					:					:	······································		2

WO 97/08320

Table 6D: Analysis of V heavy chain subgroup 3

•					CDR	111									
amino acid'	86	66	100	∢	മ	ပ	۵	ш	ட	<u> </u>	Ξ .			×	0
Α	7	13	7	9	6	2	3	- 5	5		9		13		2
В															
· C	13	5		1	2	11	3		2					1	
D	11	7	10	4	2	3	10	3	3	1		3	2		146
E	6	3	1	13		1	1								1
F	3	5	4	5	5	6	3	5	7	2		1	1	65	1
G	34	17	35	17	14	23	10	5	1	5	3	2	32		6
Н	3	4	3	2	9	2		1	3	1	2	8	1		······
·	6	11	4	4	3	1	3	10	3	3	2		1	2	·······
K	2	11			3	1									••••
L	26	13	4	12	8	2	6	3	10	3				2	1
М		1	2								1			32	
N	4	6	4	3	2	2	6				2	5			
P	6	5	5	6	9	8	2	3	2	1		3		9	
Q	4		1	1	1	1	1			<u></u>		1			·.
R	4	10	9	7	5	5	2	3	1		1		2		
S	16	28	27	25	24	8	11	9	3		2	3	1	1	
Τ	6	12	9	17	17	1	2	5	1	9	3	1			
V	13	7	15	4	3	é	2	12		1	1	1	1		
W	6	5 5	6	7	2	4			<u></u>	1		6	10		
X				1									******		
Υ	16	3 14	17	5	8	18	20	13	20	25	2 8	32	28		
Z									<u>. </u>						
	12	2 21	35	54	73	87	102	110	126	135	134	120	91	71	2
unknown (?)							3	3	2 1	1			3	2	ļ
not sequence	d 14	4 14			15	19	21	2:	2 23	23	23	25	25	26	2
sum of seq ²	191	8 198	198	197	196	192	190	189	188	188	188	186	186	185	18
oomcaa ¹		4 28													
mcaa'	G	S	G	-	-	-	-	-	-	-	-	-	-	-	C
rcl. oomcaa	2021	14%	18%	27%	370%	4500	7,70%	9000	38-70 670/n	72%	71%	65%	49%	38%	
pos occupie	:	:	:	:					•	:	:	1	;	3	3

ノブロ

WO 97/08320 PCT/EP96/03647

Table 6D: Analysis of V heavy chain subgroup 3

					Fra	amew	ork I	V					
amino acid'	102	103	104	105	106	107	108	109	110	===	112	113	sum
Α	1		1			2							1767
В		<u>-</u>		1				<u></u>		<u></u>			13
C									<u></u>				470
D	2												1121
Ε					1	<u></u>							832
.F	2												807
G			140		130		1						2743
Н	4	į			<u>i</u>		<u></u>						179
ı	15				<u></u>	<u></u>			1	1			65
К				13		<u></u>			<u></u>				93
L	10			1			91	<u></u>			<u> </u>	2	188
Μ							6						49
N	1	. [1							84
Р	17					1	1						56
Q				111									94
R		•		8				<u></u>					141
S	7	1		,							118	110	300
Τ		į				123	27		122			1	142
V	34		1			1		125		119			185
W		158											68
Х													Ż
Y	82												159
Z													
-	9	2	2	2	· 2	2	2	2	2	2	1	1	202
unknown (?)				<u> </u>	<u></u>								1
not sequenced	27	50	67	75	78	81	83	84	86	89	92	97	165
sum of seq'	184	161	144	136	133	130	128	127	125	122	119	114	
oomcaa,	82	158	140	111	130	123	91	125	122	;	-	• • • • • • • • • • • • • • • • • • • •	
mcaa'	Υ	W	G	· O	G	T	L	V	T	V	S	S	
rel. oomcaa ^s	45%	%86	97%	82%	980%	95%	71%	%86	98%	0/86	%66	%96	
pos occupied ⁶	:	· · · · · · · · · · · · · · · · · · ·	ī	·	· .	· ·	6	· - · · · · · · · · · · · · · · · · · · ·	:		-	:	

ノブ

Table 6E: Analysis of V heavy chain subgroup 4

Γ												•		Fra	mev	ork	()			
amino acid'	- (7 (4	ro.	9	7	ω	<u></u> б	10	=	12	Ξ :	4 .	. 5	9	17	18	19	20
А									19					1			1		1	
В	<u></u>	<u></u>		<u></u>						<u></u>								<u></u>		
. с	<u></u>	<u></u>	<u></u>																	
D			<u></u>																	
E						32	,									44				
F																				
G								54	1	53						2	•••••			
Н	<u></u>	<u>.</u>	4		2														•••••	
ı	<u></u>																·· ·· ···			
Κ		<u></u>										1	54						1	
L		7		54							53	19		1				53		50
M									٠									<u></u>		
N																		<u> </u>		<u>.</u>
Р									3 3					51	1			ļ		2
Q	52		50		51	20		ļ								7		<u></u>	<u></u>	
R	1						ļ			ļ								ļ	<u> </u>	·
S	ļ						33	ļ <u>.</u>	<u> </u>	<u> </u>	ļ				52	•••••	<u> </u>	<u> </u>	52	
T							ļ	<u></u>	1	<u> </u>	<u></u>						52	ļ	<u> </u>	<u>.</u>
V		47				1	<u></u>	ļ	<u> </u>	<u> </u>	<u></u>	34					<u></u>	<u> </u>	<u>.</u>	1
W							20	ļ	<u></u>	<u> </u>	<u></u>							<u> </u>	<u> </u>	
X								<u> </u>	<u>.</u>	<u> </u>	<u>.</u>					····-	<u></u>	<u>.</u>	<u> </u>	
Y									ļ	ļ	<u>.</u>						ļ	<u>.</u>	<u>.</u>	
Z	1							<u> </u>	<u></u>	<u> </u>							<u> </u>	<u> </u>		<u> </u>
-						<u> </u>				ļ		<u> </u>					<u></u>	<u>.</u>		
unknown (?)									<u>.</u>	<u>.</u>	<u> </u>	<u> </u>					<u>.</u>	<u>.</u>		
not sequenced								-			4		=			-	$\overline{}$			3
sum of seq ²	54	54	54	54	53	53					:	:	54		:	:	:			
oomcaa'	·	.	÷	54	·····	• • • • • • • • • • • • • • • • • • • •		•••	••••	٠٠٠٠٠٠	··· · ······	••••••	54		;	•••••		•••		
mcaa'	Ω	٧	Q	L	0	E	S	G	Р	G	L	V	K	Р	S	E	Τ		S	L
rel. oomcaas	%96	87%	93%	100%	%96	60%	62%	100%	2001	100%	100%	63%	100%	%96	%86	83%	%0%°	1000	2000	0.000
pos occupied ⁶		:	•		:	:	3 :	:	•			:	:	:			:			3

Table 6E: Analysis of V heavy chain subgroup 4

WO 97/08320

														CD	RI					
amino acid'	21	22	23	24	25	26	27	28	29	30	31	⋖	Ω	32	33	34	35	36	37	38
A			22											1						
В		·							<u></u>		<u></u>									
. C		53												<u> </u>	1					
D			1								4	1	1	1			1			
Ε																				
F .					1				22					1	1				.1	
G						53	53				21	3	4				8			 .
Н							1							2						
l			1					1	32										51	•••••
K																				
L																			1	••••
М																				
N										1	1		2	2			1			
Р								3												
Q				·							1									
R						1				3	2		1							5
5 .			2		-35			51	1	52	25	5	9	1			44		1	
T	53		29								2	1					3			
V				5 5		1			1										3	
W												1			2	56		57		
Χ		-	-																	
Υ					19		1							48	5 2					
Z	1																			
_		7										45	39							<u></u>
unknown (?)		Ī																		<u>.</u>
not sequenced	4 ال	4	2	2	2	2	2	2	1	1	1			1	1	1				
sum of seq ²	53	53	55	55	55	55	55	55	56	56	56	56	56	56	56	56	57	57	57	
oomcaa¹	53	53	29	55	35	53	53	51	32	52	25	45	39	48	52	56	44	57	51	
mcaa*	T	С	T	٧	S	G	G	S	1	S	S.	-	-	Υ	Υ	W	S	W	١	
rel. oomcaa'	0,001	100%	53%	100%	64%	%9£	. %96	33%	57%	33%	15%	80%	20%	%98	93%	100%	77%	100%	%68	
pos occupied		•	5	:		:	:	•		3	•	6	:		•		·	·	Ī	T

Table 6E: Analysis of V heavy chain subgroup 4

					Fra	mev	vori	< 11			**				·								
amino acid'	33	40	= =	, ;	47	43	44	45	46	47	48	?	£ 4	20	51	52	۷	α	۰ د	ر	53	54	52
Α				8	1						ļ		1							<u>.</u>			
В				<u>.</u>			•			<u> </u>	<u> </u>												
. С							••••			<u>.</u>	<u>.</u>						ļ	<u>.</u>					
D								<u></u>		<u>.</u>	<u>.</u>	<u>.</u>				1	ļ	_			1		••••
E					1			<u></u>	56	ļ				22			ļ						
F								<u></u>	<u></u>	<u></u>				1		1	ļ						
G				<u> </u>	55	••••	55	ļ	ļ	<u></u>			56	1							1		57
Н		<u>.</u>	2				<u></u>	<u></u>		<u></u>											24	ļ	
1								<u></u>	<u></u>	<u>.</u>	5	4		1	54	<u></u>	<u>.</u>					<u></u>	
K						54		<u> </u>	<u></u>	<u>.</u>					<u></u>	<u></u>	<u>.</u>					<u> </u>	<u></u>
L			1				<u> </u>	55		<u>.</u>		2			<u></u>	<u></u>	<u>.</u>					<u> </u>	<u> </u>
М															<u></u>							<u> </u>	ļ
N						<u></u>				<u>.</u>	<u>.</u>					2	<u> </u>					ļ	ļ
Р		ŗ	50	49		<u>.</u>		2	2	<u>.</u>											· · · · · · · · · · · · · · · · · · ·		ļ
Q	56							<u>.</u>		1				1									
R		<u>.</u>				3	3	2						9	<u></u>		1					<u>.</u>	<u></u>
S			3			<u>.</u>								7	<u>.</u>		1					52	<u></u>
Ţ	1		1							<u> </u>				<u></u>							8	3 5	5
V		<u>.</u>				<u>.</u>				<u>.</u>		1				3						<u>.</u>	
W	1					<u>.</u>				5	6										<u></u>	<u>.</u>	<u>.</u>
X					<u></u>	<u>.</u>									<u> </u>						<u></u>		
Υ		<u>.</u>			<u></u>	<u>.</u>					1			15	5	3	2				2:	3	
Z														<u>. </u>	<u> </u>						_	<u>.</u>	-
_		<u>.</u>			<u></u>								· · · · · · · · · · · · · · · · · · ·	<u>.</u>			!	57	57	57	<u></u>		<u>.</u>
unknown (?)					<u> </u>									<u>.</u>					····		ļ		
not sequence															<u> </u>			_			<u> </u>		-
sum of seq'	*****	••••				********	•••••	7 5		· · · · · · · · · · · · · · · · · · ·					:		:	:		:	:		
oomcaa'		***	• • • • • • • • •	• • • • • • • •	• • • • • • • • •	 .	• • • • • • • • • • • • • • • • • • • •	5 5		••••	.,,,,,,,							57	57	.57			
mcaa'	()	Р	Р	G	K	((3 1	-	E	W	1	G	E		l '	Y	-	-	-	+	.	5
rel. oomcaa	7000	3840	98%	36%	9090	0.00	95%	96%	96%	0/n86	98%	95%	980%	2000	0,550	95%	26%	100%	100%	100%	200	42%0	0/2-1
pos occupied		···			<u>.</u>		າ	າ	2		. <u></u>			2	0	2	c	1	1		1	:	:

ノチチ

WO 97/08320

Table 6E: Analysis of V heavy chain subgroup 4

	С	DR	11																	
amino acid	26	22	28	23	9	61	62	63	64	65	99	29	89	69	70	71	72	73	74	75
Α		1									1		1			1				
В																<u></u>				
. С									<u> </u>							<u></u>				
D			2									1					55			
E									<u></u>								1			•••••
F .				3														1		•••••
G	1									1						<u></u>				
Н			2													<u> </u>	<u></u>	•		
1	1	1							<u></u>		<u></u>	1	1	48		3	<u> </u>	<u></u>		
K					1				53							<u> </u>	i	1		5
L						1		55				1				3				
М														7		į	İ	2		
N	2		40		53								2							
Р						54		1												
Q																	1			
R	2								3		56									
S	49		1		2		56			56			1		56			1	57	
T	1	54	1			1			1				51		1			52		
V	1	1										5 3		2		50				
W							٠													
Χ																				
Y			11	54																
Z										,										
-																				
unknown (?)																				
not sequenced					1	1	1	1				1	1							
sum of seq ²	57	57	57	57	56	56	56	56	57	57	57	56	56	57	57	57	57	57	57	5
oomcaa ³	49	54	40	54	53	54	56	55	53	56	56	53	51	48	56	50	55	52	57	5
mcaa'	S	T	N	Υ	N	Р	S	L	. K	S	R	٧	Τ	ı	S	٧	D	T	S	١
rel. oomcaa ^s	96%	95%	70%	95%	95%	%96	100%	%86	93%	%86	98%	95%	91%	84%	98%	88%	%96	91%	100%	i c
pos occupied	:	:	:	:		•	:	2	:								_		<u> </u>	Ī.,

· T

Table 6E: Analysis of V heavy chain subgroup 4

-							wor	_									_				_		7
amino acid'	9/	77	78	79	? 6	8	<u>~</u>	82	Α	8	ر	ر 	8	84	82	8	6	6 6	≈ 	∞	<u>გ</u>	6	6
Α					<u></u>					<u>.</u>		<u></u> .		55	57				57		•••••		
В										<u>.</u>						<u>.</u>							<u></u>
. C			<u>.</u>							<u>.</u>		ļ.				<u></u>					••••••	<u></u>	5
D						1				<u>.</u>	<u></u>				<u></u>	5	7					<u>.</u>	<u>.</u>
E			<u> </u>				1															<u>.</u>	ļ
F			5	4							1												
Ģ			<u>.</u>							1			•••••	<u></u>								-	-
Н			<u>.</u>	<u>.</u>										<u></u>	<u></u>							<u></u>	
		<u> </u>	<u>.</u>	1						1			3	<u>.</u>	<u>.</u>							<u></u>	
K	3	<u>.</u>	<u>!</u>				46			2	<u></u>			<u></u>								<u>.</u>	
L		3	3	1		55		53				2		<u></u>						1		<u>.</u>	<u></u>
M				<u></u>	<u></u>		1	1			<u>.</u>	1		<u>.</u>						1	<u></u>	<u>.</u>	
N	54						3			3	1			<u>.</u>							<u>.</u>	ļ	
Р									<u>.</u>	,											ļ		
Q		54	1			1	1		<u>.</u>														
R							2	<u></u>		2					1						ļ		
S ·		<u> </u>	<u>.</u>	1	57	 .	2		۱ 4	4	55		1					2			<u> </u>	<u>.</u>	1
T							1	<u></u>		4			53	3	<u>.</u>			55			<u></u>		
V							<u></u>		2			54	<u> </u>		1					55	5	<u></u>	
W		<u>.</u>					<u></u>	ļ					<u> </u>						•••••	ļ			
X													<u>.</u>							<u>.</u>	-		
Y		,	<u></u>										<u>.</u>							ļ	5	7 5	6
Z														_						<u> </u>	<u> </u>	$\stackrel{\perp}{-}$	
-			<u></u>										<u> </u>							<u> </u>			
unknown (?)													<u>.</u>						<u> </u>	ļ			
not sequence								<u> </u>					<u> </u>	_	_				<u> </u>	╙	-	+	_
sum of seq ²																		57					
oomcaa	5	4 5	64	54	57	55	• • • • • • • • • •	••••	•••••	•••••		÷				:		55					
mcaa'	1	۱ (0	F	5	L	.	}	;	S	• • • • • • •	V		Γ ,			D	T	Α			····÷··	Υ
rel. oomcaa	, ,	95%	95%	95%	100%	a,60%	910%	00	93%	77%	%96	950%		93%	0/096	100%	100%	%96	100%	2000	30%0	100%	%86
pos occupied	J.	2	<u>-</u>		:			8	4	7			:	:	3	1		:	:		3		

WO 97/08320 PCT/EP96/03647

Table 6E: Analysis of V heavy chain subgroup 4

	-									CDF	R 111									
amino acid'	93	94	92	96	97	86	66	100	¥	8	U	٥	ш	Ľ.	9	工	_	_	~	101
А	56		3	3	3	2	5	4	2	2	4		2	1		1	1	12		
В								<u> </u>		<u></u>										
· C				·	1				1							<u></u>	<u></u>			
· D			6		5	5	5	4	3	2	4	3	1		1	2	1			41
Е			6	1	1	2	1			1	3	1	2	1						
F .				4	1	1		2	3	2	2		1	1					31	
G			25	9	10	8	10	11	4	7	7	6	1	1	1	2	1	9		
Н			1				1		į				1			1		<u></u>		2
1				1		2	4	1	3	2	3		1						1	
К			2	1		·				2	2			1			<u> </u>	<u> </u>		
L	Ť		2	6	7	3	5	3	2	4	1	5	3	3		1	į			
М				1	4		3	1		2	1			-					9	
N				3				<u>-</u>	2	1	1	5	1	1			2			
Р				4	5	3	1	1	2	1	1	1	2	3	1	2	1			
Q					1	1		1			1	1			3					1
R		54	4	12	2	5	5	3	2	3	1	2			2	1				
S		1	1	4	8	8	1	2	5	7	4	2	1	1	1					
Т		1	1	2	1	3	4	4	3	3			1	1	1					
V	1	1	4	2	2	5	4	4	7	. 3	1	2	1							
w			1	2	1	2	2	4	5	1	1	2		2	1		3	2		
Х																				
Y				1	4	5	3	6	4	2	3	4	8	4	8	3	5	8		2
Z																				
-						1	2	4	6	9	11	16	23	27	29	34	31	14	4	
unknown (?)														1			1	1	1	
not sequenced		,	1	1	1	1	. 1	2	3	3	6	7	8	9	9	10	11	11	11	11
sum of seq'	57	57	56	56	56	56	56	55	54	54	51	50	49	48	48	47	46	46	46	46
oomcaa¹	56	54	25	12	10	8	10	11	7	9	11	16	23	27	29	34	31	14	31	41
mcaa'	Α	R	G	R	G	G	G	G	٧	-	-	-	-	-	-	-	-	-	F	D
rel. oomcaa ^s	%86)5%	15%	10%	.0%81	14%	18%	30%	13%	17%	22%	320,0	17%	26%	30%	72%	37%	30%	90/9	%68
pos occupied ⁶		:	:	:	:		:	:			:			}			•	•		·····

Table 6E: Analysis of V heavy chain subgroup 4

•						Fra	am	ew	ork	(1)	J					
amino acid'	102	103	3 3	† O	105	106	107	<u> </u>	108	109		0 :		112	113	sum
Α								1				1				332
В								<u></u>		<u> </u>	<u>.</u>				 ••••••	
С			ı			•••••				<u>.</u>						113
D										<u>.</u>						210
E							<u>.</u>			<u>.</u>						176
F							.,		•••••							135
G				41		4()	1		<u>.</u>						674
Н		1								<u>.</u>		1				45
l		9						1		<u>.</u>						283
K					3											27
L		4							19)					<u></u>	54
М						<u> </u>			Ç)						4
N								1	<u></u>	<u>.</u>						20
Р		3			2											2 28
Q					29)										33
R		1			4			•••••	<u>.</u>	1						25
S		1			1				<u> </u>					36	3	3 98
Т					1	<u> </u>		33		8		34		<u></u>		53
V		12							<u>.</u>		36		36			48
W			46						<u>.</u>			· · · · · · · · · · · · · · · · · · ·		ļ		26
X								•••••	<u>.</u>							
Υ		16											ļ			45
Z													<u> </u>			_
-																40
unknown (?				<u> </u>					<u>.</u>			<u></u>	<u> </u>			
not sequenc	ed	10	11	16	3 1	7	1,7	20	0 2	20	21	21	21	1 2	1	22 4:
sum of seq	2	47	46	4	1 4	0	40	3	7 :	37	36	36	36	3	6	35
oomcaa¹		16	46	4	1 2	9	40	3	3	19		·				
mcaa*		Υ	W	G	()	G	T		L	٧	T	V	9	5	S .
rel. oomca .	a''	34%	100%	100%		/ 30/0	100%	7000	83%	51%	100%	940%	100%		0/2001	94%
pos occupie	d ⁶	 Ω	Ţ						:		1		3	1	1	2

PCT/EP96/03647

WO 97/08320

Table 6F: Analysis of V heavy chain subgroup 5

					<u> </u>									Fra	ame	wor	k I ·			
amino acid'	-	2	က	4	2	9	7	∞	6	9	Ξ	12	13	14	15	16	17	2	19	20
А					1			1	89		1			1						
В		<u></u>						<u></u>	<u></u>	<u></u>										
С							1		<u> </u>	<u></u>										
D								<u> </u>		2										
E	88	1			2				4	93						92				
F .																	1			
G	1							92							94		į			
Н									<u></u>											
1																				9
K								<u> </u>	<u> </u>			94	94						77	
L		1		91		2												95		
М											3								1	
N																				
Р				1					1					94						
Q .	. 3		92		1	90										3			1	
R						1						1	1		1			<u> </u>	17	
S							92									<u></u>	94			
Ţ							·									<u></u>			-	
V		90			89				1	,	91									
W													-							
X																				
Υ																				
Z																				
_																				
unknown (?)			Ī																	ļ
not sequenced	5 1	5	5	5	4	4	.4	4	2	2	2	2	2	2	2	2	2	2	1	
sum of seq ²	92	92	92	92	93	93	93	93	95	95	95	95	95	95	95	95	95	95	96	Ç
oomcaa¹	88	90	92	91	89	90	92	92	89	93	91	94	94	94	94	92	94	95	7 7	(
mcaa'	Ε	٧	Q	L	٧	Q	S	G	Α	Е	V	Κ	Κ	Ρ	G	Ε	S	L	K	<u>.</u>
rel. oomcaas	9/09	%8	%00	%6(.0/991	17%	%6(%6()4%	%8(96%	%66	%6(39%	966	37%	966	100%	%08	
pos occupied			1	:	:	:	:	:	:	:		:	:	1	:	:	:	Ţ	<u> </u>	Ť

179

SUBSTITUTE SHEET (RULE 26)

Table 6F: Analysis of V heavy chain subgroup 5

														CD	RI					
amino acid'	21	22	23	24	25	56	27	28	29	30	31	⋖	മ	32	33	34	35	36	37	38
A				3	2					4							8		1	
В																	<u></u>			•••••
· C		96						1			1									
D								2			2						1			
E						2					1									
F.					3		6		97					2						
G				92		93					, 1						72			
Н											1			4						••••
1										4						93				
K			89					1												
L															1				2	
M			1											• -		1			1	
N			1					2		4	14			2						
Р					1				· · · · · · · · · · · · · · · · · · ·											
Q			4						ļ										•••••	
R			1			1	<u></u>	2	<u></u>						1					ć
S	94	<u></u>	<u></u>	1	90	<u></u>	<u></u>	84	<u>.</u>	10	61			2	2		15	.		
T	2	<u>!</u>	<u></u>		<u> </u>		<u></u>	5	<u>.</u>	75	16					2	1			
. N		<u>.</u>				<u></u>		<u></u>	<u></u>							1			93	
W	.	<u></u>		<u> </u>				<u></u>	<u></u>						93			97		<u> </u>
Χ		<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u></u>													
Υ	<u> </u>	<u></u>		<u></u>	<u></u>		90	ļ		<u></u>				87						
Z																				_
<u></u>		<u> </u>	<u> </u>	<u></u>	<u></u>		<u></u>		<u></u>	<u></u>	<u></u>	97	97				<u>.</u>		<u>.</u>	<u>.</u>
unknown (?)		<u> </u>	<u> </u>	<u> </u>	ļ		<u>.</u>		<u>.</u>	<u> </u>	<u> </u>	<u> </u>					<u></u>		<u>.</u>	<u>.</u>
not sequenced	1 1	1	1	1	1	1	1				<u> </u>						<u> </u>			
sum of seq ⁷	96	96	96	96	96	96	96	97	97	97	97	97	97	97	97	97	97	97	97	
oomcaa,	÷	÷	89	·	.	• • • • • • • • • • • • • • • • • • • •	•••••••	•••••••	÷	÷	÷	97	•	••••••	·····	••••••	·•••••••••••••••••••••••••••••••••••••	÷	÷	•
mcaa*	S	С	K	G	S	·G	Υ	.S	F	T	S	-	-	Υ	W	1	G	W	V	
rel. oomcaa'	98%	100%	93%	%96	34%	970%	94%	87%	100%	27%	53%	100%	100%	%06	%96	%96	74%	100%	%96	
pos occupied		· † ·····	5	:	:		:			:	:	:	:	1		:	:	-		Ţ

PCT/EP96/03647

WO 97/08320

Table 6F: Analysis of V heavy chain subgroup 5

				Fra	me	worl	(11				_									
amino acid'	33	40	41	42	43	44	45	46	47	48	49	20	51	52	٧	8	ر	53	54	55
A			1			1									1			2	1	
В						•				<u> </u>	<u> </u>					<u></u>				••••
· C										<u> </u>				1		<u> </u>		1		
D														14				8	93	
Ε					3			97											2	
F												1		2						••••
G			·	97		96					95							69	1	
н .												·		3	1		<u> </u>			
1								·		1		75	92							
K		1			94															
L							94			2		2	1							
М		92								89			1				<u>-</u>			
N																				••••
Р			96		•		2		1					1	93		••••••			••••
Q	97				_		1													
R		1									1	14						1		
S						••••••	••••			İ		1			1			16		Ć
T		1				•						3	1		1					
V		2				•••••••	•••••			5	1	1	2							
W									94											
Χ							• • • • • • • • • • • • • • • • • • • •													••••
Υ							•••••		3		•••••			76					•	••••
Z				·																
-																97	97			
unknown (?)					••••••										•••••					
not sequenced		<u></u>					••••••				•••••				••••••	•••••			••••	
sum of seq'	~	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	(
oomcaa ¹		.	-		.	<u>:</u>	<u>:</u>	<u> </u>				••		76					93	
mcaa'	*********	М	Р	G	 	G		Ε		Μ	• • • • • • • • • • • • • • • • • • • •	ı	l	Υ	Р	-	-	G	D	
rel. oomcaa'	100%	5%	98%	100%	7%	%6	7%	%00	7%	2%	8%	2%	5%	78%	%96	0001	100%	71%	%96	
pos occupied ^e	······	<u> </u>		Ī	1	:	6	<u> </u>	<u></u> 0	6	6		6	7	6	<u> </u>	<u> </u>	7	6	

PCT/EP96/03647

WO 97/08320

Table 6F: Analysis of V heavy chain subgroup 5

		DR									L							~		
amino acid'	26	57	58	23	9	6	62	63	64	65	99	67	89	<u>6</u>	2	<u> </u>	72	73	74	75
Α		6					1									88				
В																	<u>.</u>			
. C					1					1				·					·	
D	77									2							97	•••••••		
E	3								2									2		
F				2				91				1		3						•••••
G	1									94										.
Н											15									
l		4	1					1				3		88						9
K			2															93		
L						1		4							2					
М														3						
N	2		14	2																
Р						95	1		1										1	
Q									91		81							1		ļ
R			78						3		1			1				1	<u></u>	ļ
S	2	2			95	1	95	1					1		95			<u> </u>	96	<u> </u>
T		85	2		1								96					<u> </u>	<u> </u>	<u> </u>
V				1								93		2		9		<u> </u>		<u> </u>
W																		<u> </u>		
Χ																		<u> </u>	<u>.</u>	
Υ	12			92										,						
Z			<u> </u>				<u> </u>													
-																				
unknown (?)			Ī	-																
not sequence	· [· · · · · · ·																			
sum of seq'	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	ç
oomcaa	77	85	78	92	95	95	95	91	91	94	81	93	96	88	95	88	97	93	96	S
mcaa'	D	T	R	Υ	S	Р	S	F	Q	G	Ω	٧	Τ	l	S	Α	D	Κ	S	
rel. oomcaas	,9%	38%	%08)5%	38%	%8€	38%	34%	34%	37%	34%	96%	%66	91%	%86	91%	100%	%96	990%	2010
nos occupied			1 5	:	:	:	:	3 4		•		1	:	:		:	:	•	1	2

182

SUBSTITUTE SHEET (RULE 26)

Table 6F: Analysis of V heavy chain subgroup 5

				F	ram	ewo	rk II	1												
amino acid'	9/	11	78	79	80	8	82	٧	ထ	ں	83	84	82	98	87	88	83	90	91	92
Α		1	91								1	96				93				
В																				
. С							1	<u></u>	<u> </u>											95
D				1				į	į					96						• • • • • • • • • • • • • • • • • • • •
E						1					1									·•••••
F				1														2	6	
G								3	1							4				
Н						3														
1									·····						2		9			
K											91						1			
L					96					97							2			
M																	84			•••••
N	7			•				2	2				•••••		2					•••••
Р			1																	••••
Q					•••••	93		••••••												•••••
R	1							1	3		3									••••
S .	87	2	1	1				90	91				96		5					
Τ	f	94						1			1	1	1		88		1			•••••
V			2		1							•••••		1						
W	ļ	<u> </u>	<u> </u>				95		•••••									•••••		
X		†····	<u> </u>																	
Υ			<u></u>	94				•••••	•••••								•	94	89	
Z	l								• • • • • • • • • • • • • • • • • • • •					•••••	•	•••••				
			<u> </u>																	
unknown (?)	ļ	<u></u>	<u> </u>		ļ									••••••		•••••		<u></u>		
not sequenced	 		<u> </u>	<u> </u>	<u></u>	<u> </u>	ļ			<u> </u>								1	2	<u></u>
sum of seq?		97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97			==
oomcaa,	• • • • • • • • • • • • • • • • • • • •	÷	÷	······	······	· · · · · · · · · · · · · · · · · · ·	:	· · · · · · · · · · · · · · · · · · ·	:			96	::		•••••		:	Ŧ	:	
mcaa*	S	÷	Α	Y	L	Q	W	S	S	L	K		S				Μ	Υ	Υ	(
		÷	†					ļ		Q.		_		_		_	_	·····		÷
rel. oomcaa ^s	%06	37%	94%	370%	39%	%9 6	980%	93%	94%	100%	94%	%66	%66	99%	910%	%96	87%	%86	940%	7000
pos occupied ⁶		3	:	:	:	3	:	:	:	:		:	:			:	:	-	1	-

Table 6F: Analysis of V heavy chain subgroup 5

	<u>·</u>									CDR										
amino acid'	93	94	95	96	97	86	66	100	Ă	∞	ن	٥	u u	. ·		Ξ ·		<u> </u>	×	101
А	92	ł	1	1	2		3	4	3	2		1			1	<u>.</u> .		4		2
В																	<u>ļ</u>		<u>.</u>	
. C						1	1	1			2		1							
D				3	3	3	3	1	2	1	1	2		2	. 1	1	2			37
E			1	1	1	2			1	•••••••••••••••••••••••••••••••••••••••	•••••••	••••••		1			1			
F					1		3			3	2		1					••••	26	
G		<u>.</u>	1	9	11	12	12	5	2	4	3	10	2	. 1				5		
Н			10	1		2			1	1		1								
1		<u> </u>		3		2	2	1	1	4	1	1		1	1					
K	.	1	1	1		1	3	1								2	<u>.</u>			
L.		<u> </u>	11	2	3	1	1	2	5		1		1		1					
М			<u> </u>		2	1	1		1	1	1	1							10	
N				1		2		1	1	2			1					2		
Р			5	1	4	3	1	2				1	1	1	1					
Q		1	3	2		1	1	4	2	1	2									3
R		92	7	9	2	2		2	1		2									
S		1	1	3	2	6	4	4	5	3	5	3	2	2			1		1	
Т. Т	1		1	3	2	1	2	6	3	3	6	1		1						
V	2	2	2	4	4		1	<u> </u>	1	2			1							
W			1		2	1					1		2		1		1	1	<u></u>	
X											<u> </u>								<u></u>	<u></u>
Y				1	E	3	6	9	8	7	2	1	2	6	8	9	9	10	<u></u>	1
Z																				
_						1	1	2	8	10	16	23	30	30	31	32	30	22	7	2
unknown (?)									<u>.</u>	<u>.</u>	<u>.</u>	<u></u>	1			1	1	1	<u></u>	<u> </u>
not sequence	d 2	2 2	2 52	2 52	2 52	2 52	52	52	52	52	52	52	52	52	52	52	52	52	53	52
sum of seq?	9!	5 9	5 45	5 45	5 45	5 45	5 45	45	45	45	45	45	45	45	45	45	45	45	44	45
oomcaa'	9:	2 9:	2 1	1	9 1	1 12	2 12	2 9	8 (10	16	23	30	30	31	32	30	22	26	37
mcaa⁴	А	R	L	G	G	G	G	Υ	Υ	-	-	-	-	-	-	-	-	-	F	D
rel. oomcaa ^s	970%	97.70	240/0	20%	240%	2.1.Z	270%	20%	18%	22%	36%	51%	%29	%29	%69	71%	9029	49%	59%	87%
pos occupied	r	3	4 1:	3 1	6 1	4 1	8 10	5 15	5 16	15	5 14	11	11	9	8	4	6	6	5 4	;

184

SUBSTITUTE SHEET (RULE 26)

Table 6F: Analysis of V heavy chain subgroup 5

					Fra	mev	vork	IV	•				
amino acid'	102	103	104	105	106	107	108	109	110	Ξ	112	113	sum
Α												1	611
В		••••••											
С.		••••••											205
D	1	•••••											458
E				1									404
. F	2												256
G			41		41								1065
Н													44
1	9								2				588
K			-	3									650
L	2						25	1					549
M							8						303
N													64
Р	2					1					1		414
Q				34									612
R				3									351
S	2										40	39	1545
Т	1					40	8		39				604
V	11							40		41			594
W .		43											432
X													
Y	13												738
Z													
	2												635
unknown (?)	·												4
not sequenced	52	54	56	56	56	56	56	56	56	56	56	57	1678
sum of seq'	45	43	41	41	41	41	41	41	41	41	41	40	
oomcaa³ ′′	13		• • • • • • • • • •				25	40	39	41	40	39	
mcaa¹	Υ	W	G	Q	G	T	L	V	T	V	S	S	
rel. oomcaas	29%	100%	100%	83%	100%	98%	61%	%86	95%	100%	%86	%86	•
pos occupied ⁶	10	1	1	4	1	2	3	2	2	1	2	2	

1 85

Table 6G: Analysis of V heavy chain subgroup 6

		_													Fra	mev	work	(1·			
amino acid'	_	7	~	, <	+ L	۾ م	9	^	∞	6	2	=	12	13		5	9	17	<u>8</u>	13	20
Α													1								•••••
В	<u> </u>		<u>.</u>	<u>.</u>																	
С.		·																			
D			<u>.</u>																		·-•-••
E			<u>.</u>																		
F			<u>.</u>																		
G			<u>.</u>						52		67										
Н			<u>.</u>																		
.			<u>.</u>																		
K														68							<i>:</i>
L			<u>.</u>		52							68	1	<u></u>					67	1	68
М		<u></u>												<u></u>							
N		<u>.</u>		<u></u>									<u></u>	<u></u>		··········					
Р	<u> </u>	ļ	<u>.</u>							68		ļ	<u></u>		67					1	ļ
Q	52	<u></u>	ŗ	52		51	52					ļ					6 8	ļ			
R		<u>.</u>	<u></u>			1					1	<u> </u>					ļ	<u> </u>		<u></u>	
S		<u> </u>						52			<u>.</u>	<u> </u>	ļ		1	68	<u> </u>	<u> </u>	<u></u>	66	<u></u>
T		<u>.</u>						<u></u>			<u> </u>	<u></u>	<u> </u>				ļ	68	<u> </u>	<u> </u>	<u> </u>
V		5	2					<u></u>			<u></u>	<u> </u>	66	<u> </u>	ļ	<u></u>	<u></u>	<u> </u>	1	<u> </u>	<u></u>
W		<u>.</u>	<u></u>						ļ		<u></u>	<u>.</u>	<u>.</u>		ļ		<u> </u>		<u> </u>	<u>.</u>	<u> </u>
Χ		<u>.</u>	<u></u>					<u>.</u>	ļ	<u></u>	<u> </u>	<u>.</u>						ļ	ļ	<u> </u>	
Y										ļ		ļ					ļ		<u>.</u>		ļ
Z		<u> </u>						<u> </u>		<u> </u>	<u> </u>	<u> </u>				<u> </u>	<u> </u>	<u> </u>		<u>!</u>	<u> </u>
_	<u> </u>						<u></u>	<u></u>	<u>.</u>	<u>.</u>	<u>.</u>	. .							ļ	<u>.</u>	
unknown (?)	• • •		<u></u>								<u>.</u>								. <u> </u>		-
not sequence												===		6 6				===		===	6
sum of seq ¹																					
oomcaa ¹	:	••••	••••		• • • • • • • • • • • • • • • • • • • •	********	•••••					•		6 68							
mcaa*	C	١ ١	····÷			Q					••‡•••••		١				•••••••		·- -		!
rel. oomcaa	1000%	200	100%	100%	100%	98%	100%	100%	100%	100%	9000	10000	2001	37.70	%0bb	100%	100%	100%	0000	20.00	02/6
pos occupied	J ⁶	1				· · · · · · · · · · · · · · · · · · ·	•••••	:::::::::::::::::::::::::::::::::::::::		:	:		1	3	1	2	1	1	1	2	3

PCT/EP96/03647

WO 97/08320

Table 6G: Analysis of V heavy chain subgroup 6

										j				CD	RI					
amino acid'	21	22	23	24	25	56	27	28	29	30	31	⋖	8	32	33	34	35	36	37	38
Α	1		67											66	67					
В			<u> </u>						<u></u>						•					
С		68	·	İ																
D							68				1						1			
E																				
F .										2				1	1				. 1	
G			1			69							3	1	2					
Н									<u></u>								1			ļ
l				64					<u></u>			2					1		70	<u></u>
K										<u></u>		3								<u>.</u>
L																				<u>.</u>
М																				
N							1				2	66					70			<u></u>
Р																				
Q																				<u>.</u>
R											2	1								7
S	1			1	69			69		68	66		67		3		1			<u>.</u>
T	67										2	1	4		1		<u> </u>	<u> </u>	<u> </u>	<u> </u>
V			1	4					70					6			<u></u>		2	<u> </u>
W		1										·				74	<u> </u>	74	<u> </u>	
Χ																			<u> </u>	
Y												1						<u></u>	1	<u>.</u>
Z																			<u> </u>	_
_																				
unknown (?)		<u> </u>									1								<u></u>	<u>.</u>
not sequence	d 5	5	5	5	5	5	5	5	4	4										_
sum of seq ²	69	69	69	69	69	69	69	69	70	70	74	74	74	74	74	74	74	74	74	
oomcaa ³	67	68	67	64	69	69	68	69	70	68	66	66	67	66	67	74	70	74	70)
mcaa'	Ţ	С	Α	١	S	G	D	S	٧	S	S	Ν	S	Α	Α	W	N	W	1	
rel. oomcaa ^s	70%	%6	17%	13%	%00	%00	. %61	%00	%00	17%	%G:	%68)1%	89%	31%	100%	95%	100%	95%	
pos occupied	:	•	i	1	:	:	:	:	:	:	:	;	:	:	:	1	1	•	· 	:

Table 6G: Analysis of V heavy chain subgroup 6

					Frar	new	ork	11						1								
amino acid'	39	40	41	- (4 2	43.	44	45	46	47	48	49	50	<u> </u>	5 2	7	٠ ۲	<u> </u>	ر ر	53	54	55
Α					1										1					-1		<u> </u>
В																					<u></u>	<u>.</u>
С												<u> </u>									<u>.</u>	<u></u>
D					<u>.</u>							<u> </u>	<u>.</u>								<u></u>	<u> </u>
E		<u></u>							74			<u>.</u>										
F																2	1			1	÷	·
G		ļ					74			····		74	4	1						<u></u>	1	
Н		<u>.</u>	<u></u>	<u></u>								<u>.</u>					1				<u></u>	<u>.</u>
1		<u>.</u>	<u>.</u>								<u></u>	<u>.</u>								<u> </u>	<u> </u>	<u> </u>
K	1	<u></u>				1					<u> </u>	<u>.</u>	<u> </u>					1		<u> </u>	66	<u></u>
L	1	<u>.</u>	<u>.</u>					74			74	<u>.</u>	_						· · · · · · · · · · · · · · · · · · ·	<u></u>		<u>.</u>
М		<u></u> .									<u></u>	<u>.</u>								<u> </u>		
N		<u>.</u>									ļ	<u>.</u>								<u> </u>		l
Р				73				••••			<u></u>									·		
Q	72	2								ļ	ļ											
R		<u>.</u>				73				ļ	<u>.</u>	<u>.</u>		73				72	<u>:</u>	<u>.</u>	··÷·····	1
S		7	74	1	73		••••••		<u></u>	<u></u>	<u>.</u>							1	<u> </u>	7	••••••	_
T		. 			•••••		•••••		<u></u>	ļ	. 	<u>.</u>	<u></u>		73				<u></u>	<u>.</u>	-	5
V		<u>.</u>	 				••••			<u> </u>	<u>.</u>	<u>.</u>						<u></u>	<u> </u>			
W									ļ	74	1								ļ			
X																			<u></u>			<u>!</u>
Υ						ļ				ļ	<u> </u>					72	2					
Z		╧	_					<u>!</u>	<u> </u>	<u>!</u>	<u> </u>	+	<u>. </u>		<u> </u>		-	<u>!</u>	<u> </u>	4	÷	÷
-						<u> </u>		<u></u>		-		<u></u>				••••••			7	4		
unknown (?	H						<u></u>	ļ		<u> </u>		<u>‡.</u> .	<u>l</u>			•••••						
not sequence	===	_				<u>:</u> 		 _		4 -			7.4	7.4	74	71	7.4	7.	1 7	4.7	4 7	7.4
sum of seq			· · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •		74	•••••••	••••••		••••	···- ፣ ·····	••••	•••••	••••••			:	:	•		:	:
oomcaa,			•••••	* * * * * * * * * *	·····	73 D	••••••	••••				'4 L	:	_		/ 2 Y	:	/ / R				K
mcaa'	(<u> </u>	R	······				·	····÷··	•••••		•••••			·		!	<u>‡</u>	
rel. oomcaa	• • • • • • • • • • • • • • • • • • • •					%66		•				:			•			9.20		100	97%	89%
pos occupie	q _e	3	1	2	2	2 2	2	١	1	1	1	1	1	2	2	2		3	3	1	3	5

SUBSTITUTE SHEET (RULE 26)

Table 6G: Analysis of V heavy chain subgroup 6

	С	DR	11																	
amino acid'	26	27	28	29	99	61	62	63	64	65	99	29	89	69	70	71	72	73	74	75
А					73	1						·	2			6		1		
В									·								<u> </u>			
· C				1										,			<u></u>			
D			6 8			1									2		73			
E	1		3			7			1											2
F	7																			
G			1				1			8										
н	1																1			
ı						1						65	2	71				1		
K		1							67						1					70
L	1					5		2				4						1		
M												1								
N	2	65	1						1						69					
Р					1	1							.,			66				
Q									2		1									
R		1							3		73									
S	2	2	1	1			73			66			1		2	1			73	
Т		4											69	1				71	1	2
V .						58		72				4		2		1				
W																				
X																				
Υ .	60	1		72		••••														
Z																				
_																				
unknown (?)																				
not sequenced																				
sum of seq ²	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
oomcaa	60	·····	68	72	······	·····	·········	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	65	• • • • • • • • • • • • • • • • • • • •	71	• • • • • • • • • • • • • • • • • • • •	·····	73			
mcaa⁴	Y	N	D	Υ	Α	V	S	V	K	S	R	1	Ţ	1	N	Р	D	T	S	K
rel. oomcaa ^s	81%	88%	92%	97%	%66	78%	%66	97%	91%	89%	99%	88%	93%	%96	93%	%68	%66	%96	%66	95%
pos occupied"	7	6	5	3	2	7	2	2	5	.2	2	4				:	:	4	2	3

150

SUBSTITUTE SHEET (RULE 26)

Table 6G: Analysis of V heavy chain subgroup 6

•							rk II							_						
amino acid'	9/	77	78	79	8	8	82	⋖	&	ں	83	84	82	98	87	88	83	6	6	92
Α													1			74				
В									<u></u>											
· C			<u> </u>																	7 3
D		<u></u>						3						73						
E									<u> </u>				73							•••••
F			71						1										3	•••••
G														1		••••••				
Н						2		1												
1			1			<u> </u>											2			
K							<u></u>	4	<u> </u>											
L ·		1			74		72										<u> </u>			
M					<u> </u>		1			1		<u></u>	<u></u>				2	<u></u>		
N	74							63				<u></u>					ļ	ļ	1	<u></u>
Р			<u></u>			<u></u>	<u>.</u>		,	• •• •• • • •		70					ļ	<u></u>	ļ	<u></u>
Q		72	<u>.</u>			71	<u> </u>					<u></u>					ļ	<u> </u>	<u></u>	ļ
R		1				1		1			<u></u>	<u></u>					<u></u>	ļ	<u> </u>	
S .		<u> </u>		74			<u></u>	1	73		1	3			<u></u>		<u> </u>	<u> </u>	<u> </u>	<u></u>
T	an an an an an an an an an an an an an a	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u></u>	<u>.</u>	1			73		<u> </u>	<u> </u>	74		<u> </u>	1	<u> </u>	<u>.</u>
V			2		<u>!</u>	<u>.</u>	1	<u></u>		73	<u></u>		<u>.</u>	<u></u>	ļ		70	<u> </u>	<u> </u>	<u> </u>
W		<u> </u>	<u>!</u>	<u> </u>	<u></u>						<u> </u>	<u>.</u>		<u>.</u>	<u></u>	ļ	<u>.</u>	<u> </u>	ļ	ļ
Χ		<u>.</u>	<u>.</u>					<u>.</u>	<u> </u>	<u></u>	<u></u>						<u>.</u>	<u>.</u>		<u>.</u>
Υ			<u>.</u>					<u>.</u>	<u>.</u>	<u></u>	<u> </u>							73	70)
Z								<u> </u>										<u> </u>	<u>!</u>	<u>!</u>
-									<u> </u>	<u></u>	<u>.</u>							<u>.</u>	<u>.</u>	
unknown (?)		<u>.</u>	<u>.</u>	<u>.</u>					<u>.</u>	<u>.</u>	<u>.</u>						<u>.</u>		<u>.</u>	
not sequence	d	<u> </u>									<u> </u>		1	<u> </u>	<u> </u>				<u> </u>	
sum of seq ⁷	74	74	74	1 74	1 7	4 7	4 74	4 74	74	74	74	1 7	3 74	1 74	1 74	7	4 7	1 7	1 7	4 7
oomcaa ³	74	72	2 7	1 7	4 7	4 7	1 7	2 6:	3 73	73	3 7	3 70	7:	3 7	3 74	1 7				:
mcaa¹	N	Q	F	S	L	C	l L	N	S	٧	T	Р	E	D	T	Δ	\ V	Υ	Y	
rel. oomcaa ^s	100%	90Z6	096	1000%	100%	0,000	20%0	27.70 850/n	%66	%0bb	9000	9090	0,000	90%	100%	1000%	050%	2000	050%	2
pos occupied	ļe	·		:	:		:	:				•		•	•	1	1	:		3

Table 6G: Analysis of V heavy chain subgroup 6

	CDR III																			
amino acid'	93	94	92	96	97	98	99	100	A	89	U	۵	ш	ட	9	工	_	· _	~	101
А	6 9		11	1	3	12	4	3	2	5		8						10	1	
В															,					
C					1		1			1		1	1							
D			19	4	3	7	4	3	1	6	1	1	1		-					62
E			10	4	2	1	2	2	1	· 2							1			
F .	1		1	1	1		1	2	3		2			1					38	4
G	1		16	4	15	15	11	8	6	2	5	1	8	6	1			17		
н				1		1			• 1	1	1	1				1	1	1		••••
1				1	2		2		5	1										
K		1	1	1	1	1	1	1				1								•••••
L			1	8	4	2	3	2	1					1	5				8	
М				1				1			5								11	
N			1	3	1	2	1	1	1	3		2		1		1	3			
Р				10	4		5	3		5	1		1							
Q			1	1	1	1					1									1
R		69	1	7	8	1	8	8	3		1	1	5							1
S		3	5	5	5	7	6	7	3	4	2					1	1			
T			1	1	4	3	4	4	6	3	1			1						•••••
V	3	1	4	5	1	9			4		9	· 5	1	1					2	
W			1	6	8		3	2	4								4	4		
- X																				
Y				6	4	2	2	2	6	6	2	4	2	1	8	8	12	12		•••••
Z																			10.0	
-				2	3	7	14	23	25	33	41	47	53	54	57	56	50	28	12	4
unknown (?)														6	1	5				
not sequenced				1	2	2	. 1	1	1	1	1	1	1	1	1	1	1	1	1	1
sum of seq ²	74	74	73	72	71	71	72	72	72	72	72	72	72	72	72	72	72	72	72	72
oomcaa¹	69	69	.19	10	15	15	14	23	25	33	41	47	53	54	57	56	50	·28	38	62
mcaa'	Α	R	D	Р	G	G	-	-	-	-	-	-	-	-	-	_	-	-	F	D
rel. oomcaa ^r	93%	93%	26%	14%	21%.	21%	19%	32%	35%	%9t	57%	65%	7 4 %	75%	%62	0/08/	39%	39%	53%	86%
pos occupied	:										:			•		_	i		:	<u> </u>

191

SUBSTITUTE SHEET (RULE 26)

Table 6G: Analysis of V heavy chain subgroup 6

		Framework IV												
	amino acid'	102	103	104	105	106	107	108	109	19	=	112	113	sum
	Α							2						494
	В													
	С													147
ı	. D								1					403
	Е													186
	F	2										2		150
	G			49		50								571
	Н	2												18
	l	9		<u></u>	<u></u>	<u> </u>	3		1					304
	·K			<u></u>	1			1						293
	L	5						26						632
	М							8			!			31
	N													436
	Р	4			6								1	387
	Q				40									539
İ	R				2									495
	S	4		1			1					43	46	1271
	T						45	4		45				640
	V	21						2	46		48			647
	W	ļ	65		<u></u>			5						398
	X	 				<u> </u>		<u></u>						
	ΥΥ	19												518
	Ζ	<u> </u>		<u> </u>	<u> </u>									
	_	2			<u></u>	<u> </u>		<u></u>						585
	unknown (?)				<u> </u>		<u></u>	ļ						13
	not sequenced			•	•		:		25					580
	sum of seq ²	······	·:·····	;	÷·····	÷	÷	· - · · · · · · ·	48			:		-
	oomcaa ³	;	••••••	· · · · · · · · · · · · · · · · · · ·	÷	÷	÷	• • • • • • • • • • • • • • • • • • • •	46	!·······	; • · · · · · · · · · · · · · · · · · ·	;······	;	
	mcaa⁴	V	W	G	Ω	G	T	L	V	T	V	S	S	
	rel. oomcaas	31%	100%	%86	82%	100%	92%	54%	%96	100%	100%	%96	98%	
	pos occupied	9	1	2	4	1	3	3 7	3	1		1	2	

Appendix to Tables 1A-C

A. References of rearranged sequences

References of rearranged human kappa sequences used for alignment

- 1 . Alescio-Zonta, L. & Baglioni, C. (1970) Eur.J.Biochem., 15, 450-463.
- 2 Andrews, D.W. & Capra, J.D. (1981) Biochemistry, 20, 5816-5822.
- 3 Andris, J.S., Ehrlich, P.H., Ostberg, L. & Capra, J.D. (1992) J.Immunol., 149, 4053-4059.
- 4 Atkinson, P.M., Lampman, G.W., Furie, B.C., Naparstek, Y., Schwartz, R.S., Stollar, B.D. & Furie, B. (1985) J.Clin.Invest., 75, 1138-1143.
- 5 Aucouturier, P., Bauwens, M., Khamlichi, A.A., Denoroy, L, Spinelli, S., Touchard, G., Preud'homme, J.-L. & Cogne, M. (1993) J.Immunol., 150, 3561-3568.
- 6 Avila, M.A., Vazques, J., Danielsson, L., Fernandez De Cossio, M.E. & Borrebaeck, C.A.K. (1993) Gene, 127, 273–274.
- Barbas Iii, C.F., Crowe, Jr., J.E., Cababa, D., Jones, T.M., Zebedee, S.L., Murphy, B.R., Chanock, R.M. & Burton, D.R. (1992) Proc.Natl.Acad.Sci.Usa, 89, 10164-10168.
- 8 Barbas, C.F., lii, et al. (1993) J-Mol-Biol., 230, 812-23.
- 9 Bentley, D.L. & Rabbitts, T.H. (1980) Nature, 288, 730-733.
- 10 Bentley, D.L. & Rabbitts, T.H. (1983) Cell, 32, 181-189.
- 11 Bentley, D.L. (1984) Nature, 307, 77-80.
- Bhat, N.M., Bieber, M.M., Chapman, C.J., Stevenson, F.K. & Teng, N.N.H. (1993) J.Immunol., 151, 5011-5021.
- · 13 Blaison, G., Kuntz, J.-L. & Pasquali, J.-L. (1991) Eur.J.Immunol., 21, 1221-1227.
- Braun, H., Leibold, W., Barnikol, H.U. & Hilschmann, N. (1971) Z.Physiol.Chem., 352, 647-651; (1972) Z.Physiol.Chem., 353, 1284-1306.
- 15 Capra, J.D. & Kehoe, J.M. (1975) Adv.Immunology, 20, 1-40.; Andrews, D.W. & Capra, J.D. (1981) Proc.Nat.Acad.Sci.Usa, 78, 3799-3803.
- Capra, J.D. & Kehoe, J.M. (1975) Adv.Immunology, 20, 1-40.; Ledford, D.K., Goni, F., Pizzolato, M., Franklin, E.C., Solomon, A. & Frangione, B. (1983) J.Immunol., 131, 1322-1325.
- 17 Chastagner, P., Theze, J. & Zouali, M. (1991) Gene, 101, 305-306.

18 Chen, P.P., Robbins, D.L., Jirik, F.R., Kipps, T.J. & Carson, D.A. (1987) J.Exp.Med, 166, 1900-1905.

- 19 Chen, P.P., Robbins, D.L., Jirik, F.R., Kipps, T.J. & Carson, D.A. (1987) J.Exp.Med, 166, 1900-1905; Liu, M.-F., Robbins, D.L., Crowley, J.J., Sinha, S., Kozin, F., Kipps, T.J., Carson, D.A. & Chen.P.P. (1989) J.Immunol., 142, 688-694.
- 20 Chersi, A. & Natali, P.G. (1978) Immunochemistry, 15, 585-589.
- 21 Co, M.S., Deschamps, M., Whitley, R.J. & Queen, C. (1991) Proc.Natl.Acad.Sci.Usa, 88, 2869–2873.
- 22 Cuisinier, A.-M., Fumoux, F., Fougereau, M. & Tonnelle, C. (1992) Mol.Immunol., 29, 1363-1373.
- Davidson, A., Manheimer-Lory, A., Aranow, C., Peterson, R., Hannigan, N. & Diamond, B. (1990) J.Clin.Invest., 85, 1401–1409.
- Denomme, G.A., Mahmoudi, M., Edwards, J.Y., Massicotte, H., Cairns, E. & Bell, D.A. (1993) Hum.Antibod.Hybridomas, 4, 98–103.
- Dersimonian, H., Mcadam, K.P.W.J., Mackworth-Young, C. & Stollar, B.D. (1989) J.Immunol., 142, 4027-4033.
- Dreyer, W.J., Gray, W.R. & Hood, L. (1967) Cold Spring Harbor Symp. Quantitative Biol., 32, 353-367.
- 27 Ebeling, S.B., Schutte, M.E.M. & Logtenberg, T. (1993) Eur.J.Immunol., 23, 1405-1408.
- 28 Eulitz, M. & Kley, H.-P. (1977) Immunochem., 14, 289-297.
- 29 Eulitz, M. & Linke, R.P. (1982) Z.Physiol.Chem., 363, 1347-1358.
- 30 Eulitz, M., Breuer, M., Eblen, A., Weiss, D.T. & Solomon, A. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic
- 31 Eulitz, M., Gotze, D. & Hilschmann, N. (1972) Z.Physiol.Chem., 353, 487-491; Eulitz, M. & Hilschmann, N. (1974) Z.Physiol.Chem., 355, 842-866.
- 32 Eulitz, M., Kley, H.P. & Zeitler, H.J. (1979) Z.Physiol.Chem., 360, 725-734.
- Ezaki, I., Kanda, H., Sakai, K., Fukui, N., Shingu, M., Nobunaga, M. & Watanabe, T. (1991)

 Arthritis And Rheumatism, 34, 343-350.
- 34 Felgenhauer, M., Kohl, J. & Ruker, F. (1990) Nucl. Acids Res., 18, 4927.
- Ferri, G., Stoppini, M., Iadarola, P., Bellotti, V. & Merlini, G. (1989) Biochim.Biophys.Acta, 995, 103-108.

36 Gillies, S.D., Dorai, H., Wesolowski, J., Majeau, G., Young, D., Boyd, J., Gardner, J. & James, K. (1989) Bio/Tech., 7, 799-804.

- 37 Goni, F. & Frangione, B. (1983) Proc.Nat.Acad.Sci.Usa, 80, 4837-4841.
- Goni, F.R., Chen, P.P., Mcginnis, D., Arjonilla, M.L., Fernandez, J., Carson, D., Solomon, A., Mendez, E. & Frangione, B. (1989) J.Immunol., 142, 3158-3163.
- Gorman, S.D., Clark, M.R., Routledge, E.G., Cobbold, S.P. &t Waldmann, H. (1991) Proc.Natl.Acad.Sci.Usa, 88, 4181-4185.
- Gottlieb, P.D., Cunningham, B.A., Rutishauser, U. & Edelman, G.M. (1970) Biochemistry, 9, 3155-3161.
- Griffiths, A.D., Malmqvist, M., Marks, J.D., Bye, J.M., Embleton, M.J., Mccafferty, J., Baier, M., Holliger, K.P., Gorick, B.D., Hughes-Jones, N.C., Hoogenboom, H.R. & Winter, G. (1993) Embo J., 12, 725-734.
- Hieter, P.A., Max, E.E., Seidman, J.G., Maizel, J.V., Jr. & Leder, P. (1980) Cell, 22, 197-207; Klobeck, H.G., Meindl, A., Combriato, G., Solomon, A. & Zachau, H.G. (1985) Nucl. Acids Res., 13, 6499-6513; Weir, L. & Leder, P. (1986)
- 43 Hilschmann, N. & Craig, L.C. (1965) Proc.Nat.Acad.Sci.Usa, 53, 1403-1409; Hilschmann, N. (1967) Z.Physiol.Chem., 348, 1077-1080.
 - Hilschmann, N. & Craig, L.C. (1965) Proc.Nat.Acad.Sci.Usa, 53, 1403-1409; Hilschmann, N. (1967) Z.Physiol.Chem., 348, 1718-1722; Hilschmann, N. (1969) Naturwissenschaften, 56, 195-205.
 - 45 Hirabayashi, Y., Munakata, Y., Sasaki, T. & Sano, H. (1992) Nucl. Acids Res., 20, 2601.
 - Jaenichen, H.-R., Pech, M., Lindenmaier, W., Wildgruber, N. & Zachau, H.G. (1984) Nuc. Acids Res., 12, 5249–5263.
 - Jirik, F.R., Sorge, J., Fong, S., Heitzmann, J.G., Curd, J.G., Chen, P.P., Goldfien, R. & Carson, D.A. (1986) Proc.Nat.Acad.Sci.Usa, 83, 2195-2199.
 - 48 Kaplan, A.P. & Metzger, H. (1969) Biochemistry, 8, 3944-3951.; Klapper, D.G. & Capra, J.D. (1976) Ann.Immunol.(Inst.Pasteur), 127c, 261-271.
 - 49 Kennedy, M.A. (1991) J.Exp.Med., 173, 1033-1036.
 - 50 Kim, H.S. & Deutsch, H.F. (1988) Immunol., 64, 573-579.
 - 51 Kipps, T.J., Tomhave, E., Chen, P.P. & Carson, D.A. (1988) J.Exp.Med., 167, 840-852.
 - 52. Kipps, T.J., Tomhave, E., Chen, P.P. & Fox, R.I. (1989) J.Immunol., 142, 4261-4268.
 - 53 Klapper, D.G. & Capra, J.D. (1976) Ann. Immunol. (Inst. Pasteur), 127c, 261–271.



- 54 Klein, U., Kuppers, R. & Rajewsky, K. (1993) Eur.J.Immunol., 23, 3272-3277.
- Klobeck, H.G, Meindl, A., Combriato, G., Solomon, A. & Zachau, H.G. (1985) Nucl. Acids Res., 13, 6499-6513.
- Klobeck, H.G., Bornkammm, G.W., Combriato, G., Mocikat, R., Pohlenz, H.D. & Zachau, H.G. (1985) Nucl. Acids Res., 13, 6515-6529.
- 57 Klobeck, H.G., Combriato, G. & Zachau, H.G. (1984) Nuc. Acids Res., 12, 6995-7006.
- 58 Klobeck, H.G., Solomon, A. & Zachau, H.G. (1984) Nature, 309, 73-76.
- 59 Knight, G.B., Agnello, V., Bonagura, V., Barnes, J.L., Panka, D.J. & Zhang, Q.-X. (1993) J.Exp.Med., 178, 1903-1911.
- 60 Kohler, H., Shimizu, A., Paul, C. & Putnam, F.W. (1970) Science, 169, 56-59. (Kaplan, A.P. & Metzger, H. (1969) Biochemistry, 8, 3944-3951.)
- 61 Kratzin, H., Yang, C.Y., Krusche, J.U. & Hilschmann, N. (1980) Z.Physiol.Chem., 361, 1591-1598.
- 62 Kunicki, T.J., Annis, D.S., Gorski, J. & Nugent, D.J. (1991) J.Autoimmunity, 4, 433-446.
- Larrick, J.W., Wallace, E.F., Coloma, M.J., Bruderer, U., Lang, A.B. & Fry, K.E. (1992) Immunological Reviews, 130, 69-85.
- 64 Laure, C.J., Watanabe, S. & Hilschmann, N. (1973) Z.Physiol.Chem., 354, 1503-1504.
- Ledford, D.K., Goni, F., Pizzolato, M., Franklin, E.C., Solomon, A. & Frangione, B. (1983)

 J.Immunol., 131, 1322-1325.
- Ledford, D.K., Goni, F., Pizzolato, M., Franklin, E.C., Solomon, A. & Frangione, B. (1983) J.Immunol., 131, 1322–1325.
- Ledford, D.K., Goni, F., Pizzolato, M., Franklin, E.C., Solomon, A. & Frangione, B. (1983)

 J.Immunol., 131, 1322-1325. Pons-Estel, B., Goni, F., Solomon, A. & Frangione, B. (1984)

 J.Exp.Med., 160, 893.
- 68 Levy, S., Mendel, E., Kon, S., Avnur, Z. & Levy, R. (1988) J.Exp.Med., 168, 475-489.
- 69 Liepnieks, J.J., Dwulet, F.E. & Benson, M.D. (1990) Mol.Immunol., 27, 481-485.
- Manheimer-Lory, A., Katz, J.B., Pillinger, M., Ghossein, C., Smith, A. & Diamond, B. (1991) J.Exp.Med., 174, 1639-1652.
- 71 Mantovani, L., Wilder, R.L. & Casali, P. (1993) J.Immunol., 151, 473-488.
- 72 Mariette, X., Tsapis, A. & Brouet, J.-C. (1993) Eur.J.Immunol., 23, 846-851.
- Marks, J.D., Hoogenboom, H.R., Bonnert, T.P., Mccafferty, J., Griffiths, A.D. & Winter, G. (1991) J.Mol.Biol., 222, 581-597.

- 74 Marsh, P., Mills, F. & Gould, H. (1985) Nuc. Acids Res., 13, 6531-6544.
- 75 Middaugh, C.R. & Litman, G.W. (1987) J.Biol.Chem., 262, 3671–3673.
- 76 Milstein, C. & Deverson, E.V. (1971) Biochem.J., 123, 945-958.
- 77 Milstein, C. (1969) Febs Letters, 2, 301-304.
- 78 Milstein, C. (1969) Febs Letters, 2, 301-304.
- 79 Milstein, C.P. & Deverson, E.V. (1974) Eur J. Biochem., 49, 377-391.
- 80 Moran, M.J., Andris, J.S., Matsumato, Y.-I., Capra, J.D. & Hersh, E.M. (1993) Mol.Immunol., 30, 1543-1551.
- Nakatani, T., Nomura, N., Horigome, K., Ohtsuka, H. & Noguchi, H. (1989) Bio/Tech., 7, 805-810.
- 82 Newkirk, M., Chen, P.P., Carson, D., Posnett, D. & Capra, J.D. (1986) Mol.Immunol., 23, 239-244.
- 83 Newkirk, M.M., Gram, H., Heinrich, G.F., Ostberg, L., Capra, J.D. & Wasserman, R.L. (1988) J.Clin.Invest., 81, 1511-1518.
- 84 Newkirk, M.M., Mageed, R.A., Jefferis, R., Chen, P.P. & Capra, J.D. (1987) J.Exp.Med., 166, 550-564.
- 85 Olee, B.T., Lu, E.W., Huang, D.-F., Soto-Gil, R.W., Deftos, M., Kozin, F., Carson, D.A. & Chen, P.P. (1992) J.Exp.Med., 175, 831–842.
- Palm, W. & Hilschmann, N. (1973) Z.Physiol.Chem., 354, 1651-1654; (1975)
 Z.Physiol.Chem., 356, 167-191.
- Pascual, V., Victor, K., Lelsz, D., Spellerberg, M.B., Hamblin, T.J., Thompson, K.M., Randen, I., Natvig, J., Capra, J.D. & Stevenson, F.K. (1991) J.Immunol., 146, 4385-4391.
- Pascual, V., Victor, K., Randen, I., Thompson, K., Steinitz, M., Forre, O., Fu, S.-M., Natvig, J.B. & Capra, J.D. (1992) Scand.J.Immunol., 36, 349–362.
- 89 Pech, M. & Zachau; H.G. (1984) Nuc. Acids Res., 12, 9229-9236.
- 90 Pech, M., Jaenichen, H.-R., Pohlenz, H.-D., Neumaier, P.S., Klobeck, H.-G. & Zachau, H.G. (1984) J.Mol.Biol., 176, 189-204.
- 91 Pons-Estel, B., Goni, F., Solomon, A. & Frangione, B. (1984) J.Exp.Med., 160, 893-904.
- 92 Portolano, S., Mclachlan, S.M. & Rapoport, B. (1993) J.Immunol., 151, 2839-2851.
- Portolano, S., Seto, P., Chazenbalk, G.D., Nagayama, Y., Mclachlan, S.M. & Rapoport, B. (1991) Biochem.Biophys.Res.Commun., 179, 372-377.



94 Pratt, L.F., Rassenti, L., Larrick, J., Robbins, B., Banks, P.M. & Kipps, T.J. (1989) J.Immunol., 143, 699-705.

- 95 Prelli, F., Tummolo, D., Solomon, A. & Frangione, B. (1986) J.Immunol., 136, 4169-4173.
- 96 Putnam, F.W., Whitley, E.J., Jr., Paul, C.& Davidson, J.N. (1973) Biochemistry, 12, 3763-3780.
- 97 Randen, I., Pascual, V., Victor, K., Thompson, K.M., Forre, O., Capra, J.D. & Natvig, J.B. (1993) Eur.J.Immunol., 23, 1220-1225.
- 98 Rassenti, L.Z., Pratt, L.F., Chen, P.P., Carson, D.A. & Kipps, T.J. (1991) J.Immunol., 147, 1060-1066.
- 99 Reidl, L.S., Friedman, D.F., Goldman, J., Hardy, R.R., Jefferies, L.C. & Silberstein, L.E. (1991)
 J.Immunol., 147, 3623-3631.
- 100 Riechmann, L., Clark, M., Waldmann, H. & Winter, G. (1988) Nature, 332, 323-327.
- Riesen, W., Rudikoff, S., Oriol, R. & Potter, M. (1975) Biochemistry, 14, 1052-1057; Riesen,
 W.F., Braun, D.G. & Jaton, J.C. (1976) Proc.Nat.Acad.Sci.Usa, 73, 2096-2100; Riesen, W.F.
 & Jaton, J.C. (1976) Biochemistry, 15, 3829.
- Rodilla Sala, E., Kratzin, D.H., Pick, A.I. & Hilschmann, N. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic
- Schiechl, H. & Hilschmann, N. (1971) Z.Physiol.Chem., 352, 111-115; (1972)Z.Physiol.Chem., 353, 345-370.
- 104 Schneider, M. & Hilschmann, N. (1974) Z.Physiol.Chem., 355, 1164-1168.
- 105 Shearman, C.W., Pollock, D., White, G., Hehir, K., Moore, G.P., Kanzy, E.J. & Kurrle, R. (1991) J.Immunol., 147, 4366-4373.
- 106 Shinoda, T. (1973) J.Biochem., 73, 433-446.
- 107 Shinoda, T. (1975) J.Biochem., 77, 1277-1296.
- Shinoda, T., Takenawa, T., Hoshi, A. & Isobe, T. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic Publishers, Dordrecht/Boston/London, Pp.157-
- 109 Silberstein, L.E., Litwin, S. & Carmack, C.E. (1989) J.Exp.Med., 169, 1631-1643.
- 110 Sims, M.J., Hassal, D.G., Brett, S., Rowan, W., Lockyer, M.J., Angel, A., Lewis, A.P., Hale, G., Waldmann, H. & Crowe, J.S. (1993) J.Immunol., 151, 2296-2308.

111 Spatz, L.A., Wong, K.K., Williams, M., Desai, R., Golier, J., Berman, J.E., Alt, F.W. & Latov, N. (1990) J.Immunol., 144, 2821–2828.

- Stavnezer, J., Kekish, O., Batter, D., Grenier, J., Balazs, I., Henderson, E. & Zegers, B.J.M. (1985) Nucl. Acids Res., 13, 3495–3514.
- 113 Straubinger, B., Thiebe, R., Pech, M. & Zachau, H.G. (1988) Gene, 69, 209-214.
- Suter, L., Barnikol, H.U., Watanabe, S. & Hilschmann, N. (1969) Z.Physiol.Chem., 350, 275-278; (1972) Z.Physiol.Chem., 353, 189-208.
- 115 Tempest, P.R., Bremner, P., Lambert, M., Taylor, G., Furze, J.M., Carr, F.J. & Harris, W.J. (1991) Bio/Tech., 9, 266-271.
- 116 Titani, K., Shinoda, T. & Putnam, F.W. (1969) J.Biol.Chem., 244, 3550-3560.
- Toft, K.G., Olstad, O.K., Sletten, K. & Westermark, P. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic
- 118 Van Es, J.H., Aanstoot, H., Gmelig-Meyling, F.H.J., Derksen, R.H.W.M. & Logtenberg, T. (1992) J.Immunol., 149, 2234–2240.
- 119 Victor, K.D., Pascual, V., Lefvert, A.K. & Capra, J.D. (1992) Mol.Immunol., 29, 1501–1506.
- 120 Victor, K.D., Pascual, V., Williams, C.L., Lennon, V.A. & Capra, J.D. (1992) Eur.J.Immunol., 22, 2231–2236.
- 121 Victor, K.D., Randen, I., Thompson, K., Forre, O., Natvig, J.B., Fu, S.M. & Capra, J.D. (1991) J.Clin.Invest., 87, 1603–1613.
- 122 Wagner, S.D. & Luzzatto, L. (1993) Eur. J. Immunol., 23, 391-397.
- . 123 Watanabe, S. & Hilschmann, N. (1970) Z.Physiol.Chem., 351, 1291-1295.
- 124 Weisbart, R.H., Wong, A.L., Noritake, D., Kacena, A., Chan, G., Ruland, C., Chin, E., Chen, I.S.Y. & Rosenblatt, J.D. (1991) J.Immunol., 147, 2795–2801.
- 125 Weng, N.-P., Yu-Lee, L.-Y., Sanz, I., Patten, B.M. & Marcus, D.M. (1992) J.Immunol., 149, 2518-2529.
- 126 Winkler, T.H., Fehr, H. & Kalden, J.R. (1992) Eur.J.Immunol., 22, 1719-1728.

References of rearranged human lambda sequences used for alignment

Alexandre, D., Chuchana, P., Brockly, F., Blancher, A., Lefranc, G. & Lefranc, M.-P. (1989) Nuc. Acids Res., 17, 3975.

2 Anderson, M.L.M., Brown, L., Mckenzie, E., Kellow, J.E. & Young, B.D. (1985) Nuc. Acids Res., 13, 2931–2941.

- 3 Andris, J.S., Brodeur, B.R. & Capra, J.D. (1993) Mol.Immunol., 30, 1601-1616.
- 4 Andris, J.S., Ehrlich, P.H., Ostberg, L. & Capra, J.D. (1992) J.Immunol., 149, 4053-4059.
- Baczko, K., Braun, D.G., Hess, M. & Hilschmann, N. (1970) Z.Physiol.Chem., 351, 763-767; Baczko, K., Braun, D.G. & Hilschmann, N. (1974) Z.Physiol.Chem., 355, 131-154.
- 6 Berinstein, N., Levy, S. & Levy, R. (1989) Science, 244, 337-339.
- 7 Bhat, N.M., Bieber, M.M., Chapman, C.J., Stevenson, F.K. & Teng, N.N.H. (1993) J.Immunol., 151, 5011-5021.
- 8 Cairns, E., Kwong, P.C., Misener, V., Ip, P., Bell, D.A. & Siminovitch, K.A. (1989) J.Immunol., 143, 685-691.
- 9 Carroll, W.L., Yu, M., Link, M.P. & Korsmeyer, S.J. (1989) J.Immunol., 143, 692-698.
- 10 Chen, B.L. & Poljak, R.J. (1974) Biochemistry, 13, 1295-1302.
- 11 Chen, B.L., Chiu, Y.Y.H., Humphrey, R.L. & Poljak, R.J. (1978) Biochim.Biophys.Acta, 537, 9-21.
- 12 Combriato, G. & Klobeck, H.G. (1991) Eur.J.Immunol., 21, 1513-1522.
- Cuisinier, A.-M., Fumoux, F., Fougereau, M. & Tonnelle, C. (1992) Mol.Immunol., 29, 1363-1373.
- 14 Dwulet, F.E., Strako, K. & Benson, M.D. (1985) Scand.J.Immunol., 22, 653-660.
- 15 Elahna, P., Livneh, A., Manheimer-Lory, A.J. & Diamond, B. (1991) J.Immunol., 147, 2771-2776.
- Engelhard, M., Hess, M. & Hilschmann, N. (1974) Z.Physiol.Chem., 355, 85-88; Engelhard,
 M. & Hilschmann, N. (1975) Z.Physiol.Chem., 356, 1413-1444.
- 17 Eulitz, M. (1974) Eur.J.Biochem., 50, 49-69.
- 18 Eulitz, M., Breuer, M. & Linke, R.P. (1987) Biol.Che.Hoppe-Seyler, 368, 863-870.
- 19 Eulitz, M., Murphy, C., Weiss, D.T. & Solomon, A. (1991) J.Immunol., 146, 3091-3096.
- 20 Fett, J.W. & Deutsch, H.F. (1974) Biochemistry, 13, 4102-4114.
- 21 Fett, J.W. & Deutsch, H.F. (1976) Immunochem., 13, 149-155.; Jabusch, J.R. & Deutsch, H.F. (1982) Mol.Immunol., 19, 901-906.
- 22 Furey, W. Jr., Wang, B.C., Yoo, C.S. & Sax, M. (1983) J.Mol.Biol., 167, 661-692.
- 23 Fykse, E.-M., Sletten, K., Husby, G. & Cornwell, G.G., Iii (1988) Biochem.J., 256, 973-000.

24 Garver, F.A. & Hilschmann, N. (1971) Febs Letters, 16, 128-132; (1972) Eur.J.Biochem., 26, 10-32.

- 25 Gawinowicz, M.A., Merlini, G., Birken, S., Osserman, E.F. & Kabat, E.A. (1991) J.Immunol., 147, 915-920.
- 26 Ghiso, J., Solomon, A. & Frangione, B. (1986) J.Immunol., 136, 716-719.
- Griffiths, A.D., Malmqvist, M., Marks, J.D., Bye, J.M., Embleton, M.J., Mccafferty, J., Baier, M., Holliger, K.P., Gorick, B.D., Hughes-Jones, N.C., Hoogenboom, H.R. & Winter, G. (1993) Embo J., 12, 725-734.
- Gullasken, N., Idso, H., Nilsen, R., Sletten, K., Husby, G. & Cornwell, G.G. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic
- Harindranath, N., Goldfarb, I.S., Ikematsu, H., Burastero, S.E., Wilder, R.L., Notkins, A.L. & Casali, P. (1991) Int.Immunol., 3, 865-875.
- 30 Holm, E., Sletten, K. & Husby, G. (1986) Biochem.J., 239, 545-551.
- 31 Hughes-Jones, N.C., Bye, J.M., Beale, D. & Coadwell, J. (1990) Biochem J., 268, 135-140.
- Kametani, F., Yoshimura, K., Tonoike, H., Hoshi, A., Shinoda, T. & Isobe, T. (1985) Biochem.Biophys.Res.Commun., 126, 848-852.
- 33 Kiefer, C.R., Mcguire, B.S., Jr., Osserman, E.F. & Garver, F.A. (1983) J.Immunol., 131, 1871-1875.
- 34 Kiefer, C.R., Patton, H.M., Jr., Mcquire, B.S., Jr. & Garver, F.A. (1980) J.Immunol., 124, 301–306.
- 35 Kishimoto, T., Okajima, H., Okumoto, T. & Taniguchi, M. (1989) Nucl. Acids Res., 17, 4385.
- 36 Klafki, H.-W., Kratzin, H.D., Pick, A.I., Eckart, K. & Hilschmann, N. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic
- 37 Kohler, H., Rudofsky, S. & Kluskens, L. (1975) J.Immunology, 114, 415-421.
- 38 Kojima, M., Odani, S. & Ikenaka, T. (1980) Mol.Immunol., 17, 1407-1414.
- Komori, S., Yamasaki, N., Shigeta, M., Isojima, S. & Watanabe, T. (1988) Clin.Exp.Immunol., 71, 508-516.
- Kratzin, H.D., Palm, W., Stangel, M., Schmidt, W.E., Friedrich, J. & Hilschmann, N. (1989) Biol.Chem.Hoppe-Seyler, 370, 263-272.

Kratzin, H.D., Pick, A.I., Stangel, M. & Hilschmann, N. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic Publishers, Dordrecht/Boston/London, Pp.181-

- 42 Langer, B., Steinmetz-Kayne, M. & Hilschmann, N. (1968) Z.Physiol.Chem., 349, 945-951.
- 43 Larrick, J.W., Danielsson, L., Brenner, C.A., Wallace, E.F., Abrahamson, M., Fry, K.E. & Borrebaeck, C.A.K. (1989) Bio/Tech., 7, 934-938.
- 44 Levy, S., Mendel, E., Kon, S., Avnur, Z. & Levy, R. (1988) J.Exp.Med., 168, 475-489.
- Lewis, A.P., Lemon, S.M., Barber, K.A., Murphy, P., Parry, N.R., Peakman, T.C., Sims, M.J., Worden, J. & Crowe, J.S. (1993) J.Immunol., 151, 2829-2838.
- Liu, V.Y.S., Low, T.L.K., Infante, A. & Putnam, F.W. (1976) Science, 193, 1017-1020;
 Infante, A. & Putnam, F.W. (1979) J.Biol.Chem., 254, 9006-9016.
- 47 Lopez De Castro, J.A., Chiu, Y.Y.H. & Poljak, R.J. (1978) Biochemistry, 17, 1718-1723.
- 48 Mantovani, L., Wilder, R.L. & Casali, P. (1993) J.Immunol., 151, 473-488.
- Marks, J.D., Hoogenboom, H.R., Bonnert, T.P., Mccafferty, J., Griffiths, A.D. & Winter, G. (1991) J.Mol.Biol., 222, 581–597.
- 50 Mihaesco, E., Roy, J.-P., Congy, N., Peran-Rivat, L. & Mihaesco, C. (1985) Eur.J.Biochem., 150, 349-357.
- 51 Milstein, C., Clegg, J.B. & Jarvis, J.M. (1968) Biochem.J., 110, 631-652.
- 52 Moran, M.J., Andris, J.S., Matsumato, Y.-I., Capra, J.D. & Hersh, E.M. (1993) Mol.Immunol., 30, 1543-1551.
- 53 Nabeshima, Y. & Ikenaka, T. (1979) Mol.Immunol., 16, 439-444.
- Olee, B.T., Lu, E.W., Huang, D.-F., Soto-Gil, R.W., Deftos, M., Kozin, F., Carson, D.A. & Chen, P.P. (1992) J.Exp.Med., 175, 831-842.
- Pascual, V., Victor, K., Randen, I., Thompson, K., Steinitz, M., Forre, O., Fu, S.-M., Natvig, J.B. & Capra, J.D. (1992) Scand.J.Immunol., 36, 349–362.
- 56 Paul, E., Iliev, A.A., Livneh, A. & Diamond, B. (1992) J.Immunol., 149, 3588-3595.
- Pick, A.I., Kratzin, H.D., Barnikol-Watanabe, S. & Hilschmann, N. (1990) In Amyloid And Amyloidosis, Eds. J.B.Natvig, O.Forre, G.Husby, A.Husebekk, B.Skogen, K.Sletten & P.Westermark, Kluwer Academic
- 58 Ponstingl, H. & Hilschmann, N. (1969) Z.Physiol.Chem., 350, 1148-1152; (1971) Z.Physiol.Chem., 352, 859-877.

59 Ponstingl, H., Hess, M. & Hilschmann, N. (1968) Z.Physiol.Chem., 349, 867-871; (1971) Z.Physiol.Chem., 352, 247-266.

- Randen, I., Pascual, V., Victor, K., Thompson, K.M., Forre, O., Capra, J.D. & Natvig, J.B. (1993) Eur.J.Immunol., 23, 1220–1225.
- 61 Scholz, R. & Hilschmann, N. (1975) Z.Physiol.Chem., 356, 1333-1335.
- 62 Settmacher, U., Jahn, S., Siegel, P., Von Baehr, R. & Hansen, A. (1993) Mol.Immunol., 30, 953-954.
- 63 Shinoda, T., Titani, K. & Putnam, F.W. (1970) J.Biol.Chem., 245, 4475-4487.
- 64 Sletten, K., Husby, G. & Natvig, J.B. (1974) Scand.J.Immunol., 3, 833-836.; Sletten, K., Natvig, J.B., Husby, G. & Juul, J. (1981) Biochem.J., 195, 561-572.
- Solomon, A., Frangione, B. & Franklin, E.C. (1982) J.Clin.Invest., 70, 453-460.; Frangione,
 B., Moloshok, T. & Solomon, A. (1983) J.Immunol., 131, 2490-2493.
- Takahashi, N., Takayasu, T., Isobe, T., Shinoda, T., Okuyama, T. & Shimizu, A. (1979)

 J.Biochem., 86, 1523-1535.
- Takahashi, N., Takayasu, T., Shinoda, T., Ito, S., Okuyama, T. & Shimizu, A. (1980) Biomed.Res., 1, 321-333.
- Takahashi, Y., Takahashi, N., Tetaert, D. & Putnam, F.W. (1983) Proc.Nat.Acad.Sci.Usa, 80, 3686-3690.
- Takayasu, T., Takahashi, N., Shinoda, T., Okuyama, T. & Tomioka, H. (1980) J.Biochem., 89, 421-436.
- 70 Titani, K., Wikler, M., Shinoda, T. & Putnam, F.W. (1970) J.Biol.Chem., 245, 2171-2176.
- 71 Toft, K.G., Sletten, K. & Husby, G. (1985) Biol.Chem.Hoppe-Seyler, 366, 617-625.
- Tonoike, H., Kametani, F., Hoshi, A., Shinoda, T. & Isobe, T. (1985) Biochem.Biophys.Res.Commun., 126, 1228-1234.
- 73 Tonoike, H., Kametani, F., Hoshi, A., Shinoda, T. & Isobe, T. (1985) Febs Letters, 185, 139-141.
- 74 Tsujimoto, Y. & Croce, C.M. (1984) Nucl. Acids Res., 12, 8407-8414.
- 75 Tsunetsugu-Yokota, Y., Minekawa, T., Shigemoto, K., Shirasawa, T. & Takemori, T. (1992) Mol.Immunol., 29, 723-728.
- 76 Tveteraas, T., Sletten, K. & Westermark, P. (1985) Biochem.J., 232, 183-190.
- 77 Vasicek, T.J. & Leder, P. (1990) J.Exp.Med., 172, 609-620.

Victor, K.D., Randen, I., Thompson, K., Forre, O., Natvig, J.B., Fu, S.M. & Capra, J.D. (1991) J.Clin.Invest., 87, 1603-1613.

- 79 Weng, N.-P., Yu-Lee, L.-Y., Sanz, I., Patten, B.M. & Marcus, D.M. (1992) J.Immunol., 149, 2518-2529.
- 80 Wikler, M. & Putnam, F.W. (1970) J.Biol.Chem., 245, 4488-4507.
- 81 Winkler, T.H., Fehr, H. & Kalden, J.R. (1992) Eur.J.Immunol., 22, 1719-1728.
- Yago, K., Zenita, K., Ohwaki, I., Harada, Y., Nozawa, S., Tsukazaki, K., Iwamori, M., Endo, N., Yasuda, N., Okuma, M. & Kannagi, R. (1993) Mol.Immunol., 30, 1481-1489.
- 83 Yamasaki, N., Komori, S. & Watanabe, T. (1987) Mol.Immunol., 24, 981-985.
- 84 Zhu, D., Kim, H.S. & Deutsch, H.F. (1983) Mol.Immunol., 20, 1107-1116.
- 85 Zhu, D., Zhang, H., Zhu, N. & Luo, X. (1986) Scientia Sinica, 29, 746-755.

References of rearranged human heavy chain sequences used for alignment

- Adderson, E.E., Azmi, F.H., Wilson, P.M., Shackelford, P.G. & Carroll, W.L. (1993) J.Immunol., 151, 800-809.
- 2 Adderson, E.E., Shackelford, P.G., Quinn, A. & Carroll, W.L. (1991) J.Immunol., 147, 1667-1674.
- 3 Akahori, Y., Kurosawa, Y., Kamachi, Y., Torii, S. & Matsuoka, H. (1990) J.Clin.Invest., 85, 1722–1727.
- 4 Andris, J.S., Brodeur, B.R. & Capra, J.D. (1993) Mol.Immunol., 30, 1601-1616.
- 5 Andris, J.S., Ehrlich, P.H., Ostberg, L. & Capra, J.D. (1992) J.Immunol., 149, 4053-4059.
- Andris, J.S., Johnson, S., Zolla-Pazner, S. & Capra, J.D. (1991) Proc.Natl.Acad.Sci.Usa, 88, 7783-7787.
- 7 Anker, R., Conley, M.E. & Pollok, B.A. (1989) J.Exp.Med., 169, 2109-2119.
- Atkinson, P.M., Lampman, G.W., Furie, B.C., Naparstek, Y., Schwartz, R.S., Stollar, B.D. & Furie, B. (1985) J.Clin.Invest., 75, 1138-1143.;Lampman, G.W., Furie, B., Schwartz, R.S., Stollar, B.D. & Furie, B.C. (1989)
- 9 Avila, M.A., Vazques, J., Danielsson, L., Fernandez De Cossio, M.E. & Borrebaeck, C.A.K. (1993) Gene, 127, 273-274.
- 10 Bakkus, M.H.C., Heirman, C., Van Riet, I., Van Camp, B. & Thielemans, K. (1992) Blood, 80, 2326-2335.

Barbas III, C.F., Crowe, Jr., J.E., Cababa, D., Jones, T.M., Zebedee, S.L., Murphy, B.R., Chanock, R.M. & Burton, D.R. (1992) Proc.Natl.Acad.Sci.Usa, 89, 10164-10168.

- Barbas, C.F., Iii, Collet, T.A., Amberg, W., Roben, P., Binley, J.M., Hoekstra, D., Cababa, D., Jones, T.M., Williamson, R.A., Pilkington, G.R., Haigwood, N.L., Cabezas, E., Satterthwait, A.C., Sanz, I. & Burton, D.R. (1993) J.Mol.Biol., 230, 812-823.
- 13 Berman, J.E., Humphries, C.G., Barth, J., Alt, F.W. & Tucker, P.W. (1991) J.Exp.Med., 173, 1529-1535.
- Berman, J.E., Mellis, S.J., Pollock, R., Smith, C.L., Suh, H., Heinke, B., Kowal, C., Surti, U., Chess, L., Cantor, C.R & Alt, F.W. (1988) Embo J., 7, 727–738.
- Bhat, N.M., Bieber, M.M., Chapman, C.J., Stevenson, F.K. & Teng, N.N.H. (1993) J.Immunol., 151, 5011-5021.
- 16 Bird, J., Galili, N., Link, M., Stites, D. & Sklar, J. (1988) J.Exp.Med., 168, 229-245.
- 17 Cai, J., Humphries, C., Richardson, A. & Tucker, P.W. (1992) J.Exp.Med., 176, 1073-1081.
- 18 Cairns, E., Kwong, P.C., Misener, V., Ip, P., Bell, D.A. & Siminovitch, K.A. (1989) J.Immunol., 143, 685-691.
- 19 Capra, J.D. & Hopper, J.E. (1976) Immunochemistry, 13, 995-999; Hopper, J.E., Noyes, C., Heinrikson, R. & Kessel, J.W. (1976) J.Immunol., 116, 743-746.
- 20 Capra, J.D. & Kehoe, J.M. (1974) Proc.Nat.Acad.Sci.Usa, 71, 845-848.
- 21 Carroll, W.L., Yu, M., Link, M.P. & Korsmeyer, S.J. (1989) J.Immunol., 143, 692-698.
- 22 Chen, P.P., Liu, M.-F., Glass, C.A., Sinha, S., Kipps, T.J. & Carson, D.A. (1989) Arthritis & Rheumatism, 32, 72-76; Kipps, T.J., Tomhave, E., Pratt, L.F., Duffy, S., Chen, P.P. & Carson, D.A. (1989) Proc.Natl.Acad.Sci.Usa, 86, 5913-5917.
- Chiu, Y.Y.H., Lopez De Castro, J.A. & Poljak, R.J. (1979) Biochemistry, 18, 553-560.
- 24 Cleary, M.L., Meeker, T.C., Levy, S., Lee, E., Treia, M., Sklar, J. & Levy, R. (1986) Cell, 44, 97-106.
- 25 Cuisinier, A.-M., Fumoux, F., Fougereau, M. & Tonnelle, C. (1992) Mol.Immunol., 29, 1363-1373.
- 26 Cuisinier, A.-M., Gauthier, L., Boubli, L., Fougereau, M. & Tonnelle, C. (1993) Eur.J.Immunol., 23, 110–118.
- Cunningham, B.A., Gottlieb.P.D., Pflumm, M.N. & Edelman, G.M. (1971) Progress In Immunology (B.Amos, Ed.), Academic Press, N.Y., Pp.3-24.

Cunningham, B.A., Rutishauser, U., Gall, W.E., Gottlieb, P.D., Waxdal, M.J. & Edelman, G.M. (1970) Biochemistry, 9, 3161-3170.

- 29 Deane, M. & Norton, J.D. (1990) Eur.J.Immunol., 20, 2209-2217.
- 30 Deane, M. & Norton, J.D. (1991) Leukemia, 5, 646-650.
- Dersimonian, H., Schwartz, R.S., Barrett, K.J. & Stollar, B.D. (1987) J.Immunol., 139, 2496-2501.
- Dersimonian, H., Schwartz, R.S., Barrett, K.J. & Stollar, B.D. (1987) J.Immunol., 139, 2496-2501; Chen, P.P., Liu, M.-F., Sinha, S. & Carson, D.A. (1988) Arth.Rheum., 31, 1429-1431.
- Desai, R., Spatz, L., Matsuda, T., Ilyas, A.A., Berman, J.E., Alt, F.W., Kabat, E.A. & Latov, N. (1990) J.Neuroimmunol., 26, 35-41.
- Ezaki, I., Kanda, H., Sakai, K., Fukui, N., Shingu, M., Nobunaga, M. & Watanabe, T. (1991) Arthritis And Rheumatism, 34, 343-350.
- Felgenhauer, M., Kohl, J. & Ruker, F. (1990) Nucl. Acids Res., 18, 4927.
- 36 Florent, G., Lehman, D. & Putnam, F.W. (1974) Biochemistry, 13, 2482-2498.
- 37 Friedlander, R.M., Nussenzweig, M.C. & Leder, P. (1990) Nucl. Acids Res., 18, 4278.
- 38 Gawinowicz, M.A., Merlini, G., Birken, S., Osserman, E.F. & Kabat, E.A. (1991) J.Immunol., 147, 915-920.
- 39 Gillies, S.D., Dorai, H., Wesolowski, J., Majeau, G., Young, D., Boyd, J., Gardner, J. & James, K. (1989) Bio/Tech., 7, 799-804.
- 40 Goni, F. & Frangione, B. (1983) Proc.Nat.Acad.Sci.Usa, 80, 4837-4841.
- Gorman, S.D., Clark, M.R., Routledge, E.G., Cobbold, S.P. & Waldmann, H. (1991) Proc.Natl.Acad.Sci.Usa, 88, 4181-4185.
- Griffiths, A.D., Malmqvist, M., Marks, J.D., Bye, J.M., Embleton, M.J., Mccafferty, J., Baier, M., Holliger, K.P., Gorick, B.D., Hughes-Jones, N.C., Hoogenboom, H.R. & Winter, G. (1993) Embo J., 12, 725-734.
- 43 Grillot-Courvalin, C., Brouet, J.-C., Piller, F., Rassenti, L.Z., Labaume, S., Silverman, G.J., Silberstein, L. & Kipps, T.J. (1992) Eur.J.Immunol., 22, 1781-1788.
- Guillaume, T., Rubinstein, D.B., Young, F., Tucker, L., Logtenberg, T., Schwartz, R.S. & Barrett, K.L. (1990) J.Immunol., 145, 1934-1945; Young, F., Tucker, L., Rubinstein, D., Guillaume, T., Andre-Schwartz, J., Barrett, K.J., Schwartz, R.S. & Logtenberg, T. (1990)
- Harindranath, N., Goldfarb, I.S., Ikematsu, H., Burastero, S.E., Wilder, R.L., Notkins, A.L. & Casali, P. (1991) Int.Immunol., 3, 865-875.

46 Hillson, J.L., Oppliger, I.R., Sasso, E.H., Milner, E.C.B. & Wener, M.H. (1992) J.Immunol., 149, 3741–3752.

- 47 Hirabayashi, Y., Munakata, Y., Sasaki, T. & Sano, H. (1992) Nucl. Acids Res., 20, 2601.
- 48 Hoch, S. & Schwaber, J. (1987) J.lmmunol., 139, 1689-1693.
- 49 Huang, C., Stewart, A.K., Schwartz, R.S. & Stollar, B.D. (1992) J.Clin.Invest., 89, 1331-1343.
- 50 Hughes-Jones, N.C., Bye, J.M., Beale, D. & Coadwell, J. (1990) Biochem.J., 268, 135-140.
- 51 Ikematsu, H., Harindranath, N., Ueki, Y., Notkins, A.L. & Casali, P. (1993) J.Immunol., 150, 1325-1337.
- 52 Ikematsu, H., Kasaian, M.T., Schettino, E.W. & Casali, P. (1993) J.Immunol., 151, 3604-3616.
- 53 Kelly, P.J., Pascual, V., Capra, J.D. & Lipsky, P.E. (1992) J.Immunol., 148, 1294-1301.
- 54 Kipps, T.J. & Duffy, S.F. (1991) J.Clin.Invest., 87, 2087–2096.
- Kipps, T.J., Tomhave, E., Pratt, L.F., Duffy, S., Chen, P.P. & Carson, D.A. (1989) Proc.Natl.Acad.Sci.Usa, 86, 5913-5917.
- Kishimoto, T., Okajima, H., Okumoto, T. & Taniguchi, M. (1989) Nucl. Acids Res., 17, 4385.
- 57 Knight, G.B., Agnello, V., Bonagura, V., Barnes, J.L., Panka, D.J. & Zhang, Q.-X. (1993) J.Exp.Med., 178, 1903–1911.
- 58 Kohler, H., Shimizu, A., Paul, C., Moore, V. & Putnam, F.W. (1970) Nature, 227, 1318-1320; Florent, G., Lehman, D. & Putnam, F.W. (1974) Biochemistry, 13, 2482-2498
- Komori, S., Yamasaki, N., Shigeta, M., Isojima, S. & Watanabe, T. (1988) Clin.Exp.Immunol., 71, 508-516.
- 60 Kon, S., Levy, S. & Levy, R. (1987) Proc.Natl.Acad.Sci.Usa, 84, 5053-5057.
- Kratzin, H., Altevogt, P., Ruban, E., Kortt, A., Staroscik, K. & Hilschmann, N. (1975) Z.Physiol.Chem., 356, 1337-1342; Kratzin, H., Altevogt, P., Kortt, A., Ruban, E. & Hilschmann, N. (1978) Z.Physiol.Chem., 359, 1717-1745.
- 62 Kudo, A., Ishihara, T., Nishimura, Y. & Watanabe, T. (1985) Gene, 33, 181-189.
- 63 Kunicki, T.J., Annis, D.S., Gorski, J. & Nugent, D.J. (1991) J.Autoimmunity, 4, 433-446.
- 64 Larrick, J.W., Wallace, E.F., Coloma, M.J., Bruderer, U., Lang, A.B. & Fry, K.E. (1992) Immunological Reviews, 130, 69-85.
- 65 Lehman, D.W. & Putnam, F.W. (1980) Proc.Nat.Acad.Sci.Usa, 77, 3239-3243.

66 Lewis, A.P., Lemon, S.M., Barber, K.A., Murphy, P., Parry, N.R., Peakman, T.C., Sims, M.J., Worden, J. & Crowe, J.S. (1993) J.Immunol., 151, 2829–2838.

- 67 Liu, V.Y.S., Low, T.L.K., Infante, A. & Putnam, F.W. (1976) Science, 193, 1017-1020.
- Logtenberg, T., Young, F.M., Van Es, J., Gmelig-Meyling, F.H.J., Berman, J.E. & Alt, F.W. (1989) J.Autoimmunity, 2, 203-213.
- 69 Logtenberg, T., Young, F.M., Van Es, J.H., Gmelig-Meyling, F.H.J. & Alt, F.W. (1989) J.Exp.Med., 170, 1347-1355.
- Manheimer-Lory, A., Katz, J.B., Pillinger, M., Ghossein, C., Smith, A. & Diamond, B. (1991)
 J.Exp.Med., 174, 1639-1652.
- 71 Mantovani, L., Wilder, R.L. & Casali, P. (1993) J.Immunol., 151, 473-488.
- 72 Mariette, X., Tsapis, A. & Brouet, J.-C. (1993) Eur.J.Immunol., 23, 846-851.
- Marks, J.D., Hoogenboom, H.R., Bonnert, T.P., Mccafferty, J., Griffiths, A.D. & Winter, G. (1991) J.Mol.Biol., 222, 581-597.
- Meeker, T.C., Grimaldi, J., O'rourke, R., Loeb, J.Juliusson, G. & Einhorn, S. (1988) J.Immol., 141, 3994-3998.
- 75 Milili, M., Fougereau, M., Guglielmi, P. & Schiff, C. (1991) Mol.Immunol., 28, 753-761.
- 76 Moran, M.J., Andris, J.S., Matsumato, Y.-I., Capra, J.D. & Hersh, E.M. (1993) Mol.Immunol., 30, 1543-1551.
- 77 Mortari, F., Wang, J.-Y. & Schroeder, Jr., H.W. (1993) J.Immunol., 150, 1348-1357.
- Newkirk, M.M., Gram, H., Heinrich, G.F., Ostberg, L., Capra, J.D. & Wasserman, R.L. (1988) J.Clin.Invest., 81, 1511-1518.
- 79 Newkirk, M.M., Mageed, R.A., Jefferis, R., Chen, P.P. & Capra, J.D. (1987) J.Exp.Med., 166, 550-564.
- 80 Nickerson, K.G., Berman, J., Glickman, E., Chess, L. & Alt, F.W. (1989) J.Exp.Med., 169, 1391-1403.
- Olee, B.T., Lu, E.W., Huang, D.-F., Soto-Gil, R.W., Deftos, M., Kozin, F., Carson, D.A. & Chen, P.P. (1992) J.Exp.Med., 175, 831-842.
- Pascual, V., Randen, I., Thompson, K., Sioud, M.Forre, O., Natvig, J. & Capra, J.D. (1990)
 J.Clin.Invest., 86, 1320-1328.
- Pascual, V., Randen, I., Thompson, K., Sioud, M.Forre, O., Natvig, J. & Capra, J.D. (1990) J.Clin.Invest., 86, 1320-1328; Randen, I., Brown, D., Thompson, K.M., Hughes-Jones, N., Pascual, V., Victor, K., Capra, J.D., Forre, O. & Natvig, J.B. (1992)

Pascual, V., Victor, K., Lelsz, D., Spellerberg, M.B., Hamblin, T.J., Thompson, K.M., Randen, I., Natvig, J., Capra, J.D. & Stevenson, F.K. (1991) J.Immunol., 146, 4385-4391.

- Pascual, V., Victor, K., Randen, I., Thompson, K., Steinitz, M., Forre, O., Fu, S.-M., Natvig, J.B. & Capra, J.D. (1992) Scand.J.Immunol., 36, 349-362.
- Pascual, V., Victor, K., Spellerberg, M., Hamblin, T.J., Stevenson, F.K. & Capra, J.D. (1992) J.Immunol., 149, 2337-2344.
- Ponstingl, H., Schwarz, J., Reichel, W. & Hilschmann, N. (1970) Z.Physiol.Chem., 351, 1591–1594.; Ponstingl, H. & Hilschmann, N. (1976) Z.Physiol.Chem., 357, 1571–1604.
- 88 Portolano, S., Mclachlan, S.M. & Rapoport, B. (1993) J.Immunol., 151, 2839-2851.
- Portolano, S., Seto, P., Chazenbalk, G.D., Nagayama, Y., Mclachlan, S.M. & Rapoport, B. (1991) Biochem.Biophys.Res.Commun., 179, 372-377.
- 90 Pratt, L.F., Szubin, R., Carson, D.A. & Kipps, T.J. (1991) J.Immunol., 147, 2041–2046.
- 91 Press, E.M. & Hogg, N.M. (1970) BiochemJ., 117, 641-660.
- 92 Putnam, F.W., Shimizu, A., Paul., C., Shinoda, T. & Kohler, H. (1971) Ann.N.Y.Acad.Sci., 190, 83-103.
- Putnam, F.W., Takahashi, N., Tetaert, D., Debuire, B. & Lin, L.C. (1981)
 Proc.Nat.Acad.Sci.Usa, 78, 6168-6172.;Takahashi, N., Tetaert, D., Debuire, B., Lin, L. & Putnam, F.W. (1982) Proc.Nat.Acad.Sci.Usa, 79, 2850-2854.
- Raaphorst, F.M., Timmers, E., Kenter, M.J.H., Van Tol, M.J.D., Vossen, J.M. & Schuurman, R.K.B. (1992) Eur.J.Immunol., 22, 247-251.
- Rabbitts, T.H., Bentley, D.L., Dunnick, W., Forster, A., Matthyssens, G. & Milstein, C. (1980) Cold Spring Harb.Symp.Quanti.Biol., 45, 867–878; Matthyssens, G. & Rabbitts, T.H. (1980) Proc.Nat.Acad.Sci.Usa, 77, 6561–6565.
- 96 Randen, I., Pascual, V., Victor, K., Thompson, K.M., Forre, O., Capra, J.D. & Natvig, J.B. (1993) Eur.J.Immunol., 23, 1220–1225.
- 97 Rassenti, L.Z. & Kipps, T.J. (1993) J.Exp.Med., 177, 1039-1046.
- 98 Reidl, L.S., Friedman, D.F., Goldman, J., Hardy, R.R., Jefferies, L.C. & Silberstein, L.E. (1991) J.Immunol., 147, 3623-3631.
- 99 Roudier, J., Silverman, G.J., Chen, P.P., Carson, D.A. & Kipps, T.J. (1990) J.Immunol., 144, 1526-1530.
- 100 Sanz, I., Casali, P., Thomas, J.W., Notkins, A.L. & Capra, J.D. (1989) J.Immunol., 142, 4054-4061.

101 Sanz, I., Dang, H., Takei, M., Talal, N. & Capra, J.D. (1989) J.Immunol., 142, 883-887.

- 102 Schmidt, W.E., Jung, H-.D., Palm, W. & Hilschmann, N. (1983) Z.Physiol.Chem., 364, 713-747.
- 103 Schroeder, H.W., Jr. & Wang, J.Y. (1990) Proc.Natl.Acad.Sci.Usa, 87, 6146-6150.
- 104. Schroeder, H.W., Jr., Hillson, J.L. & Perlmutter, R.M. (1987) Science, 238, 791-793.
- Schroeder, H.W., Jr., Hillson, J.L. & Perlmutter, R.M. (1987) Science, 238, 791-793; Chen, P.P., Liu, M.-F., Glass, C.A., Sinha, S., Kipps, T.J. & Carson, D.A. (1989) Arthritis & Rheumatism, 32, 72-76.
- 106 Schroeder, H.W., Jr., Hillson, J.L. & Perlmutter, R.M. (1987) Science, 238, 791-793; Chen, P.P., Liu, M.-F., Sinha, S. & Carson, D.A. (1988) Arth.Rheum., 31, 1429-1431.
- Schutte, M.E., Ebeling, S.B., Akkermans, K.E., Gmelig-Meyling, F.H. & Logtenberg, T. (1991) Eur.J.Immunol., 21, 1115–1121.
- Schutte, M.E., Ebeling, S.B., Akkermans, K.E., Gmelig-Meyling, F.H.J. & Logtenberg, T. (1991) Eur.J.Immunol., 21, 1115-1121.
- 109 Settmacher, U., Jahn, S., Siegel, P., Von Baehr, R. & Hansen, A. (1993) Mol.Immunol., 30, 953-954.
- 110 Shen, A., Humphries, C., Tucker, P. & Blattner, F. (1987) Proc.Natl.Acad.Sci.Usa, 84, 8563-8567.
- 111 Shimizu, A., Nussenzweig, M.C., Mizuta, T.-R., Leder, P. & Honjo, T. (1989) Proc.Natl.Acad.Sci.Usa, 86, 8020-8023.
- 112 Shin, E.K., Matsuda, F., Fujikura, J., Akamizu, T., Sugawa, H., Mori, T. & Honjo, T. (1993) Eur.J.Immunol., 23, 2365–2367.
- 113 Silberstein, L.E., Litwin, S. & Carmack, C.E. (1989) J.Exp.Med., 169, 1631-1643.
- 114 Singal, D.P., Frame, B., Joseph, S., Blajchman, M.A. & Leber, B.F. (1993) Immunogenet., 38, 242.
- 115 Spatz, L.A., Wong, K.K., Williams, M., Desai, R., Golier, J., Berman, J.E., Alt, F.W. & Latov, N. (1990) J.Immunol., 144, 2821–2828.
- 116 Steiner, L.A., Garcia-Pardo, A. & Margolies, M.N. (1979) Biochemistry, 18, 4068-4080.
- 117 Stewart, A.K., Huang, C., Stollar, B.D. & Schwartz, R.S. (1993) J.Exp.Med., 177, 409-418.
- 118 Thomas, J.W. (1993) J.Immunol., 150, 1375-1382.
- 119 Torano, A. & Putnam, F.W. (1978) Proc.Nat.Acad.Sci.Usa, 75, 966-969.

Van Der Heijden, R.W.J., Bunschoten, H., Pascual, V., Uytdehaag, F.G.C.M., Osterhaus, A.D.M.E. & Capra, J.D. (1990) J.Immunol., 144, 2835-2839.

- 121 Van Der Stoep, N., Van Der Linden, J. & Logtenberg, T. (1993) J.Exp.Med., 177, 99-107.
- 122 Van Es, J.H., Gmelig-Meyling, F.H.J. & Logtenberg, T. (1992) Eur.J.Immunol., 22, 2761-2764.
- 123 Varade, W.S., Marin, E., Kittelberger, A.M. & Insel, R.A. (1993) J.Immunol., 150, 4985-4995.
- 124 Victor, K.D., Pascual, V., Lefvert, A.K. & Capra, J.D. (1992) Mol.Immunol., 29, 1501-1506.
- 125 Victor, K.D., Pascual, V., Williams, C.L., Lennon, V.A. & Capra, J.D. (1992) Eur.J.Immunol., 22, 2231-2236.
- 126 Watanabe, S., Barnikol, H.U., Horn, J., Bertram, J. & Hilschmann, N. (1973)Z.Physiol.Chem., 354, 1505-1509.
- 127 Weng, N.-P., Yu-Lee, L.-Y., Sanz, I., Patten, B.M. & Marcus, D.M. (1992) J.lmmunol., 149, 2518-2529.
- 128 White, M.B., Word, C.J., Humphries, C.G., Blattner, F.R. & Tucker, P.W. (1990) Mol.Cell.Biol., 10, 3690-3699.
- 129 Winkler, T.H., Fehr, H. & Kalden, J.R. (1992) Eur J. Immunol., 22, 1719-1728.
- 130 Yago, K., Zenita, K., Ohwaki, I., Harada, Y., Nozawa, S., Tsukazaki, K., Iwamori, M., Endo, N., Yasuda, N., Okuma, M. & Kannagi, R. (1993) Mol.Immunol., 30, 1481-1489.
- 131 Zelenetz, A.D., Chen, T.T. & Levy, R. (1992) J.Exp.Med., 176, 1137-1148.
- B. References of germline sequences

References of human germline kappa sequences

- 1 Cox, J.P.L., Tomlinson, I.M. & Winter, G. (1994) Eur.J.Immunol., 24, 827-836.
- 2 Huber, C., Et Al. (1993) Eur.J.Immunol., 23, 2868.
- 3 Klobeck, H.G., Bornkammm, G.W., Combriato, G., Mocikat, R., Pohlenz, H.D. & Zachau, H.G. (1985) Nucl.Acids Res., 13, 6515-6529.
- 4 Lautner-Rieske, A., Huber, C., Meindl, A., Pargent, W., Schäble, K.F., Thiebe, R., Zocher, I. & Zachau, H.G. (1992) Eur.J.Immunol. 22, 1023.
- Lorenz, W., Schäble, K.F., Thiebe, R., Stavnezer, J. & Zachau, H.G. (1988) Mol.Immunol., 25. 479.

6 Pargent, W., Meindl, A., Thiebe, R., Mitzel, S. & Zachau, H.G. (1991) Eur J. Immunol., 21, 1821-1827.

- 7 Pech, M. & Zachau, H.G. (1984) Nuc. Acids Res., 12, 9229-9236.
- 8 Pech, M., Jaenichen, H.-R., Pohlenz, H.-D., Neumaier, P.S., Klobeck, H.-G. & Zachau, H.G. (1984) J.Mol.Biol., 176, 189-204.
- 9 Scott, M.G., Crimmins, D.L., Mccourt, D.W., Chung, G., Schable, K.F., Thiebe, R., Quenzel, E.-M., Zachau, H.G. & Nahm, M.H. (1991) J.Immunol., 147, 4007-4013.
- Stavnezer, J., Kekish, O., Batter, D., Grenier, J., Balazs, I., Henderson, E. & Zegers, B.J.M. (1985) Nucl. Acids Res., 13, 3495–3514.
- Straubinger, B., Huber, E., Lorenz, W., Osterholzer, E., Pargent, W., Pech, M., Pohlenz, H.-D., Zimmer, F.-J. & Zachau, H.G. (1988) J.Mol.Biol., 199, 23-34.
- Straubinger, B., Thiebe, R., Huber, C., Osterholzer, E. & Zachau, H.G. (1988) Biol.Chem.Hoppe-Seyer, 369, 601-607.

References of human germline lambda sequences

- 1 Williams, S.C. & Winter, G. (1993) Eur.J.Immunol., 23, 1456-1461.
- Siminovitch, K.A., Misener, V., Kwong, P.C., Song, Q.-L. & Chen, P.P. (1989) J.Clin.Invest., 84, 1675-1678.
- Brockly, F., Alexandre, D., Chuchana, P., Huck, S., Lefranc, G. & Lefranc, M.-P. (1989) Nuc.Acids.Res., 17, 3976.
- 4 Daley, M.D., Peng, H.-Q., Misener, V., Liu, X.-Y., Chen, P.P. & Siminovitch, K.A. (1992) Mol.Immunol., 29, 1515-1518.
- 5 Deftos, M., Soto-Gil, R., Quan, M., Olee, T. & Chen, P.P. (1994) Scand. J. Immunol., 39, 95.
- 6 Stiernholm, N.B.J., Kuzniar, B. & Berinstein, N.L. (1994) J. Immunol., 152, 4969-4975.
- 7 Combriato, G. & Klobeck, H.G. (1991) Eur.J.Immunol., 21, 1513-1522.
- 8 Anderson, M.L.M., Szajnert, M.F., Kaplan, J.C., Mccoll, L. & Young, B.D. (1984) Nuc. Acids Res., 12, 6647-6661.

References of human germline heavy chain sequences

- Adderson, E.E., Azmi, F.H., Wilson, P.M., Shackelford, P.G. & Carroll, W.L. (1993) J.Immunol., 151, 800-809.
- 2 Andris, J.S., Grodeur, B.R. & Capra, J.D. (1993) Mol.Immunol., 30, 1601-1616.

212

SUBSTITUTE SHEET (RULE 26)

Berman, J.E., Mellis, S.J., Pollock, R., Smith, C.L., Suh, H., Heinke, B., Kowal, C., Surti, U., Chess, L., Cantor, C.R & Alt, F.W. (1988) Embo J., 7, 727-738.

- Buluwela, L. & Rabbitts, T.H. (1988) Eur.J.Immunol., 18, 1843–1845.; Buluwela, L., Albertson, D.G., Sherrington, P., Rabbitts, P.H., Spurr, N. & Rabbitts, T.H. (1988) Embo J., 7, 2003–2010.
- 5 Chen, P.P., Liu, M.-F., Sinha, S. & Carson, D.A. (1988) Arth.Rheum., 31, 1429-1431.
- 6 Chen, P.P., Liu, M.-F., Glass, C.A., Sinha, S., Kipps, T.J. & Carson, D.A. (1989) Arthritis & Rheumatism, 32, 72-76.
- 7 Cook, G.P. et al. (1994) Nature Genetics 7, 162-168.
- 8 Haino, M. et al., (1994). J. Biol. Chem. 269, 2619-2626
- 9 Humphries, C.G., Shen, A., Kuziel, W.A., Capra, J.D., Blattner, F.R. & Tucker, P.W. (1988) Nature, 331, 446-449.
- 10 Kodaira, M., Kinashi, T., Umemura, I., Matsuda, F., Noma, T., Ono, Y. & Honjo, T. (1986) J.Mol.Biol., 190, 529-541.
- 11 Lee, K.H., Matsuda, F., Kinashi, T., Kodaira, M. & Honjo, T. (1987) J.Mol.Biol., 195, 761-768.
- Matsuda, F., Lee, K.H., Nakai, S., Sato, T., Kodaira, M., Zong, S.Q., Ohno, H., Fukuhara, S. & Honjo, T. (1988) Embo J., 7, 1047–1051.
- 13 Matsuda, F., Shin, E.K., Hirabayashi, Y., Nagaoka, H., Yoshida, M.C., Zong, S.Q. & Honjo, T. (1990) Embo J., 9, 2501-2506.
- Matsuda, F., Shin, E.K., Nagaoka, H., Matsumura, R., Haino, M., Fukita, Y., Taka-Ishi, S., Imai, T., Riley, J.H., Anand, R. Et, Al. (1993) Nature Genet. 3, 88-94
- Nagaoka, H., Ozawa, K., Matsuda, F., Hayashida, H., Matsumura, R., Haino, M., Shin, E.K., Fukita, Y., Imai, T., Anand, R., Yokoyama, K., Eki, T., Soeda, E. & Honjo, T. (1993). (Temporal)
- Rechavi, G., Bienz, B., Ram, D., Ben-Neriah, Y., Cohen, J.B., Zakut, R. & Givol, D. (1982) Proc.Nat.Acad.Sci.Usa, 79, 4405-4409.
- 17 Sanz, I., Kelly, P., Williams, C., Scholl, S., Tucker, P. & Capra, J.D. (1989) Embo J., 8, 3741-3748.
- 18 Shin, E.K., Matsuda, F., Fujikura, J., Akamizu, T., Sugawa, H., Mori, T. & Honjo, T. (1993) Eur.J.Immunol., 23, 2365-2367.
- 19 Tomlinson, Im., Walter, G., Marks, Jd., Llewelyn, Mb. & Winter. G. (1992) J.Mol.Biol. 227, 776-798.

2/3

20 Van Der Maarel, S., Van Dijk, K.W., Alexander, C.M., Sasso, E.H., Bull, A. & Milner, E.C.B. (1993) J.Immunol., 150, 2858-2868.

- Van Dijk, K.W., Mortari, F., Kirkham, P.M., Schroeder, Jr., H.W. & Milner, E.C.B. (1993) Eur.J.lmmunol., 23, 832-839.
- 22 Van Es, J.H., Aanstoot, H., Gmelig-Meyling, F.H.J., Derksen, R.H.W.M. & Logtenberg, T. (1992) J.Immunol., 149, 2234-2240.
- Weng, N.-P., Snyder, J.G., Yu-Lee, L.-Y. & Marcus, D.M. (1992) Eur.J.immunol., 22, 1075-1082.
- 24 Winkler, T.H., Fehr, H. & Kalden, J.R. (1992) Eur.J.Immunol., 22, 1719-1728.
- Olee, T., Yang, P.M., Siminovitch, K.A., Olsen, N.J., Hillson, J.L., Wu, J., Kozin, F., Carson, D.A.&Chen, P.P. (1991) J. Clin. Invest. 88, 193-203.
- 26 Chen, P.P.& Yang, P.M. (1990) Scand. J. Immunol. 31, 593-599.
- 27 Tomlinson, M., Walter, G., Cook&Winter, G. (Unpublished)

Claims

1. A method of setting up one or more nucleic acid sequences encoding one or more (poly)peptide sequences suitable for the creation of libraries of (poly)peptides said (poly)peptide sequences comprising amino acid consensus sequences, said method comprising the following steps:

- (a) deducing from a collection of at least three homologous proteins one or more (poly)peptide sequences comprising at least one amino acid consensus sequence;
- (b) optionally, identifying amino acids in said (poly)peptide sequences to be modified so as to remove unfavorable interactions between amino acids within or between said or other (poly)peptide sequences;
- (c) identifying at least one structural sub-element within each of said (poly)peptide sequences;
- (d) backtranslating each of said (poly)peptide sequences into a corresponding coding nucleic acid sequence;
- (e) setting up cleavage sites in regions adjacent to or between the ends of sub-sequences encoding said sub-elements, each of said cleavage sites:
 - (ea) being unique within each of said coding nucleic acid sequences;
 - (eb) being common to the corresponding sub-sequences of any said coding nucleic acids.
- 2. A method of setting up two or more sets of one or more nucleic acid sequences comprising executing the steps described in claim 1 for each of said sets with the additional provision that said cleavage sites are unique between said sets.
- 3. The method of claim 2 in which at least two of said sets are deduced from the same collection of at least three homologous proteins.
- 4. The method according to any one of claims 1 to 3, wherein said setting up further comprises the synthesis of said nucleic acid coding sequences.
- 5. The method according to any one of claims 1 to 4, further comprising the cloning of said nucleic acid coding sequences into a vector.

6. The method according to any one of claims 1 to 5, wherein said removal of unfavorable interactions results in enhanced expression of said (poly)peptides.

- 7. The method according to any one of claims 1 to 6, further comprising the steps of:
 - (f) cleaving at least two of said cleavage sites located in regions adjacent to or between the ends of said sub-sequences; and
 - (g) exchanging said sub-sequences by different sequences; and
 - (h) optionally, repeating steps (f) and (g) one or more times.
- 8. The method according to claim 7, wherein said different sequences are selected from the group of different sub-sequences encoding the same or different sub-elements derived from the same or different (poly)peptides.
- 9. The method according to claims 7 or 8, wherein said different sequences are selected from the group of:
 - (i) genomic sequences or sequences derived from genomic sequences;
 - (ii) rearranged genomic sequences or sequences derived from rearranged genomic sequences; and
 - (iii) random sequences.
- 10. The method according to any one of claims 1 to 9 further comprising the expression of said nucleic acid coding sequences.
- 11. The method according to any one of claims 1 to 10 further comprising the steps of:
 - (i) screening, after expression, the resultant (poly)peptides for a desired property;
 - (k) optionally, repeating steps (f) to (i) one or more times with nucleic acid sequences encoding one or more (poly)peptides obtained in step (i).
- The method according to claim 11, wherein said desired property is selected from the group of optimized affinity or specificity for a target molecule, optimized enzymatic activity, optimized expression yields, optimized stability and optimized solubility.

13. The method according to any one of claims 1 to 12, wherein said cleavage sites are sites cleaved by restriction enzymes.

- 14. The method according to any one of claims 1 to 13, wherein said structural sub-elements comprise between 1 and 150 amino acids.
- 15. The method according to claim 14, wherein said structural sub-elements comprise between 3 and 25 amino acids.
- 16. The method according to any one of claims 1 to 15, wherein said nucleic acid is DNA.
- 17. The method according to any one of claims 1 to 16, wherein said (poly)peptides have an amino acid pattern characteristic of a particular species.
- 18. The method according to claim 17, wherein said species is human.
- 19. The method according to any one of claims 1 to 18, wherein said (poly)peptides are at least part of members or derivatives of the immunoglobulin superfamily.
- 20. The method according to claim 19, wherein said members or derivatives of the immunoglobulin superfamily are members or derivatives of the immunoglobulin family.
- 21. The method according to claim 19 or 20, wherein said (poly)peptides are or are derived from heavy or light chain variable regions wherein said structural sub-elements are framework regions (FR) 1, 2, 3, or 4 or complementary determining regions (CDR) 1, 2, or 3.
- The method according to claim 20 or 21, wherein said (poly)peptides are or are derived from the HuCAL consensus genes:

 Vκ1, Vκ2, Vκ3, Vκ4, Vλ1, Vλ2, Vλ3, VH1A, VH1B, VH2, VH3, VH4, VH5, VH6, Cκ, Cλ, CH1 or any combination of said HuCAL consensus genes.
- The method according to any one of claims 20 to 22, wherein said derivative of said immunoglobulin family or said combination is an Fv, disulphide-linked Fv, single-chain Fv (scFv), or Fab fragment.

24. The method according to claims 22 to 23, wherein said derivative is an scFv fragment comprising the combination of HuCAL VH3 and HuCAL Vλ2 consensus genes that comprises a random sub-sequence encoding the heavy chain CDR3 sub-element.

- 25. The method according to any one of claims 1 to 24, wherein at least part of said (poly)peptide sequences or (poly)peptides is connected to a sequence encoding at least one additional moiety or to at least one additional moiety, respectively.
- 26. The method according to claim 25, wherein said connection is formed via a contiguous nucleic acid sequence or amino acid sequence, respectively.
- 27. The method according to claims 25 to 26, wherein said additional moiety is a toxin, a cytokine, a reporter enzyme, a moiety being capable of binding a metal ion, a peptide, a tag suitable for detection and/or purification, or a homo- or hetero-association domain.
- 28. The method according to any one of claims 10 to 27, wherein the expression of said nucleic acid sequences results in the generation of a repertoire of biological activities and/or specificities, preferably in the generation of a repertoire based on a universal framework.
- 29. A nucleic acid sequence obtainable by the method according to any of claims 1 to 28.
- 30. A collection of nucleic acid sequences obtainable by the method according to any of claims 1 to 28.
- 31. A recombinant vector obtainable by the method according to any of claims 5 to 28.
- 32. A collection of recombinant vectors obtainable by the method according to any of claims 5 to 30.
- 33. A host cell transformed with the recombinant vector according to claim 31.

34. A collection of host cells transformed with the collection of recombinant vectors according to claim 32.

- 35. A method of producing a (poly)peptide or a collection of (poly)peptides as defined in any of claims 1 to 28 comprising culturing the host cell according to claim 33 or the collection of host cells according to claim 34 under suitable conditions and isolating said (poly)peptide or said collection of (poly)peptides.
- A (poly)peptide devisable by the method according to any one of claims 1 to 3, encoded by the nucleic acid sequence according to claim 29 or obtainable by the method according to any one of claims 4 to 28 or 35.
- 37. A collection of (poly)peptides devisable by the method according to any one of claims 1 to 3, encoded by the collection of nucleic acid sequences according to claim 30 or obtainable by the method according to any one of claims 4 to 28 or 35.
- 38. A vector suitable for use in the method according to any of claims 5 to 28 and 35 characterized in that said vector is essentially devoid of any cleavage site as defined in claim 1(e) and 2.
- 39. The vector according to claim 38 which is an expression vector.
- 40. A kit comprising at least one of:
 - (a) a nucleic acid sequence according to claim 29;
 - (b) a collection of nucleic acid sequences according to claim 30;
 - (c) a recombinant vector according to claim 31;
 - (d) a collection of recombinant vectors according to claim 32;
 - (e) a (poly)peptide according to claim 36;
 - (f) a collection of (poly)peptides according to claim 37;
 - (g) a vector according to claim 38 or 39; and optionally,
 - (h) a suitable host cell for carrying out the method according to claim 35.
- **41**. A method of designing two or more genes encoding a collection of two or more proteins, comprising the steps of:

- (a) either
 - (aa) identifying two or more homologous gene sequences, or
 - (ab) analyzing at least three homologous genes, anddeducing two or more consensus gene sequences therefrom,
- (b) optionally, modifying codons in said consensus gene sequences to remove unfavourable interactions between amino acids in the resulting proteins,
- (c) identifying sub-sequences which encode structural subelements in said consensus gene sequences
- (d) modifying one or more bases in regions adjacent to or between the ends of said sub-sequences to define one or more cleavage sites, each of which:
 - (da) are unique within each consensus gene sequence,
 - (db) do not form compatible sites with respect to any single sub-sequence,
 - (dc) are common to all homologous sub-sequences.
- 42. A method of preparing two or more genes encoding a collection of two or more proteins, comprising the steps of :
 - (a) designing said genes according to claim 41, and
 - (b) synthesizing said genes.
- 43. A collection of genes prepared according to the method of claim 42.
- 44. A collection of two or more genes derived from gene sequences which:
 - (a) are either homologous, or represent consensus gene sequences derived from at least three homologous genes, and

- (b) carry cleavage sites, each of which:
 - (ba) lie at or adjacent to the ends of genetic sub-sequences which encode structural sub-elements,
 - (bb) are unique within each gene sequence,
 - (bc) do not form compatible sites with respect to any single subsequence, and
 - (bd) are common to all homologous sub-sequences.
- 45. The collection of genes according to either of claims 43 or 44 in which each of said gene sequences has a nucleotide composition characteristic of a particular species.
- 46. The collection of genes according to claim 45 in which said species is human.
- 47. The collection of genes according to any of claims 43 to 46 in which one or more of said gene sequences encodes at least part of a member of the immunoglobulin superfamily, preferably of the immunoglobulin family.
- 48. The collection of genes according to claim 47 in which said structural subelements correspond to any combination of framework regions 1, 2, 3, and 4, and/or CDR regions 1, 2, and 3 of antibody heavy chains.
- 49. The collection of genes according to claim 47 in which said structural subelements correspond to any combination of framework regions 1, 2, 3, and 4, and/or CDR regions 1, 2, and 3 of antibody light chains.
- 50. A collection of vectors comprising a collection of gene sequences according to any of claims 43 to 49.


51. The collection of vectors according to claim 50 comprising the additional feature that the vector does not comprise any cleavage site that is contained in the collection of genes according to any of claims 43 to 49.

- 52. A method for identifying one or more genes encoding one or more proteins having a desirable property, comprising the steps of:
 - (a) expressing from the collection of vectors according to either of claims 50 or 51 a collection of proteins.
 - (b) screening said collection to isolate one or more proteins having a desired property,
 - (c) identifying the genes encoding the proteins isolated in step (b),
 - (d) optionally, excising from the genes encoding the proteins isolated in step (b) one or more genetic sub-sequences encoding structural subelements, and replacing said sub-sequence(s) by one or more second sub-sequences encoding structural sub-elements, to generate new vectors according to either of claims 50 or 51,
 - (e) optionally, repeating steps (a) to (c).
- 53. A method for identifying one or more genes encoding one or more antibody fragments which binds to a target, comprising the steps of:
 - (a) expressing from the collection of vectors according to either of claims 50 or 51 a collection of proteins,
 - (b) screening said collection to isolate one or more antibody fragments which bind to said target,
 - (c) identifying the genes encoding the proteins isolated in step (b),
 - (d) optionally, excising from the genes encoding the antibody fragments isolated in step (b) one or more genetic sub-sequences encoding structural sub-elements, and replacing said sub-sequence(s) by one or

more second sub-sequences encoding structural sub-generate new vectors according to either of claims 50 or 51,

- (e) optionally, repeating steps (a) to (c).
- 54. A kit comprising two or more genes derived from gene sequences which:
 - (a) are either homologous, or represent consensus gene sequences derived from at least three homologous genes, and
 - (b) carry cleavage sites, each of which:
 - (ba) lie at or adjacent to the ends of genetic sub-sequences which encode structural sub-elements,
 - (bb) are unique within each gene sequence,
 - (bc) do not form compatible sites with respect to any single subsequence, and
 - (bd) are common to all homologous sub-sequences.
- A kit comprising two or more genetic sub-sequences which encode structural sub-elements, which can be assembled to form genes, and which carry cleavage sites, each of which:
 - (a) lie at or adjacent to the ends of said genetic sub-sequences,
 - (b) do not form compatible sites with respect to any single sub-sequence, and
 - (d) are common to all homologous sub-sequences.

Figure 1: construction of a synthetic human antibody library based on consensus sequences



 \propto

 \forall

≥

 \checkmark

م

٥ O

9

٥ \leq O Q >-

≥

 \forall

>-Z

Z Z S

Figure 2A: VL kappa consensus sequences

				•		_						
	Э	1		ı					7 9		R	\propto
	8	'		1	>			=	53	S	Z	S
_	\forall	ı	2	S	S			CDR	25	S	S	S
CDRI	72	O	0	0	Q			0	١S	X	9	4
	97	\sim	S	\sim	S				09	×		9
	52	K	2	\forall	S				6t	>	>	>
	77	8	\propto	\propto	\propto				84	_		_
	23	ر ا	\mathcal{O}	\mathcal{O}	\mathcal{O}				Lt			ب
	77	 -	2	S	Z				97	—	_	
	12	—	 .						St	~	O	\propto
	50	-	S		-			2 >	セセ	م	۵_	٩
	6 l	>	\forall	\forall	\forall			framework	£43	A	S	A
	81	~	۵_	\propto	\propto			ew	45	\prec	0	O
	11		ய	ш	ш			am	17	9	9	9
	91	9	9	9	9			fri	04	م	٥	۵_
	91	>	ط	۹.	_				38	≻ .	\checkmark	Y .
-	τl	S		S	S				38	O	0	0
framework	13	⋖	>	_	>				37	O		0
ew	15	S	۵	Š	\forall			٠.	36	>	>-	>
an and	11	_	ـــا						32	\geq	\geq	≥
fr	01	S	2	-	S				34	A		\forall
	6	S		A					33	_		
	8	م	ط	ط	٥.				35	>-	>_	>-
	L	S	2	2	S				30	S	Z	S
	9 S	a	Ö	0	0			CDRI	30	S	>-	S
	S	⊢		 	⊢			2	58	—	> 0 N	2
	t E	Q M T	∑ >	<u> </u>	Σ >				28	9	Z	>
	3	O	>	>	>				<u> </u>	ı	1	1
	7	-	_	_	_					1	S	I '
	l								D	1	エ	
		VK1	VK2	VK3	VK4					VK1	VK2	VK3

PSRFSG
F S G
. S G
S G
CDRIII
65 65
-
-
_

Figure 2B: VL lambda consensus sequences

	0.7	F]] , _	(5	(5)	
	28	_	>	_			<u> </u>	9	9	
	3	Z		i .			99	S	S	0,
N N	0	S	2	1			99		۵-	۵-
CDRI	27	S		Α .		=	75	R	- X	ω Μ
	97	S	_			CDR	23	0	Z	
	52	9	9	9			25	Z	S	6
	77	S		S			19	Z	>	
	23	0	ر د	ر د			09		0	
	22	S	S	<i>U</i> 1			67	>	>	>-
ŀ	21	-	_	-			84		_	_
	50		_	- B			74		Σ	>
	6l	>		Α,			97			
	81	R R	~	7		<u></u>	St	~	~	
	<u></u>	0	0	0		framework 2	77	<u>م</u>	<u>م</u>	4
	91	9	9	9		101	43	Α.	A	7 A
	SI	٦	<u>م</u>	<u>۸</u>		nev	74	Ţ	∠	0
\ \	tl	A	S	× .		ran	17	9	9	9
VOr	13	9	9	>		£	07	۵.	<u> </u>	ط .
nev	15	2	S /	S /			38	7	H (X
framework	ll	-	<u>ر</u>	<i>_</i>	•		38	0 0	7 0	0 0
1	01	,					37		γ. 0	>
	6	م	V	д.			3E	W Y	\geq	\geq
	.8	1		ط			34		S	S
`	7			0			CC	<u> </u>	>	⋖
	9		T 0 P		·		70	-	> >	<u>></u>
	9 5 7 8 7	LTQP		<u>Г</u>		CDRI	\ \	,	-	1
		_	_	ш		10	10	_	N ≻ 9	\checkmark
	7	S	S	>		,	US	2	5	
	l	0.5 V	O	S			28 32 33 33 33 33	9	9	9
	٠,	\\ \\	W2 Q S A	M3 S Y	.	L		MIGSN-YVS	M_2 6	M3 G D K - Y

	78	>	>	>
	98	>	>-	>
	98			
	48	A	A	<
	83	ш	للا	ш
	85			
	18	ш	ш	ш,
	08	S	A	V
	64	O	0	0
	87			-
	LL	9	9	9
	94		2	2
_	S۷			-
Á	ħ۷	A		+-
۷Oا	23	1		_
framework 3	7.5	S	2	
rar	LL	A	A	V
4	02	S	⊢	Ė
	69	⊢	Z	Z
	89	9	9	9
	49	S	2	S
	99	\times	\checkmark	Z
	99	S	2	S
	79	9	9	9
	٤9	S	\sim	2
	79	4	ட	<u> </u>
	19	2	\propto	\simeq
	09		Z	PERFSG
	69	٦	SNRFS	ئے
	89	>	>	
-	-	WIVPDRFSG	W2 V	- M3

	ſ			
	201	9	9	9
	\forall	_		_
	901	>	>	>
	901	⊢	-	-
× 4	70l	_	_	_
۷OI	103	\leq	×	\prec
framework 4	105	⊢		F G G G T
rar	lOl	G	9	9
4	001	9	9	9
	66	9	9	9
	86	LĻ.	ட	
	4 6	>	>	>
	96	مـ	ط	ما
	96	مـ	ط	م ا
	7 6	⊢	⊢	-
\equiv	63	⊢	-	
CDRIII	76	>-	>-	>
	16	工	工) H \
	06	0	0	0
	68	C 0 0 H	0	0 0 0
	88	C	<u>ں</u>	ر ر
		<u></u>	W2	W3

dnences
y chain consensus sequences
y chain co
C: V heav
Figure 2

											49	K	<u></u>	~		-	-	$\overline{}$
								•			99							- -
	30	S		S	S	S	 	S			99	9	9				S	>
	50	L	· -	_	<u>.</u>		<u>.</u>				79	L	S			S		×
	28		_	S	—	S				=	23	_	z	\leq	S		9	S
	22	9	· >-	ш.		(D	>			CDR	2	,			1	1	1	ı
	97	1	(D)	9			-	9		ပ	B		1	ı	1	t	ı	8
	57			S					/		A	ے	Ъ	1	9	ı	۵	>
	74		•	щ.				_	•		25	_	Z		S	>-	>	>
	23	\mathbf{z}	\leq	—	A	—	\checkmark	A			lS	 	_	_		_	<u></u>	_
	77			ں							09	9	≥	_	A	>		R
	17	5	S	—	S	—	S	_			6t	9	9	V	S	9	9	9
	50	>	>								84	≥	≥		>	_	≥	
	6l	\leq	\leq	<u></u>	Œ	S	\checkmark	S			Lτ	3	\geq	3	\geq	\leq	3	3
	81	>	>			_		_		_ ,	97	ய	ىن	ய	ய	ىب	لب	ш.
k 1	21	S	S	-	S		S	—		rk 2	St		_		_			_
framework	9١	2	A	O	9	ய	ய	O		۷O۲	カセ	9	9	Ø	9	9	9	9
Jev	SI	9	9	_	9	S	9	S		framewoi	43	d	O	\checkmark	\checkmark	\checkmark	\checkmark	.~
ran	τl		م	۵_	۵.	م	۵_	ط		ran	45	9	9	9	O	9	0	9
4	13	~	\checkmark	\checkmark	0	\checkmark	\checkmark	\checkmark		4-	lt	مـ	ط	۵.	۵	ط	م	ما
	71	$ \times $	\checkmark	>	>	>	<u>`</u>	>.			01	\forall	\forall	م	\forall	٩	≥	S
	11	>	>		_		>				38	a	0	O	O	0	0	0
	01	ш	ш	\forall	9	9	ш	9			38	<u>~</u>	\propto	\propto	\propto	\propto	\propto	8
	6	A	A	Ь	9	σ_ ٔ	A	م			32	>	>	_	>	_	>	-
	8	9	9	9	9	9	9	9			36	\geq	\geq	\geq	\geq	\geq	\leq	3
	1	2	S	S	S	2	S	2			35	2	王	9		_	9	_
	9	0	0	ш	ш	ш	0	O			34	<u> </u>	\geq	>		\leq	_	3
	S	>	>	\prec	>	0	>	0		CDRI	33	M	>	9.	A	>	>	A
	t						_			וט	35	>	>	>	-	>	>	4
	3	0	0	O	O	O	O	O			-8	1	1	9	1	ı	ı	<u></u>
	7	>	>	>	>	>	<u></u>	>			A	'	ı	S	1	1	1	2
	l	0	0	0	ш	0	ш	0		Ŀ	31	5	<u>S</u>	-	2	2	S	S
		14	18	2	3	4	2	9				14	VH1B	2	က	4	5	9
-		X H	VH1	ΛH	VH3	VH4	M.					Ϋ́	X.	VH2	VH3	VH4	VH5	X
•	•						รบ	BSTI	TUTE 6	SHE / 20	ET (F.L 4	JLE 2	:6)			•		

BamHI

CGTTTTAGCG GCTCTGGATC

TGCAAAGCGG GGTCCCGTCC

GCCAGCAGCT

SanDI

AGCTATCTGG TCGATAGACC AATTTATGCA GCGTGGGTGA CGCACCCACT TTAAATACGT C G C ഗ S AseI G ഗ GCTTTGATAA CGAAACTATT CCCGTAATCG CTGAGCGCGA GACTCGCGCT GGGCATTAGC ഗ Ø ഗ Н ഗ ſщ \simeq S 户 1 Д CTCGCTCGGT GGGCAGATCG CCATTTCGTG ATTACCTGCA. GAGCGAGCCA GGTAAAGCAC CCCGTCTAGC Ø ഗ ഗ Ø ഗ Д ഗ × K > ~~~~~~ G BanI SexAI α ACTGGGTCTC CGTCTTTGGT TAATGGACGT GCAGAAACCA TGACCCAGAG G ഗ PstI Ы \mathcal{O} Figure 3A: V kappa 1 (Vk1) gene sequence ഗ Ø 又 ⊱ Õ Ø Σ Н GCACCATGGT CTATAGGTCT CGTGGTACCA Ö AGCACACTGG GATATCCAGA TCGTGTGACC \vdash ~ ~ ~ ~ ~ ~ ഗ Ø KpnI ECORV ~~~~~ ഗ . '3 K Q K

CTTTGGCCAG GAAGACTTTG CTTCTGAAAC GAAACCGGTC CGGTCGTCGA ACGTTTCGCC CCAGGGCAGG GCAAAATCGC CGAGACCTAG MscI ſщ G ~ ~ ~ ~ ~ ~ BbsI بيتإ Eco571 딥 GGGCGGCTG GGACGTTGGA CCCCGCCGAC CCTGCAACCT ⊱ Д Ŏ Д Ы H CATTATACCA CCATTAGCAG GGTAATCGTC GTAATATGGT ഗ ⊱ ഗ 工 Figure 3A: V kappa 1 (Vk1) gene sequence (continued) ⊱ CGACCTATTA TTGCCAGCAG AACGGTCGTC TTTACCCTGA GCCGTGACTA AAATGGGACT Q O \vdash \mathcal{O} H GCTGGATAAT CGGCACTGAT \vdash BamHI \mathfrak{O} C

BSiWI.

GGTACGAAAG TTGAAATTAA ACGTACG
CCATGCTTTC AACTTTAATT TGCATGC

 \propto

又

口

>

 \searrow

Н

G

Figure 3B: V kappa 2 (Vk2) gene sequence

ы « :	∃	<u>ი</u> ი		ט ָט	ĮΤι	Ļδ
P G E	GAGGCCCGCT H S N	CATAGCAACG GTATCGTTGC	Ο	AAGCCCGCAG TTCGGGCGTC		CGGATCGTTT GCCTAGCAAA
р д	ည သည် န	SCA	Δ,		D M	TCC
GCC CCC	H S	TA(AT(Ŋ	, , , , ,	D	GA
CT	GA H	CA GT	-	AATT	д ~	000
E		TG AC	O ₄	CA	DI]) (GG
C T C T	CAC) (0)	DH.~~	GT	SanDI	GGT
L P V CTGCCAGTGA	GACGGTCACT S L L	AAGCCTGCTG TTCGGACGAC	P G SexAI	AACCAGGTCA TTGGTCCAGT	G V SanI	AGTGGGGGTCC TCACCCCAGG
L TG(AC(S	AG(TC(~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	AC	ω .	GT
			×			
P L S II CCCACTGAGC	GGGTGACTCG	<pre> GAAGCAGCCA CTTCGTCGGT </pre>	L O K	TACCTTCAAA ATGGAAGTTT	A	CAACCGTGCC GTTGGCACGG
L S	S S	AG 3TC	. 7	rtc AAG	N R A	GGT
P.	STO S	AGC TCC	T ~~	CC:	Z	AC
			N Y KpnI			CA
S BanII	ACTGGGTCTC (I S C R PstI	ATTAGCTGCA G TAATCGACGT C	W KK ~~,	TCTGGATTGG AGACCTAACC	W	AG TC
T Q S Bar	TCTC	ATTAGCTGCA TAATCGACGT	ν Ω Γ Ω	TCTGGATTGG AGACCTAACC	O	ATCTGGGCAG TAGACCCGTC
T Q	ე ე	AGC ICC	ы	GG2 CC1	I G	TGC
GAC	CŢĆ	TT	<u></u> .	CT		ATC PAG
Σ			> ⊢ ·		\succ	. 4 .
V TG	AC1 S	AG(CT	н≀	TT
r «V ~~	4GC A	30 30 30 30 30	Z	TAP ATT	L I AseI	TA <i>P</i> ATJ
D I V ECORV	CTATAGCACT P A S	GCCTGCGAGC CGGACGCTCG	\succ	GCTATAACTA CGATATTGAT		СТАТТААТТТ САТААТТААА
CA CA CA	CT	90	Ö .	000	Ţ	CT GP
			•			

Figure 3B: V kappa 2 (Vk2) gene sequence (continued)

AGCCGTGTGG TCGGCACACC 召 ഗ GGACTTTTAA CCTGAAAATT Н \bowtie Ц GGCTAAAATG CCGATTTTAC [I \vdash CCTAGGCCGT GGATCCGGCA \mathcal{O} BamHI ~ ~ ~ ~ ~ ~ ~ ~ ~ S S TAGCGGCTCT ATCGCCGAGA S C S

ATGGTGGGGC TACCACCCCG \vdash \vdash AGCAGCATTA TCGTCGTAAT \succ 工 Ø Ø TATTATTGCC ATAATAACGG \mathcal{O} CGTGGGCGTG GCACCCGCAC \gt C > TTCGACTTCT \Box BbsI AAGCTGAAGA · Eco57I 口 Ø 口

Д

BsiWI . ك × 口 > × ₽ Ō Ø MscI Ö ſщ E Д

ATTAAACGTA TAATTTGCAT GAAAGTTGAA CTTTCAACTT GCCAGGGTAC CGGTCCCATG GGCTGGAAAC CCGACCTTTG

BamHI

ഗ

ά

S

[T

X

Q

Д

>

G

⊣

Ø

α,

ഗ

ഗ

Ø

G

SanDI

TAATTAAATA

GTGGCGCAGA

GGTCCAGTTC

GGTCGTCTTT

ACCGCACCAT

GAGCGTGAGC AGCAGCTATC TCGTCGATAG 되 CTCCGGGCGA ATTAATTTAT GAGGCCCGCT G ഗ AseI Д ഗ ഗ CTCGCACTCG CACCGCGTCT CTGAGCCTGT GACTCGGACA ഗ П α >ഗ Д ഗ Ц Ø CCAGGTCAAG ACTGGGTCTC GGGCCGCTGG CTGAGCTGCA · GAGCGAGCCA GACTCGACGT CTCGCTCGGT CCCGCCGACC Ø E Ø ഗ Ø G SexAI Ø Д Д BanI α CCAGCAGAAA TGACCCAGAG ഗ PstI × 0 O ഗ ⊱ Ŏ KpnI TGCACGCTGG TGGCGTGGTA GATATCGTGC CTATAGCACG ACGTGCGACC E--4 > \geq Ø ECORV ~ ~ ~ ~ ~ ~ Ø α, 口

GCGCGTTTTA GCGGCTCTGG TGGGGTCCCG GGCGCGAGCA GCCGTGCAAC

SUBSTITUTE SHEET (RULE 26)

Figure 3C: V kappa 3 (Vk3) gene sequence

Figure 3C: V kappa 3 (Vk3) gene sequence (continued)

CTGGAAACCG GACCTTTGGC GGACTTCTGA MscI CCTGAAGACT CCGCGCTCGT CGGCACGTTG ACCCCAGGGC CGCGCAAAAT CGCCGAGACC G BbsI Eco571 ſΞ 띠 \vdash Д GGTGGGGCGG CCACCCGCC ACTGGTAATC GTCGGACCTT TGACCATTAG CAGCCTGGAA Д 口 ш П ഗ E CAGCATTATA GTCGTAATAT TAAACGTACG ATTTGCATGC BsiWI S 以 田 E 又 Ø CAGGGTACGA AAGTTGAAAT TTCAACTTTA П CTAAAATGGG TTGCGGTGTA TTATTGCCAG ATCCGGCACG GATTTTACCC AATAACGGTC Ø E 口 ی H \bowtie AACGCCACAT GTCCCATGCT TAGGCCGTGC \succ \vdash > G \mathcal{O} BamHI MscI K Ø ഗ

Figure 3D: V kappa 4 (Vĸ4) gene sequence

Ш	GA	70	SCA	Д	000 000	D R	TCG AGC
O	3660	ω	SCAC	Д) 1900 1900		GGA'
ü	GCCTGGGCGA CĠGACCCGCT	≽ S	TATAGCAGCA ATATCGTCGT	. O	~ TCAGCCGCCG AGTCGGCGGC	H.	TCCCGGATCG
W				υH		G V SanDI	SGG TCCC
\triangleright	CTGGCGGTGA GACCGCCACT	S V	GAGCGTGCTG CTCGCACGAC	K P G SexAI	AGAAACCAGG I TCTTTGGTCC A	<u>ග</u>	GAAAGCGGGG CTTTCGCCCC
L A V	252; 525;	>	SCGT	₩	AAAC ITTG	W	AAG(ITC(
Ы	CTG	Ω	GAG		AGA TCT	缸	GAZ
ഗ	AGC PCG.	Q	CCA	O O	AGC TCG	CL,	CGT GCA
Ω.	3AT <i>I</i> CTAT	W	CAG(GTC(Y nI	GGTACC. CCATGG	S T R	ACC
ДН	cccggatagc gggcctatcg	W.	~ GAAGCAGCCA CTTCGTCGGT	W Y Q Q KpnI	~~~~~~ TGGTACCAGC ACCATGGTCG	ഗ	ATCCACCGT TAGGTGGGCA
S BanI	1	M H	}	4		A.	
Ø	CAGA	C PstI	CTGC	L 2	TGG(ACC(Y W A	TGG
H	TGACCCAGAG ACTGGGTCTC	Z	ATTAACTGCA TAATTGACGT	Y L A	CTATCTGGCG GATAGACCGC	>	~ TTTATTGGGC AAATAACCCG
⋝:		⊢ -l				н.,	}
M V	TGA ACT	\vdash	ACC	Z	AAAA	L AseI	AAACTATTAA TTTGATAATT
	TCG	R A T	1 1 1 1 1 1 1	17 14	ACAA IGTT	ت	CTAC
D I FCORV	GATATCGTGA CTATAGCACT	\propto	ACGTGCGACC TGCACGCTGG	N N K N	ACAACAAAAA	×	AAA(TTT(
1	<i>i</i> 0 0			-	7, 7		

Figure 3D: V kappa 4 (Vk4) gene sequence (continued)

T D F T L T I S S	GCACTGATTT TACCCTGACC ATTTCGTCCC CGTGACTAAA ATGGGACTGG TAAAGCAGGG	руа уусонутт		GTGTATTATT GCCAGCAGCA TTATACCACC CACATAATAA CGGTCGTCGT AATATGGTGG	T K V E I K R T Bsiwi	TACGAAAGTT GAAATTAAAC GTACG ATGCTTTCAA CTTTAATTTG CATGC
F S G S G S G BamHI	TTTTAGCGGC TCTGGATCCG G AAAATCGCCG AGACCTAGGC C	L Q A E D V A Eco57I	BbsI	GTGGCG CACCGC	Ŋ	CCGCCGACCT TTGGCCAGGG T

× GCTGATTTAT CGACTAAATA AGCAACTATG TCGTTGATAC CAGGTCAGCG GTCCAGTCGC 召 BamH. O Z O G 口 SexAI ഗ ഗ CGCCGAAACT GCGGCTTTGA Д GTTGTAACCG 口 TCACCGCGTG CAACATTGGC AGTGGCGCAC G ſщ Ø X . . Y \vdash C Д ~~~~~~ Z ഗ Ø CCCGGGACGG GGCCCTGCC GCAGCAGCAG CGTCGTCGTC S CGGAAGTCAC GCCTTCAGTG Д > \vdash Eco57I S > ഗ XmaI \mathcal{O} S C Д Д Bsu36 C GGTCGTCAAC S TCGTGTAGCG CCAGCAGTTG AGCACATCGC ACTGGGTCGG TGACCCAGCC Д Ц വ Д Q Figure 4A: V lambda 1 (VA.1) gene sequence BSSSI \mathcal{O} K \vdash Ø S Ø KpnI TGAGCTGGTA ACTCGACCAT ACACTGGTAG TGTGACCATC CAGAGCGTGC GTCTCGCACG Z 3 \vdash Z S S >

Figure 4A: V lambda 1 (VA.1) gene sequence (continued)

GCGGATCCAA CGCCTAGGTT	S E D BbsI	AGCGAAGACG TCGCTTCTGC	V F G TGTGTTTGGC ACACAAACCG	
GATCGTTTTA CTAGCAAAAT	O 11 0	GGGCCTGCAA CCCGGACGTT	Q H Y T T P P P CAGCATTATA CCACCCCGCC GTCGTAATAT GGTGGGGCGG	
AGGCGTGCCG TCCGCACGGC	A I T	TTGCGATTAC AACGCTAATG	Q H Y T CAGCATTATA GTCGTAATAT	L G MscI ~~~ TCTTGGC AGAACCG
AGCGTCCCTC TCGCAGGGAG	S A S L	AGCGCGAGCC	Y C Q TTATTGCCAG AATAACGGTC	t L T V HpaI ~~~~~~ AGTTAACCGT TCAATTGGCA
GATAACAACC CTATTGTTGG	S G T	AAGCGGCACC TTCGCCGTGG	E A D Y -AAGCGGATTA TTCGCCTAAT	G G T KGGCGCACGA

 Ξ

口

又

Д

æ

12222 BbeI

G Д S C ഗ >S Ø Д Ø Figure 4B: V lambda 2 (VA2) gene sequence \vdash 口 Ø ഗ

S

Ø

CAGGTCAGAG GTCCAGTCTC SexAI AGCGGCTCAC TCGCCGAGTG AGCTTCAGTG TCGAAGTCAC TGACCCAGCC ACTGGGTCGG GTCTCGCGTG CAGAGCGCAC

~ ~ ~ ~ ~ ~ ~

Eco57I

Z

C CGATGTGGGC G GTACTAGCAG S വ \vdash G TCGTGTACGG Е \mathcal{O} BSSSI S

GGCTATAACT CCGATATTGA GCTACACCCG CATGATCGTC AGCACATGCC CATTACCATC GTAATGGTAG

× G XmaI Д 二 Q Q KpnI 3 S

ACTGATGATT TGACTACTAA AGGCGCCGAA TCCGCGGCTT GTAGGGCCCT CATCCCGGGA GTACCAGCAG CATGGTCGTC ATGTGAGCTG TACACTCGAC

BamHI G S ĮΤι α Z S G Bsu36I S Д α Z S > \succ

S

TTAGCGGATC AATCGCCTAG ~ ~ ~ ~ ~ ~ ~ AGCAACCGTT TCGTTGGCAA CTCAGGCGTG GAGTCCGCAC CGTTGGCAGG GCAACCGTCC TATGATGTGA ATACTACACT

SUBSTITUTE SHEET (RULE 26)

 \gt

Figure 4B: V lambda 2 (VA.2) gene sequence (continued)

E BbsI	CAAGCGGAAG GTTCGCCTTC	Р ∨	GCCTGTGTTT CGGACACAAA	
Q A E	AGC	Д	CTG	
	C C C C C C C C C C C C C C C C C C C		900	
S G L	CTG	ф	$\begin{array}{c} C \\ C \\ C \\ C \\ C \end{array}$	
CD) 1922 1932	H	CAC GTG	
w	TAGCGGCCTG ATCGCCGGAC	о о н у т т Р	ATACCACCCC TATGGTGGGG	
		\succ		L) [] []
H H	CAT GŢ?	Ħ	ATJ TAZ	G MscI ~~~~ TGGC ACCG
Ţ	3AC CTG	\bigcirc	166 166	L M CTT SAA
ᆸ.	GCCTGACCAT CGGACTGGTA	<u>.</u>	CAGCAGCATT GTCGTCGTAA	V L G MscI ~~~~ CGTTCTTGGC GCAAGAACCG
ζΩ		O.	CA	
N T A S	AACACCGCGA TTGTGGCGCT		TTATTATTGC AATAATAACG	K L T HpaI ~~~~~ CGAAGTTAAC GCTTCAATTG
A	AACACCGCGA TTGTGGCGCGT	X X C	TTATTATTGC AATAATAACG	L T HpaI ~~~~~ GTTAAC
\vdash	CAC	> -1	ATT IAA	K AAG TTC
Z	AA(TT(TTZ AAS	0 0 0 0
Ö	0 0 0	Ω	GA	T T
ഗ	1 1 1 1 1 1 1	A	0 0 0 0 0	0 0 0 0
	~ CAAAAGCGGC GTTTTCGCCG	ыH	~ ~ ACGAAGCGGA TGCTTCGCCT	G G G GGCGCGCA CCGCCGCGT
K BamHI	~ CAAAAGCGGC GTTTTCGCCG	D E BbsI	ACG TGC	5

Figure 4C: V lambda 3 (Vλ3) gene sequence

E	AC TG		CT	Ω	AT.
Q	CAG	Y A S	GAG	Ω	TTATGATGAT AATACTACTA
	ZG ZG ZG ZG ZG ZG ZG ZG ZG ZG ZG ZG ZG Z	A	, CG CG	.	ATG.
S V A P G SexAI	AC CAGGTCAGAC IG GTCCAGTCTG	\succ	TACGCGAGCT	I · Y D	TTP AAT
S D D	}	\checkmark		H	AT L'A
A	, GC 7 CG 1	1 24	TA7 ATT	> .	TG7
>	STT	G D K	CGA	۔ ے	rgg Acc
ഗ	AGCGTTGCAC TCGCAACGTG	Q	GGGCGATAAA CCCGCTATTT	-	TTCTGGTGAT AAGACCACTA
		H		>	
P. S V	AGT TCA 7 I	D A L	0 0 0 0	A P V Bbel	CCA
Ω	CTTCAG GAAGTC Eco57I	·	ATG PAC	A P Bbel	1000 1000 1000
O.	GCCTTCAGTG CGGAAGTCAC Eco57I	H	GCGATGCGCT CGCTACGCGA	о О	CAGGCGCCAG
Д,	·	O		į	
Q Q EL)))))	W	TCGTGTAGCG	P G Xmal	GAAACCCGGG
Ċ,	CCA	рHi	GTZ	M P Xn	000
[-	SAC	S C BssSI	CGT	×	AAA I'T'I
i Li	T A	SSB	T A		
团	AAC ITG	H '	ATC FAG	O	GCA
	AGCTATGAAC TGACCCAGCC TCGATACTTG ACTGGGTCGG	α	CGCGCGTATC TCGTGTAGCG GCGCGCATAG AGCACATCGC	o J	GGTACCAGCA
≯	CTP GAT	A · R))))	W Y KpnI	TAC
N .	AG TC	·	0 0 0	Z X	99

Figure 4C: V lambda 3 (VA3) gene sequence (continued)

ACCGCCGCCG GACGAAGCGG CTGCTTCGCC TGGCGGCGGC G CCAACAGCGG GGTTGTCGCC D ഗ ෆ 回 Z
 Co
 ~~~~~~ Д BbsI BamHI S TTTAGCGGAT CGCCTGTGTT TCAGGCGGAA AAATCGCCTA AGTCCGCCTT GCGGACACAA 口 O Ø ഗ Д Ø ہتا Д AATCGCCGTG ATATGGTGGG TTAGCGGCAC TATACCACCC GGGCCTTGCG  $\vdash$ CCCGGAACGC 召 H C 口 H ഗ Д Н TGGGACTGGT GGAGTCCGTA CCTCAGGCAT ACCCTGACCA CCAGCAGCAT GGTCGTCGTA 耳  $\vdash$ <u>ෆ</u> O Bsu36I Ц S Ŏ Н Д GTTGTGGCGC ATTATTTG TAATAATAAC CAACACCGCG  $\mathcal{O}$ TCTGACCGTC AGACTGGCAG Ø  $\alpha$  $\vdash$  $\Box$ Z S

T K L T V L G
Hpal
ACGAAGTTAA CCGTTCTTGG C
TGCTTCAATT GGCAAGAACC C

PCT/EP96/03647 WO 97/08320

G

 $\Omega$ 

 $\Sigma$ 

3

口

ഗ C Д 又 × > 回 K C S Figure 5A: V heavy chain 1A (VH1A) gene sequence Q MfeI Ø  $\gt$ Ø

S

CGGCCAGCAG GCCCGTCGTC CACTTTTTG GTGAAAAAAC TGGCGCGGAA ACCGCGCCTT ACCAAGTCAG TGGTTCAGTC CAGGTGCAAT GTCCACGTTA

S ഗ ш  $\vdash$ C BSPEI G S Ø ×  $\mathcal{O}$ ഗ  $\gt$ × >

D

AGCTATGCGA TCGATACGCT CACTTTTAGC GTGAAAATCG GGAGGCCTCC CCTCCGGAGG AGCTGCAAAG TCGACGTTTC CGTGAAAGTG GCACTTTCAC

XhoI П G Ø C Д BstXI Ø Ø

K

>

3

ഗ

CTACCCGCCG GATGGGCGGC GTCTCGAGTG CAGAGCTCAC CCTGGGCAGG GGACCCGTCC GCGCCAAGCC CGCGGTTCGG TTAGCTGGGT AATCGACCCA

GCGCAGAAGT TTCAGGGCCG AAGTCCCGCC ප ර CGCGTCTTCA 0 . V CCGCTTGATG GGCGAACTAC Z Ø TTTTGGCAC AAAAACCGTG  $\vdash$ G ഥ TAATAAGGCT ATTATTCCGA

 $\succ$ Ø نے S S 口 K Ė H BStEII

П

口

 $\Sigma$ 

Figure 5A: V heavy chain 1A (VH1A) gene sequence (continued)

| •                                              |                     |                                                |                 |                          |              |
|------------------------------------------------|---------------------|------------------------------------------------|-----------------|--------------------------|--------------|
| CACCGCGTAT ATGGAACTGA<br>GTGGCGCATA TACCTTGACT | R W G               | ATTATTGCGC GCGTTGGGGC<br>TAATAACGCG CGCAACCCCG | T L V T         | CCCTGGTGAC               |              |
| CACCGCGTAT                                     | <b>&gt;</b>         | ATTATTGCGC GC<br>TAATAACGCG CG                 | G Q G T<br>Styl | GGCCAAGGCA<br>CCGGTTCCGT |              |
| AAAGCACCAG<br>TTTCGTGGTC                       | T A V Y<br>EagI     | ACGGCCGTGT<br>TGCCGGCACA                       | D Y W           | GGATTATTGG<br>CCTAATAACC |              |
| ACCGCGGATG<br>TGGCGCCTAC                       | ю <sub>.</sub><br>П | TAGCGAAGAT<br>ATCGCTTCTA                       | F Y A M         | TTTATGCGAT<br>AAATACGCTA |              |
| GGTGACCATT                                     | S S L R             | GCAGCCTGCG<br>CGTCGGACGC                       | G D G F         | GGCGATGGCT               | V S S V BlpI |

Figure 58: V heavy chain 18 (VH1B) gene sequence

|             | •                        |              |                          |                  |                                          |                                   |
|-------------|--------------------------|--------------|--------------------------|------------------|------------------------------------------|-----------------------------------|
| လ           | AG                       | <b>.</b> .   | TA.                      | M                | 16G                                      | Q G R<br>TTCAGGGCCG<br>AAGTCCCGGC |
| A           | 000                      | ≯            | TTP                      | υ                | GCT                                      | 9<br>9<br>9<br>9<br>0<br>0<br>0   |
| G<br>B      | CGGGCGCGAG<br>GCCCGCGCTC | $\Join$      | AGCTATTATA<br>TCGATAATAT | Σ<br>Σ           | GATGGGCTGG<br>CTACCCGACC                 | Q G R<br>TTCAGGGCCG<br>AAGTCCCGGC |
|             | 000                      | Š            | AGC                      | 4                | GA7<br>CT2                               | TT(<br>AA(                        |
| Д           | AC<br>FG                 | ے            | D (D                     | M                | rg<br>AC                                 | GT F                              |
| X           | AA?<br>TTT               | ₽            | TA(<br>AT(               | ы н              | AG:                                      | K<br>AA(                          |
| V K K P     | AAA<br>[TT               | Į۳           | CTT                      | L E<br>XhoI      | CTCGAG                                   | Q<br>CAG<br>GTC                   |
| >           | GTGAAAAAAC<br>CACTTTTTTG | H            | TACCTTTACC<br>ATGGAAATGG |                  | GTCTCGAGTG<br>CAGAGCTCAC                 | A Q K<br>GCGCAGAAGT<br>CGCGTCTTCA |
|             |                          | <b>≻</b>     |                          | Ŋ                |                                          | _                                 |
| 臼           | GA                       |              | AT                       | 5<br>0<br>5      | AG                                       | Y<br>CTA<br>SAT                   |
| G<br>B      | 0<br>0<br>0<br>0<br>0    | S G<br>BspEI | )<br>)<br>)<br>)         | U                | 300<br>CC0                               | N<br>AAC                          |
| ტ .         | CGGCGCGGAA<br>GCCGCGCCTT | (Ω ED 5)     |                          | <b>A</b>         | ccaagcc ccrgggcagg<br>ggrrcgg ggacccgrcc | T N Y<br>CACGAACTAC<br>GTGCTTGATG |
|             |                          | Æ            |                          | XI               | l                                        |                                   |
| ഗ           | SAG                      | C K A        | AAG<br>TTC               | A<br>BstX        |                                          | 225<br>552<br>5                   |
| . O         | CA(                      |              | CA<br>GT                 | Oĭ .             | AA                                       | 0 0 0<br>0 0 0                    |
| >           | TGGTTCAGAG<br>ACCAAGTCTC | S            | AGCTGCAAAG<br>TCGACGTTTC | <b>~</b>         | CCGCCAAGCC                               | S<br>'AG(                         |
| 1           | TG                       | <b>ω</b>     | AG                       |                  | )<br>()                                  | N<br>AT<br>TA                     |
| O L<br>MfeI | AT<br>TA                 | >            | TG                       | $\triangleright$ | GGT                                      | GA                                |
| OZ \        | SCA                      | <b>×</b>     | CGTGAAAGTG<br>GCACTTTCAC | M                | TGCACTGGGT<br>ACGTGACCCA                 | CCC<br>GGG                        |
| >           | GT(                      | ×            | GA.                      | H                | CAC                                      | N<br>FAA<br>ATT                   |
| O           | CAGGTGCAAT<br>GTCCACGTTA |              | CGTGAAAGTG<br>GCACTTTCAC | Σ                | TG(<br>AC(                               | I<br>AT                           |
| . •         |                          |              | •                        |                  |                                          |                                   |

H

Figure 58: V heavy chain 18 (VH1B) gene sequence (continued)

TACCTTGACT ATGGAACTGA 口 回  $\mathbf{Z}$ GTGGCGCATA CACCGCGTAT × K  $\vdash$ GGTCGTAATC CCAGCATTAG വ S Н TGGGCACTAT ACCCGTGATA Ω  $\alpha$ Е CCACTGGTAC GGTGACCATG  $\mathbf{\Sigma}$ BStEI

C 3 K BSSHII Ø C  $\succ$  $\succ$ > EagI Ø Е 团 S K Н S

ഗ

CGCAACCCCG GCGTTGGGGC TAATAACGCG ATTATTGCGC ACGCCCGTGT TGCCGGCACA TAGCGAAGAT ATCGCTTCTA GCAGCCTGCG CGTCGGACGC

П Е C Styl Õ G 3  $\succ$  $\mathbf{\Sigma}$ ď Ľ G 

CCCTGGTGAC GGGACCACTG GGCCAAGGCA CCGGTTCCGT CCTAATAACC GGATTATTGG TTTATGCGAT AAATACGCTA GGCGATGGCT CCGCTACCGA

V S S V BlpI

GGTTAGCTCA G

SUBSTITUTE SHEET (RULE 26)

S

 $\vdash$ O  $\vdash$ Д ×  $\gt$ Н K Д G S Figure 5C: V heavy chain 2 (VH2) gene sequence 口  $\simeq$ Н MfeI Ø

CGACCCAAAC GCTGGGTTTG CTGGTGAAAC GACCACTTTG CGGCCCGGCC GICCACGITA ACTITICITIC GCCGGGCCGG TGAAAGAAAG CAGGTGCAAT

G ഗ E S 口 ഗ لتا S G BspEI ш  $\vdash$  $\mathcal{O}$  $\vdash$ ⊟

ACGTCTGGCG TGCAGACCGC TAGCCTGTCC ATCGGACAGG AAAGGCCTAA TTTCCGGATT TGGACATGGA ACCTGTACCT GGACTGGGAC CCTGACCCTG

3 ഥ XhoI Q 又 G Д BstX. Д Ø K Н  $\geq$ G >  $\mathcal{O}$ 

GGAAAGCCCT CGAGTGGCTG CCTTTCGGGA GCTCACCGAC GTCGGCGGAC CAGCCGCCTG CTGGATTCGC GACCTAAGCG TTGGCGTGGG AACCGCACCC

MluI ļ ഗ E ഗ 又  $\geq$ Щ Ø

CGGACTTTTG GCCTGAAAAC TATAGCACCA ATATCGTGGT TGATAAGTAT ACTATTCATA ATTGGGATGA TAACCCTACT GCTCTGATTG CGAGACTAAC

SUBSTITUTE SHEET (RULE 26)

>

| Figure 5C: V heavy chain 2 (VH2) gene sequence (continued)  R L T I S K D T S K N Q V L T  MluI | GCGTCTGACC ATTAGCAAAG ATACTTCGAA AAATCAGGTG GTGCTGACTA<br>CGCAGACTGG TAATCGTTTC TATGAAGCTT TTTAGTCCAC CACGACTGAT | M T N M D P V D T A T Y Y C A R W BSSHII |  | G G D G F Y A M D Y W G Q G T L V Styl | CAAG | T V S S BlpI GACGGTTAGC TCAG CTGCCAATCG AGTC |
|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|------------------------------------------|--|----------------------------------------|------|----------------------------------------------|
|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|------------------------------------------|--|----------------------------------------|------|----------------------------------------------|

Figure 5D: V heavy chain 3 (VH3) gene sequence

S C C Д CTGGTGCAAC O > ᆸ 255255255 C G J TGGTGGAAAG വ 口 > MfeI GAAGTGCAAT 回

CGGGCGGCAG CCCCCCCGTC GACCACGTTG 5005005005 ACCACCTTTC CTTCACGTTA

Ø ഗ ഗ ſΞ Н ĮΤΙ BSPEI C ഗ A K C ഗ K Н

TCGATACGCT AGCTATGCGA ATGGAAATCG TACCTTTAGC GGAGGCCTAA CCTCCGGATT TCGACGCGCC AGCTGCGCGG GGACGCAGAC CCTGCGTCTG

XhoI C × G Д BstXI Ø O K

K

ഗ

>

3

口

GGTGAGCGCG CCACTCGCGC GTCTCGAGTG CAGAGCTCAC GGACCCTTCC CCTGGGAAGG CGCGGTTCGG GCGCCAAGCC ACTCGACCCA TGAGCTGGGT

TGAAAGGCCG ACTITCCGGC <sub>U</sub> CGCCTATCGC GCGGATAGCG ഗ Ω Ø CACCTATTAT GTGGATAATA H GCGGCGGCAG CGCCGCCGTC ഗ G G ഗ TAATCGCCAT ATTAGCGGTA G ഗ

SUBSTITUTE SHEET (RULE 26)

>

3

S

 $\Xi$ 

Figure 5D: V heavy chain 3 (VH3) gene sequence (continued)

| TTTTACCATT TCAC AAAATGGTAA AGTC N S L R A ACAGCCTGCG TGCC TGTCGGACGC ACGC G D G F Y | ı                                     | CGTGATA ATTCGAAAAA CACCCTGTAT CTGCAAATGA<br>SCACTAT TAAGCTTTTT GTGGGACATA GACGTTTACT | T A V Y Y<br>Eagl | AH           | A M D Y W G Q G T L V T Styl | ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・ |
|-------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------------------------------|-------------------|--------------|------------------------------|---------------------------------------|
| PmlI TCACGTGATA A AGTGCACTAT T A E D TGCGGAAGAT A ACGCCTTCTA T TGCGCACTTCTA T       |                                       |                                                                                      | <b>≻</b> ⊣        |              |                              | ָּ<br>֖֖֖֖֖֖֖֖֓֞                      |
| PmlI ————————————————————————————————————                                           | N N N N N N N N N N N N N N N N N N N | GAAAA<br>CTTTT                                                                       | A V gI            | CCGTG        | N<br>N                       |                                       |
|                                                                                     | 1                                     | ATTC<br>TAAG                                                                         | E E               | ACGG         | Ω                            | £ 4 C                                 |
| _ , , , , ,                                                                         | ۵ ,                                   | SATA                                                                                 | Ω                 | AGAT<br>ICTA | W                            | <u>ا</u> در                           |
|                                                                                     | emî.<br>.~~~                          | ACGT(<br>FGCA(                                                                       | EI<br>T           | GGAZ         | <b>∀</b>                     | 7 D E K                               |
| TTTTACCATT AAAATGGTAP  N S L F ACAGCCTGCG TGTCGGACGC G D G                          | ز آ ت                                 |                                                                                      |                   |              | ſτι                          |                                       |
| TTTTAC AAAATG N S ACAGCC TGTCGG G D                                                 |                                       | CATI                                                                                 | H<br>H            | TGCG         |                              | 上してし                                  |
| TT PAP                                                                              |                                       | TTAC<br>AATG                                                                         |                   | AGCC<br>TCGG | . 0                          | 上々じて                                  |
|                                                                                     |                                       | TT                                                                                   | Z                 | AC.<br>TG    | <b>O</b>                     | יני<br>יני                            |

CCCTGGTGAC GGCCAAGGCA CCGGTTCCGT GGATTATTGG CCTAATAACC GGCGATGGCT TTTATGCGAT CCGCTACCGA AAATACGCTA AAATACGCTA BlpI ഗ

 $^{\circ}$ 

CCAATCGAGT

GGTTAGCTCA

Figure 5E: V heavy chain 4 (VH4) gene sequence

H GCTCGCTTTG CGAGCGAAAC 口 ഗ Д CTGGTGAAAC GACCACTTTG 凶 > 口 TGGTCCGGGC ACCAGGCCCG U Д G ACGTTCTTTC TGCAAGAAAG ഗ 曰 Q MfeI GTCCACGTTA CAGGTGCAAT Õ

S S S G BSPEI C S > ЕН  $\mathcal{O}$  $\vdash$ П ഗ Н

11111

TCGATAATAA AGCTATTATT CAGCATTAGC GTCGTAATCG AAAGGCCTCC TTTCCGGAGG TGGACGTGGC ACCTGCACCG CCTGAGCCTG GGACTCGGAC

3 XhoI 团 U × C Д Д O! 又 Н 3 ഗ

G

CTAACCGATA GATTGGCTAT GTCTCGAGTG CAGAGCTCAC CCTGGGAAGG AGCGGTCGGC GGACCCTTCC TCGCCAGCCG GGAGCTGGAT CCTCGACCTA

BStEII 区 ഗ × Ы ഗ Д Z  $\succ$ Z  $\vdash$ S G ഗ  $\succ$ 

AAAGCCGGGT TTTCGGCCCA CCGAGCCTGA GGCTCGGACT CAACTATAAT GTTGATATTA GCGCCAGCAC CGCCGTCGTG ATTTATTATA TAAATAATAT

SUBSTITUTE SHEET (RULE 26)

3

TAGCTCAG

s s BlpI

ഗ

Figure 5E: V heavy chain 4 (VH4) gene sequence (continued)

| V D T S K N Q F S L K L S N SPV       | GTTTAGCCTG AAACTGAGCA<br>CAAATCGGAC TTTGACTCGT | C A R W G G<br>BSSHII | ATTGCGCGCG TTGGGGCGGC<br>TAACGCGCGC AACCCCGCCG | A M D Y W G Q G T L V T V Styl | TTATTGGGGC CAAGGCACCC TGGTGACGGT<br>AATAACCCCG GTTCCGTGGG ACCACTGCCA |
|---------------------------------------|------------------------------------------------|-----------------------|------------------------------------------------|--------------------------------|----------------------------------------------------------------------|
| ഥ                                     | GTT                                            |                       | ATT                                            | Q G<br>StyI                    | CAA(<br>GTT(                                                         |
| Oi Oi                                 | CA                                             |                       | TT                                             | <u>ن</u>                       | 0<br>0<br>0<br>0                                                     |
| Z                                     | AAAC                                           | H                     | GTA                                            | M                              | 000<br>000                                                           |
| S K<br>NSpV                           | GTTGATACTT CGAAAAACCA<br>CAACTATGAA GCTTTTTGGT | A D T A V Y Y EagI    | GGCGGATACG GCCGTGTATT<br>CCGCCTATGC CGGCACATAA | ×                              | TTATTGGGGC<br>AATAACCCCG                                             |
| \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | TT<br>AA                                       | E ⊕ ×                 | 90                                             | Q <sub>.</sub>                 |                                                                      |
| E                                     | GTTGATACTT<br>CAACTATGAA                       |                       | GGCGGATACG<br>CCGCCTATGC                       | Σ                              | ATGCGATGGA<br>TACGCTACCT                                             |
| Ω                                     | rga?<br>ACTZ                                   | _<br>_                | 2007<br>3007                                   | A                              | 3007<br>3007                                                         |
| $\triangleright$                      | GT.                                            |                       | 999                                            | ≻1                             | AT(<br>TA(                                                           |
| S                                     | AGC<br>ICG                                     | A                     | 3<br>3<br>3<br>3<br>3<br>3<br>3                | FI                             | rtt<br>Aaa                                                           |
| НН                                    | ATTA<br>PAAT                                   | H                     | SAC(                                           | <u>ن</u>                       | SCT                                                                  |
| T I<br>BstEII                         | GACCATTAGC<br>CTGGTAATCG                       | >                     | GCGTGACGGC<br>CGCACTGCCG                       | 0                              | GATGGCTTTT<br>CTACCGAAAA                                             |
| _ m                                   | Ω<br>                                          | ഗ                     | ÖÖ                                             | <b>—</b>                       | <u> </u>                                                             |
|                                       |                                                |                       |                                                |                                |                                                                      |

AGAGGCTCGA AAGTCCCGGT

ATGGGCAATA

CGCTATCGCT

TAAATAGGCC

ATTTATCCGG

GCGATAGCGA

Ċ 团 G Д 公  $\simeq$  $\gt$ 口 Ø G Figure 5F: V heavy chain 5 (VH5) gene sequence ഗ Ø  $\vdash$ MfeI Ø

CGGGCGAAAG GCCCCCTTTC GTGAAAAAAC CACTTTTTG GCCGCGCCTT CGGCGCGGAA ACCAAGTCTC TGGTTCAGAG CTTCACGTTA GAAGTGCAAT

ഗ ⊣ ستا S  $\succ$ BspEI G ഗ  $\mathcal{O}$ ×  $\mathcal{O}$ **က**  $\propto$ 口

3

AGCTATTGGA TCGATAACCT CAAGGCCTAT AAGGAAATGC TTCCTTTACG GTTCCGGATA AGCTGCAAAG TCGACGTTTC GGACTTTTAA CCTGAAAATT

Z ~ ~ ~ ~ ~ ~ XhoI 띠 G × G Д BstX Σ Ø  $\alpha$ >  $\leq$ 

G

 $\sum$ 

TCTCCGAGCT TTCAGGGCCA CTACCCGTAA GATGGGCATT ပ Ø ഥ CAGAGCTCAC GTCTCGAGTG ഗ Д ഗ GGACCCTTCC TACCCGTTAT CCTGGGAAGG ₽ GCGCCAGATG CGCGGTCTAC ഗ G AACCGACCCA TTGGCTGGGT Д

SUBSTITUTE SHEET (RULE 26)

 $\mathfrak{O}$ 

3 Ø Ø Е ഗ Hഗ Figure 5F: V heavy chain 5 (VH5) gene sequence (continued)  $\simeq$  $\Box$ Ø ഗ V T BstEII

GAAGTTACCT CTTCAATGGA AAAGCATTAG CACCGCGTAT GTGGCGCATA TTTCGTAATC AGCGCGGATA TCGCGCCTAT CCACTGGTAA GGTGACCATT

 $\mathcal{O}$ 3 K BSSHI Ø  $\mathcal{O}$ Σ Ø ⊱  $\Box$ ഗ A  $\simeq$ 口 ഗ

S

CGCAACCCCG GCGTTGGGGC ATTATTGCGC TAATAACGCG TGCCGGTACA ACGGCCATGT AGCGAGCGAT TCGCTCGCTA GCAGCCTGAA CGTCGGACTT

DGFYAMDYWGQG

Н

⊣

GGGACCACTG CCCTGGTGAC GGCCAAGGCA CCGGTTCCGT CCTAATAACC GGATTATTGG GGCGATGGCT TTTATGCGAT AAATACGCTA CCGCTACCGA

V S S BlpI

> > > >

GGTTAGCTCA G CCAATCGAGT C

5

Figure 5G: V heavy chain 6 (VH6) gene sequence

 $\vdash$ Ø S Д  $\simeq$ П G Д G S Ø Ø MfeI 0

GCTCGGTTTG CGAGCCAAAC CTGGTGAAAC GACCACTTTG TGGTCCGGGC ACCAGGCCCG TGCAACAGTC ACGTTGTCAG CAGGTGCAAT GTCCACGTTA

ഗ Z S S >ഗ BSPEI G ഗ Ø  $\mathcal{O}$ S  $\Box$ 

AGCAACAGCG TCGTTGTCGC TAGCGTGAGC ATCGCACTCG TTTCCGGAGA AAAGGCCTCT ACCTGTGCGA TGGACACGCT CTGAGCCTG GGACTCGGAC

 $\geq$ ഥ Xhol G  $\alpha$ G Д BstXI ഗ O 召 Н 3  $\mathbf{z}$ 3 K Q

CCGCACCGGA GCTCACCGAC CGAGTGGCTG GGCGTGGCCT GTCAGAGGAC CAGTCTCCTG CTGGATTCGC GACCTAAGCG CGGCGTGGAA GCCGCACCTT

AACGATTATG CGGTGAGCGT GCCACTCGCA > TTGCTAATAC  $\succ$ Ω Z GTTTACCATA 3 X CCGGCATGGA TAATAGCATC ATTATCGTAG ഗ 公 GGCCGTACCT

- Figure 6: oligonucleotides for gene synthesis
- **01K1** 5'- GAATGCATACGCTGATATCCAGATGACCCAGAG-CCCGTCTAGCCTGAGC -3'
  - O1K2 5'- CGCTCTGCAGGTAATGGTCACACGATCACCCAC-GCTCGCGCTCAGGCTAGACGGGC -3'
  - **O1K3** 5'- GACCATTACCTGCAGAGCGAGCCAGGGCATTAG-CAGCTATCTGGCGTGGTACCAGCAG -3'
  - **O1K4** 5'- CTTTGCAAGCTGCTGGCTGCATAAATTAATAGT-TTCGGTGCTTTACCTGGTTTCTGCTGGTACCACGCCAG -3'
- **O1K5** 5'- CAGCCAGCAGCTTGCAAAGCGGGGTCCCGTCCC-GTTTTAGCGGCTCTGGATCCGGCACTGATTTTAC -3'
- **O1K6** 5'- GATAATAGGTCGCAAAGTCTTCAGGTTGCAGGC-TGCTAATGGTCAGGGTAAAATCAGTGCCGGATCC -3'
- **02K1** 5'- CGATATCGTGATGACCCAGAGCCCACTGAGCCT-GCCAGTGACTCCGGGCGAGCC -3'
- **O2K2** 5'- GCCGTTGCTATGCAGCAGGCTTTGGCTGCTTCT-GCAGCTAATGCTCGCAGGCTCGCCCGGAGTCAC -3'
- **O2K3** 5'- CTGCTGCATAGCAACGGCTATAACTATCTGGAT-TGGTACCTTCAAAAACCAGGTCAAAGCCC -3'
- **O2K4** 5'- CGATCCGGGACCCCACTGGCACGGTTGCTGCCC-AGATAAATTAATAGCTGCGGGCTTTGACCTGGTTTTTG -3'
- **O2K5** 5'- AGTGGGGTCCCGGATCGTTTTAGCGGCTCTGGA-TCCGGCACCGATTTTACCCTGAAAATTAGCCGTGTG -3'
- **O2K6** 5'- CCATGCAATAATACACGCCCACGTCTTCAGCTT-CCACACGGCTAATTTTCAGGG -3'
- **O3K1** 5'- GAATGCATACGCTGATATCGTGCTGACCCAGAG-CCCGG -3'
- O3K2 5'- CGCTCTGCAGCTCAGGGTCGCACGTTCGCCCGGAGACAGGCTCAGGGTCGCCGGGCTCTGGGTCAGC -3'
  - O3K3 5'- CCCTGAGCTGCAGAGCGAGCCAGAGCGTGAGCA-GCAGCTATCTGGCGTGGTACCAG -3'

Figure 6: (continued)

- O3K4 5'- GCACGGCTGCTCGCGCCATAAATTAATAGACGC-GGTGCTTGACCTGGTTTCTGCTGGTACCACGCCAGATAG -3'
- O3K5 5'- GCGCGAGCAGCCGTGCAACTGGGGTCCCGGCGC-GTTTTAGCGGCTCTGGATCCGGCACGGATTTTAC -3'
- O3K6 5'- GATAATACACCGCAAAGTCTTCAGGTTCCAGGC-TGCTAATGGTCAGGGTAAAATCCGTGCCGGATC -3'
- **O4K1** 5'- GAATGCATACGCTGATATCGTGATGACCCAGAG-CCCGGATAGCCTGGCG -3'
- O4K2 5'- GCTTCTGCAGTTAATGGTCGCACGTTCGCCCAG-GCTCACCGCCAGGCTATCCGGGC -3'
- **O4K3** 5'- CGACCATTAACTGCAGAAGCAGCCAGAGCGTGC-TGTATAGCAGCAACAACAAAACTATCTGGCGTGGTACCAG -3'
- O4K4 5'- GATGCCCAATAAATTAATAGTTTCGGCGGCTGA-CCTGGTTTCTGCTGGTACCACGCCAGATAG -3'
- **O4K5** 5'- AAACTATTAATTTATTGGGCATCCACCCGTGAA-AGCGGGGTCCCGGATCGTTTTAGCGGCTCTGGATCCGGCAC-3'
- **O4K6** 5'- GATAATACACCGCCACGTCTTCAGCTTGCAGGG-ACGAAATGGTCAGGGTAAAATCAGTGCCGGATCCAGAGCC -3'
- O1L1 5'- GAATGCATACGCTCAGAGCGTGCTGACCCAGCC-GCCTTCAGTGAGTGG -3'
- O1L2 5'- CAATGTTGCTGCTGCTGCCGCTACACGAGATGG-TCACACGCTGACCTGGTGCGCCACTCACTGAAGGCGGC -3'
- O1L3 5'- GGCAGCAGCAACATTGGCAGCAACTATGTG-AGCTGGTACCAGCAGTTGCCCGGGAC -3'
- O1L4 5'- CCGGCACGCCTGAGGGACGCTGGTTGTTATCAT-AAATCAGCAGTTTCGGCGCCCGTCCCGGGCAACTGC -3'
- O1L5 5'- CCCTCAGGCGTGCCGGATCGTTTTAGCGGATCC-AAAGCGGCACCAGCGCGAGCCTTGCG -3'

- Figure 6: (continued)
- o1L6 5'- CCGCTTCGTCTTCGCTTTGCAGGCCCGTAATCG-CAAGGCTCGCGCTGG -3'
- **02L1** 5'- GAATGCATACGCTCAGAGCGCACTGACCCAGCC-AGCTTCAGTGAGCGGC -3'
- **O2L2** 5'- CGCTGCTAGTACCCGTACACGAGATGGTAATGC-TCTGACCTGGTGAGCCGCTCACTGAAGCTGG -3'
- **O2L3** 5'- GTACGGGTACTAGCAGCGATGTGGGCGGCTATA-ACTATGTGAGCTGGTACCAGCAGCATCCCGG -3'
- **O2L4** 5'- CGCCTGAGGGACGGTTGCTCACATCATAAATCA-TCAGTTTCGGCGCCCTTCCCGGGATGCTGCTGGTAC -3'
- **O2L5** 5'- CAACCGTCCCTCAGGCGTGAGCAACCGTTTTAG-CGGATCCAAAAGCGGCAACACCGCGAGCC -3'
- **O2L6** 5'- CCGCTTCGTCTTCCGCTTGCAGGCCGCTAATGG-TCAGGCTCGCGGTGTTGCCG -3'
- **O3L1** 5'- GAATGCATACGCTAGCTATGAACTGACCCAGCC-GCCTTCAGTGAGCG -3'
- **O3L2** 5'- CGCCCAGCGCATCGCCGCTACACGAGATACGCG-CGGTCTGACCTGGTGCAACGCTCACTGAAGGCGGC -3'
- O3L3 5'- GGCGATGCGCTGGGCGATAAATACGCGAGCTGG-TACCAGCAGAAACCCGGGCAGGCGC -3'
- **O3L4** 5'- GCGTTCCGGGATGCCTGAGGGACGGTCAGAATC-ATCATAAATCACCAGAACTGGCGCCTGCCCGGGTTTC -3'
- **O3L5** 5'- CAGGCATCCCGGAACGCTTTAGCGGATCCAACA-GCGGCAACACCGCGACCCTGACCATTAGCGG -3'
- **O3L6** 5'- CCGCTTCGTCTTCCGCCTGAGTGCCGCTAATGG-TCAGGGTC -3'
- O1246H1 5'- GCTCTTCACCCCTGTTACCAAAGCCCAG-GTGCAATTG -3'
- O1AH2 5'- GGCTTTGCAGCTCACTTTCACGCTGCTGCCCGG-TTTTTTCACTTCCGCGCCAGACTGAACCAATTGCACCTGGGC-TTTG -3'

Figure 6: (continued)

- O1AH3 5 ' GAAAGTGAGCTGCAAAGCCTCCGGAGGCACTTT-TAGCAGCTATGCGATTAGCTGGGTGCGCCAAGCCCCTGGGCAG GGTC -3 '
- **O1AH4** 5 ' GCCCTGAAACTTCTGCGCGTAGTTCGCCGTGCC AAAAATCGGAATAATGCCGCCCATCCACTCGAGACCCTGCCC AGGGGC 3 '
- **O1AH5** 5 ' GCGCAGAAGTTTCAGGGCCGGGTGACCATTACC GCGGATGAAAGCACCAGCACCGCGTATATGGAACTGAGCAGCC TGCG -3 '
- Olabh6 5'- GCGCGCAATAATACACGGCCGTATCTTCGCT-ACGCAGGCTGCTCAGTTCC -3'
- **O1BH2** 5 ' GGCTTTGCAGCTCACTTTCACGCTCGCGCCCGG-TTTTTTCACTTCCGCGCCGCCTCTGAACCAATTGCACCTGGGC-TTTG -3'
- **O1BH4** 5 ' GCCCTGAAACTTCTGCGCGTAGTTCGTGCCGCC-GCTATTCGGGTTAATCCAGCCCATCCACTCGAGACCCTGCCCA
- **O1BH5** 5 ' GCGCAGAAGTTTCAGGGCCGGGTGACCATGACC-CGTGATACCAGCATTAGCACCGCGTATATGGAACTGAGCAGCCTGCG -3 '
- **O2H2** 5'- GGTACAGGTCAGGGTCAGGGTTTGGGTCGGTTT-CACCAGGGCCGGCCGCTTTCTTTCAATTGCACCTGGGCTTTG-3'
- **O2H3** 5'- CTGACCCTGACCTGTACCTTTTCCGGATTTAGC-CTGTCCACGTCTGGCGTTGGCGTGGGCTGGATTCGCCAGCCGCCTGGGAAAG -3'
- **O2H4** 5'- GCGTTTTCAGGCTGGTGCTATAATACTTATCAT-CATCCCAATCAATCAGAGCCAGCCACTCGAGGGCTTTCCCAGGCGCTGG -3'

- Figure 6: (continued)
- **O2H5** 5'- GCACCAGCCTGAAAACGCGTCTGACCATTAGCA-AAGATACTTCGAAAAATCAGGTGGTGCTGACTATGACCAACAT GG -3'
- **02H6** 5'- GCGCGCAATAATAGGTGGCCGTATCCACCGGGT-CCATGTTGGTCATAGTCAGC -3'
- O3H1 5'- CGAAGTGCAATTGGTGGAAAGCGGCGGCGCCT-GGTGCAACCGGGCGGCAG -3'
- O3H2 5'- CATAGCTGCTAAAGGTAAATCCGGAGGCCGCGC-AGCTCAGACGCAGGCTGCCGCCCGGTTGCAC -3'.
- **O3H3** 5'- GATTTACCTTTAGCAGCTATGCGATGAGCTGGG-TGCGCCAAGCCCCTGGGAAGGGTCTCGAGTGGGTGAG -3'
- O3H4 5'- GGCCTTTCACGCTATCCGCATAATAGGTGCTGC-CGCCGCTACCGCTAATCGCGCTCACCCACTCGAGACCC -3'
- **O3H5** 5'- CGGATAGCGTGAAAGGCCGTTTTACCATTTCAC-GTGATAATTCGAAAAACACCCTGTATCTGCAAATGAACACACC
- **O3H6** 5'- CACGCGCGCAATAATACACGGCCGTATCTTCCG-CACGCAGGCTGTTCATTTGCAGATACAGG -3'
- **O4H2** 5'- GGTCAGGCTCAGGGTTTCGCTCGGTTTCACCAG-GCCGGACCACTTTCTTGCAATTGCACCTGGGCTTTG -3'
- **04H3** 5'- GAAACCCTGAGCCTGACCTGCACCGTTTCCGGA-'GGCAGCATTAGCAGCTATTATTGGAGCTGGATTCGCCAGCCGC-3'
- **O4H5** 5'- CGGCAGCACCAACTATAATCCGAGCCTGAAAAG-CCGGGTGACCATTAGCGTTGATACTTCGAAAAACCAGTTTAGCCTG -3'
- **O4H6** 5'- GCGCGCAATAATACACGGCCGTATCCGCCGCCG-TCACGCTGCTCAGTTTCAGGCTAAACTGGTTTTTCG -3'

PCT/EP96/03647

- Figure 6: (continued)
- O5H1 5'- GCTCTTCACCCCTGTTACCAAAGCCGAAGTGCA-ATTG -3'
- **O5H2** 5'- CCTTTGCAGCTAATTTTCAGGCTTTCGCCCGGT-TTTTTCACTTCCGCGCCGCTCTGAACCAATTGCACTTCGGCTTTGG -3'
- **O5H4** 5'- CGGAGAATAACGGGTATCGCTATCGCCCGGATA-AATAATGCCCATCCACTCGAGACCCTTCCCAGGCATCTGGCGCAC-3'
- **O5H5** 5'- CGATACCCGTTATTCTCCGAGCTTTCAGGGCCA-GGTGACCATTAGCGCGGATAAAAGCATTAGCACCGCGTATCTTC-3'
- **O5H6** 5'- GCGCGCAATAATACATGGCCGTATCGCTCGCTT-TCAGGCTGCTCCATTGAAGATACGCGGTGCTAATG -3'
- **O6H2** 5'- GAAATCGCACAGGTCAGGCTCAGGGTTTGGCTC-GGTTTCACCAGGCCCGGACCAGACTGTTGCAATTGCACCTGG-GCTTTG -3'
- **O6H3** 5'- GCCTGACCTGTGCGATTTCCGGAGATAGCGTGA-GCAGCAACAGCGCGGCGTGGAACTGGATTCGCCAGTCTCCTGGGCG-3'
- O6H4 5'- CACCGCATAATCGTTATACCATTTGCTACGATA-ATAGGTACGGCCCAGCCACTCGAGGCCACGCCCAGGAGACTG-GCG -3'
- O6H5 5'- GGTATAACGATTATGCGGTGAGCGTGAAAAGCC-GGATTACCATCAACCCGGATACTTCGAAAAACCAGTTTAGCCTGC -3'
- O6H6 5'- GCGCGCAATAATACACGGCCGTATCTTCCGGGG-TCACGCTGTTCAGTTGCAGGCTAAACTGGTTTTTC -3'.
- OCLK15'- GGCTGAAGACGTGGGCGTGTATTATTGCCAGCA-GCATTATACCACCCGCCGACCTTTGGCCAGGGTAC -3'

Figure 6: (continued)

- OCLK2 5 ' GCGGAAAAATAAACACGCTCGGAGCAGCCACCG-TACGTTTAATTTCAACTTTCGTACCCTGGCCAAAGGTC -3 '
- OCLK3 5 ' GAGCGTGTTTATTTTTCCGCCGAGCGATGAACA-ACTGAAAAGCGGCACGGCGAGCGTGGTGTGCCTGCTG -3 '
- OCLK4 5 ' CAGCGCGTTGTCTACTTTCCACTGAACTTTCGC TTCACGCGGATAAAAGTTGTTCAGCAGGCACACCACGC -3 '
- OCLK5 5 ' GAAAGTAGACAACGCGCTGCAAAGCGGCAACAG-CCAGGAAAGCGTGACCGAACAGGATAGCAAAGATAG -3 '
- OCLK6 5 ' GTTTTTCATAATCCGCTTTGCTCAGGGTCAGGG-TGCTGCTCAGAGAATAGGTGCTATCTTTGCTATCCTGTTCG 3 '
- OCLK7 5 ' GCAAAGCGGATTATGAAAAACATAAAGTGTATG CGTGCGAAGTGACCCATCAAGGTCTGAGCAGCCCGGTG 3 '
- OCLK8 5 ' GGCATGCTTATCAGGCCTCGCCACGATTAAAAG-ATTTAGTCACCGGGCTGCTCAGAC -3'
- OCH1 5'- GGCGTCTAGAGGCCAAGGCACCCTGGTGACGGT-TAGCTCAGCGTCGAC -3'
- OCH2 5'- GTGCTTTTGCTGCTCGGAGCCAGCGGAAACACG-CTTGGACCTTTGGTCGACGCTGAGCTAACC -3'
- OCH3 5'- CTCCGAGCAGCAAAAGCACCAGCGGCGCACGG-CTGCCTGGGCTGCCTGGTTAAAGATTATTTCC -3'
- OCH4 5'- CTGGTCAGCGCCCCGCTGTTCCAGCTCACGGTG-ACTGGTTCCGGGAAATAATCTTTAACCAGGCA -3'
- OCH5 5'- AGCGGGGCGCTGACCAGCGGCGTGCATACCTTT-CCGGCGGTGCTGCAAAGCAGCGGCCTG -3'
- OCH6 5'- GTGCCTAAGCTGCTGCTCGGCACGGTCACAACG-CTGCTCAGGCTATACAGGCCGCTGCTTTGCAG -3'
- OCH7 5'- GAGCAGCAGCTTAGGCACTCAGACCTATATTTG-CAACGTGAACCATAAACCGAGCAACACC -3'
- OCH8 5'- GCGCGAATTCGCTTTTCGGTTCCACTTTTTAT-CCACTTTGGTGTTGCTCGGTTTATGG -3'

Figure 7A: sequence of the synthetic Ck gene segment

Q GCGATGAACA CGCTACTTGT 口 Ω ഗ TTTCCGCCGA AAAGGCGGCT Д Д 머 GCACAAATAA CGTGTTTATT Н ہتا > CTGCTCCGAG GACGAGGCTC വ Д Ø Ø CGTACGGTGG GCATGCCACC BsiWI

AACTTTTATC TTGAAAATAG لترا GGACGACTTG CCTGCTGAAC 口 Н CGCACCACAC GCGTGGTGTG C > > ഗ CCGTGCCGCT GGCACGGCGA Ø G TGACTTTTCG ACTGAAAAGC ഗ × П

CGTTTCGCCG GCAAAGCGGC ഗ Ö ACAACGCGCT TGTTGCGCGA Ø Z Ď TGGAAAGTAG ACCTTTCATC × 3 GAAAGTTCAG CTTTCAAGTC × CGCGTGAAGC GCGCACTTCG Ø 团 K Д

GCACCTATTC CGTGGATAAG ഗ AGCAAAGATA TCGTTTCTAT Ω × വ CGAACAGGAT GCTTGTCCTA Oi 口 AAAGCGTGAC TTTCGCACTG > ഗ 臼 AACAGCCAGG TTGTCGGTCC Ö ഗ

വ

AAACATAAAG TTTGTATTTC GGATTATGAA CCTAATACTT О ACTCGTTTCG TGAGCAAAGC × വ TGGGACTGGG ACCCTGACCC Н TCTGAGCAGC AGACTCGTCG ഗ ഗ 口

Figure 7A: sequence of the synthetic Ck gene segment (continued)

| V T K | GGTGACTAAA | CCACTGATTT |
|-------|------------|------------|
| Д     | CC         | GG         |
| ß     | AGC        | TCG        |
| വ     | TGAGCAGCCC | ACTCGTCGGG |
| Н     |            |            |
| Ŋ     | CATCAAGGTC | GTAGTTCCAG |
| Oi    | CAA        | GTI        |
| 田     | CAT        | GTA        |
| ⊱     | ACC        | TGG        |
| EVT   | GTG        | CAC        |
| 田     | CGAAGTGACC | GCTTCACTGG |
| ပ     | ;TG        | :AC        |
| A     | GCGT       | CGC        |
| ×     | GTAT(      | ACATACGCAC |
| >     | TG         | AC         |

S F N R G E A \*
Stul SphI

TCTTTTAATC GTGGCGAGGC CTGATAAGCA TGC AGAAAATTAG CACCGCTCCG GACTATTCGT ACG

Figure 7B: sequence of the synthetic CH1 gene segment

ഗ S Ы A П Д ĮΤΙ  $\gt$ ഗ Д G × Ø

BlpI Sall

AGGCTCGTCG TCCGAGCAGC AAGGCGACCG TTCCGCTGGC GGTTCGCACA CCAAGCGTGT CGAGTCGCAG CTGGTTTCCA GCTCAGCGTC GACCAAAGGT

GGCTGCCTGG TTAAAGATTA CCGACGGACC AATTTCTAAT > C G CGCCGCCGTG CCGACGGGAC GGCTGCCCTG A Ø. AAAAGCACCA GCGGCGCAC ⊱ <u>ი</u> S TTTCGTGGT <del>[ -</del>-1 . . ×

CTGACCAGCG GACTGGTCGC GTCGCCCGC CAGCGGGGCG Ø G ഗ GGTCAGTGGC ACTCGACCTT CCAGTCACCG TGAGCTGGAA Z 3 ഗ  $\gt$ T ^ Д AAAGGGCCTT TTTCCCGGAA F Д لتا

GIGCIGCAAA GCAGCGGCCI GIATAGCCIG CGTCGCCGGA CATATCGGAC G ഗ ഗ CACGACGTTT Ø 口 CTTTCCGGCG GAAAGGCCGC Д CGCACGTATG GCGTGCATAC 工

TTAGGCACTC AGACCTATAT TCTGGATATA Ø AATCCGTGAG G T GAGCAGCAGC CTCGTCGTCG ഗ ഗ ഗ TCGTCGCAAC ACTGGCACGG AGCAGCGTTG TGACCGTGCC ⊱ >

Figure 7B: sequence of the synthetic CH1 gene segment (continued)

 $\succeq$ Z . . . Д  $\times$ 田 AACGTTGCAC TTGCAACGTG Z<sub>.</sub>

E P K S E F Ecori

EcoRI HindIII

AACCGAAAAG CGAATTCTGA TAAGCTT TTGGCTTTTC GCTTAAGACT ATTCGAA




Figure 7C: functional map and sequence of module 24 comprising the synthetic CI gene segment (huCL lambda) (continued)

|     | BbsI       |            |                                             |                       |            |
|-----|------------|------------|---------------------------------------------|-----------------------|------------|
| Н   | GAAGACGAAG | CGGATTATTA | TTGCCAGCAG                                  | CATTATACCA            | CCCCGCCTGT |
| •   | CTTCTGCTTC | GCCTAATAAT | AACGGTCGTC                                  | GTAATATGGT            | GGGCGGACA  |
|     |            | H          | HpaI                                        | MscI                  | DraIII     |
| 51  | GTTTGGCGGC | GGCACGAAGT | GGCACGAAGT TAACCGTTCT                       | TGGCCAGCCG            | AAAGCCGCAC |
|     | CAAACCGCCG | CCGTGCTTCA | CCGTGCTTCA ATTGGCAAGA                       | ACCGGTCGGC            | TTTCGGCGTG |
|     | Dralll     |            |                                             | ·                     |            |
| 101 | CGAGTGTGAC | GCTGTTTCCG | CCGAGCAGCG                                  | AAGAATTGCA            | GGCGAACAAA |
|     | GCTCACACTG | CGACAAAGGC | GGCTCGTCGC                                  | TTCTTAACGT            | CCGCTTGTTT |
| 151 | GCGACCCTGG | TGTGCCTGAT | TAGCGACTTT                                  | TATCCGGGAG            | CCGTGACAGT |
|     | CGCTGGGACC | ACACGGACTA | ATCGCTGAAA                                  | ATAGGCCCTC            | GGCACTGTCA |
| 201 | GGCCTGGAAG | GCAGATAGCA | GCCCCGTCAA                                  | GGCGGGAGTG GAGACCACCA | GAGACCACCA |
|     | CCGGACCTTC | CGTCTATCGT | CGTCTATCGT CGGGGCAGTT CCGCCCTCAC CTCTGGTGTT | CCGCCCTCAC            |            |

Figure 7C: functional map and sequence of module 24 comprising the synthetic CI gene segment (huCL lambda) (continued)

GATAGACTCG CACCCTCCAA ACAAAGCAAC AACAAGTACG CGGCCAGCAG CTATCTGAGC GCCGGTCGTC TTGTTCATGC TGTTTCGTTG GTGGGAGGTT 251

RleAI

GTCCCACAGA AGCTACAGCT GCCAGGTCAC CGGTCCAGTG TCGATGTCGA TCGTCACCTT CAGGGTGTCT CTGACGCCTG AGCAGTGGAA

GACTGCGGAC

301

StuI

GAGGCCTGAT GCATGAGGGG AGCACCGTGG AAAAAACCGT TGCGCCGACT

CTCCGGACTA ACGCGGCTGA TTTTTGGCA

TCGTGGCACC

CGTACTCCCC

SphI

AAGCATGC 401

TTCGTACG

SUBSTITUTE SHEET (RULE 26) 49 / 204

351

Figure 7D: oligonucleotides used for synthesis of module M24 containing CA gene segment

## M24: assembly PCR

M24-A: GAAGACAAGCGGATTATTGCCAGCAGCATTATACCACCCCGCCTGTGTTTGGCGGCG-

**GCACGAAGTTAACCGTTC** 

M24-B: CAATTCTTCGCTGGTGGGGAAACAGCGTCACACTCGGTGCGGCTTTCGGCTGGCCAA-

GAACGGTTAACTTCGTGCCGC

M24-C: CGCCGAGCAGCGAAGAATTGCAGGCGAACAAAGCGACCCTGGTGTGCCTGATTAGCGACT-

TTATCCGGGAGCCGTGACA

M24-D: TGTTTGGAGGGTGTGGTGGTCTCCACTCCCGCCTTGACGGGGCTGCTATCTGCCTTCCAG-

GCCACTGTCACGGCTCCCGG

M24-E: CCACACCCTCCAAACAAAGCAACAACAAGTACGCGGCCAGCAGCTATCTGAGCCTGACGC-

CTGAGCAGTGGAAGTCCCACAGAAGCTACAGCTG

M24-F: GCATGCTTATCAGGCCTCAGTCGGCGCAACGGTTTTTCCACGGTGCTCCCCTCATGCGT-

GACCTGGCAGCTGTAGCTTC

Д Figure 8: sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-VK2 بحا. SapI П Н Д П H Ø П Ø Н H വ Ö ×

TCTTCACCCC AGAAGTGGGG AATGGCAACG TTACCGTTGC TGACCGTGAG ACTGGCACTC GCACTATTGC CGTGATAACG ATGAAACAAA TACTTTGTTT

G S 口 > Q L MfeI Н > 回 Д ×  $\succ$ Ω K ×  $\vdash$ 

 $\gt$ 

GAAAGCGGCG CTTTCGCCGC GCAATTGGTG CGTTAACCAC TTCTACTTCA AAGATGAAGT CGGCTGATGT GCCGACTACA TGTTACCAAA ACAATGGTTT

 $\mathbf{C}$ ഗ П K Ы ഗ G C Д Ø  $\gt$ 

BSPEI

Ø

Ø

CGCGGCCTCC GCGCCGGAGG GTCTGAGCTG CAGACTCGAC GGCAGCCTGC CCGTCGGACG CGTTGGCCCG GCGGCCTGGT GCAACCGGGC

CGCCGGACCA

24 >  $\leq$ ഗ  $\mathbf{\Sigma}$ K × ഗ ഗ ш EH BspEI ш C

G

Д

K

O

BstXI

TGGGTGCGCC AAGCCCCTGG TGCGATGAGC TTAGCAGCTA GGATTTACCT

CCTAAATGGA AATCGTCGAT ACGCTACTCG ACCCACGCGG TTCGGGGACC

SUBSTITUTE SHEET (RULE 26)

Н

G

G

PCT/EP96/03647

Figure 8: sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-Vk2 (continued)  $\vdash$ S C C ഗ G ഗ Н Ø ഗ > 3 口 XhoI C ×

GGCAGCACCT CCGTCGTGGA CGGTAGCGGC GCCATCGCCG GCGCGATTAG CGCGCTAATC CTCACCCACT GAGTGGGTGA CTTCCCAGAG GAAGGGTCTC

NggN വ Z О Pm]I  $\alpha$ ഗ  $\vdash$ H  $\alpha$ U ×  $\gt$ ഗ A  $\succ$ 

 $\succ$ 

TGATAATTCG ACTATTAAGC GGTAAAGTGC CCATTTCACG GGCCGTTTTA CCGGCAAAAT TAGCGTGAAA ATCGCACTTT TAATACGCCT ATTATGCGGA

EagI Ω 口 K 召 П ഗ Z Σ Ö Ц × П 드 Z NspV ×

TTCTATGCCG AAGATACGGC CTGCGTGCGG GACGCACGCC AATGAACAGC TTACTTGTCG TGTATCTGCA ACATAGACGT AAAAACACCC TTTTTGTGGG

Ω  $\mathbf{\Sigma}$ K  $\succ$ [I S G G 3  $\alpha$ BSSHII Ø  $\mathbf{C}$ EagI

GCGATGGATT TGGCTTTTAT GGGCGGCGA TGCGCGCGTT CGTGTATTAT

Д

团

C

Д

Figure 8: sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-VK2 (continued) CGCTACCTAA U ACCGAAAATA K BlpI ഗ CCCCCCCCCT ACGCGCGCAA Ċ Styl GCACATAATA Ö G 3

CGAGTCGCCC ACCGCCAAGA GCTCAGCGGG CACTGCCAAT GTGACGGTTA TCCGTGGGAC AGGCACCCTG TAACCCCGGT ATTGGGGCCA

ECORV Ω ഗ C G G G ഗ C G G G വ G G G G

GTTCCGATAT CAAGGCTATA GGCGGTGGTG CCGCCACCAC CGGTGGTTCT GCCACCAAGA CCTCGCCACC GGAGCGGTGG GGGGGGGTG CCGCCGCCAC

> Д Н വ 口 Д BanII ഗ O  $\vdash$ Σ ECORV >

GGCGAGCCTG CCGCTCGGAC AGTGACTCCG TCACTGAGGC TGAGCCTGCC ACTCGGACGG GTCTCGGGTG CAGAGCCCAC GCACTACTGG CGTGATGACC

Z S 二 П Н ഗ Ö വ ഗ 召 PstI C ഗ S Q

C

CAACGGCTAT GTTGCCGATA TGCTGCATAG ACGACGTATC AGCCAAAGCC TCGGTTTCGG CTGCAGAAGC GACGICITCG CGAGCATTAG GCTCGTAATC

 $\vdash$ 

Д

⊱

田

O

Q

C

 $\succ$ 

G

>


口

BbsI

Figure 8: sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-VK2 (continued) GCAAAATCGC AseI CGTTTTAGCG ACACCTTCGA コ CGCAGCTATT AAATTAGCCG TGTGGAAGCT GCGTCGATAA D S Н 田 O > K Д TTTAATCGGC CACGGTCACC CCAGGGCCTA CCAGTTTCGG GGTCAAAGCC K GGTCCCGGAT Ω വ വ Д Ø Eco0109I > U SexAI × TTTACCCTGA AGTTTTTGGT GIGCCAGIGG AAATGGGACT TCAAAAACCA G Ы ഗ 又 Е Ø O ſτι X CCGTCGTTGG TAACCATGGA GCCGTGGCTA ATTGGTACCT GGCAGCAACC CGGCACCGAT 口 Ω Z KpnI  $\succ$  $\vdash$ ഗ 3 S G Ω BamHI GCTCTGGATC CGAGACCTAG TTAAATAGAC AATTTATCTG ഗ AACTATCTGG TTGATAGACC 口 Н G  $\succ$  $\succ$ ഗ Ase] Z G

CCCGGCGAC GGGCGGCTG CATTATACCA GTAATATGGT TTGCCAGCAG AACGGTCGTC GCGTGTATTA CGCACATAAT GAAGACGTGG CTTCTGCACC

| Figure 8: sequence and restriction map of the synthetic gene encoding the consensus single-chain fragment VH3-Vк2 (continued) | striction I | map of t   | he synth | netic g     | ene encoc | iction map of the synthetic gene encoding the cor | nsensus sin<br>D                  | ıs single-chair<br>ற ஈ | ı fragm<br>ភ | ent VH3-Vk2 (<br>F | continued) |
|-------------------------------------------------------------------------------------------------------------------------------|-------------|------------|----------|-------------|-----------|---------------------------------------------------|-----------------------------------|------------------------|--------------|--------------------|------------|
| الا<br>د<br>د                                                                                                                 | פ           | -1         | 4        | <b>&gt;</b> | 4         | 4                                                 |                                   | 4                      | 1            | 4                  |            |
| MscI                                                                                                                          |             |            |          |             |           |                                                   | Bs                                | BsiWI                  | ECORI        | RI                 |            |
| 1 1 1 1 1                                                                                                                     |             |            |          |             |           |                                                   | \<br>\<br>\                       |                        | 1            | 1                  |            |
| CTTTGGCCAG                                                                                                                    | GGT         | GGTACGAAAG | AAAG     | TT          | GAAA      | TTGAAATTAA ACGTACGGAA                             | ACGI                              | ACGG                   | 3AA          | TTC                |            |
|                                                                                                                               | ۵<br>ا      | LUTUL      |          | N           |           | TO A TO THE TOTAL THE A THE TOTAL THE A PAGE      | A し<br>ひ<br>し<br>し<br>し<br>し<br>し | TGC                    | THT.         | AAG                |            |



SUBSTITUTE SHEET (RULE 28)


56 / 204

| EOI          | <b>&gt;</b>           | $\geq$    | >         | ≥         | ≥                        | ≥         | ≥         | >         | >         | ≥             | >         | <b>&gt;</b> | ≥                        |
|--------------|-----------------------|-----------|-----------|-----------|--------------------------|-----------|-----------|-----------|-----------|---------------|-----------|-------------|--------------------------|
| 105          | >                     | >         | >         | >         | >                        | >         | >         | >         | >         | >             | >         | >           | <b>&gt;</b>              |
| 101          |                       |           |           |           |                          |           |           |           | . 🗅       |               |           |             |                          |
| 300 ℓ        | $_{.}\mathbf{\Sigma}$ | 1         | 1         | ı         | ı                        | ı         | 1         | ŧ         | i         | 1             | 1         | ı           | 1                        |
| <b>₫00</b> l | 1                     | . 1       | 1         | t         | i                        | 1         | 1         | ŧ         | 1         | 1             | ŧ         | ı           | ı                        |
| 200 l        | •                     | 1         | ı         | . 1       | ı                        | ı         | t         | ı         | 1         | ı             | ı         | 1           | ı                        |
| 800 L        | A                     | t         | ı         | 1         | ι                        | 1         |           | 1         | 1         | - 1           | ı         | ı           |                          |
| A001         | >                     | i         | 1         | 1         | 1                        | 1         | ι         | 1         | 1         | 1             | ı         | ı           | 1                        |
| 001          | ட                     | >         | I         | I         | $\simeq$                 | >         | ۵         | 1         | S         | $\leq$        | ⋖         |             | Σ                        |
| 66           | 5                     | Z         | ≥         | >         | ⋖                        | Ġ         | 0         | $\propto$ | Z         | S             | ⋖         | >           | ≥                        |
| 86           |                       | Σ         | ш         | _         | $\leq$                   | $\vdash$  | ⋖         | $\vdash$  | $\simeq$  |               | ட         | 0           | ш                        |
| 26           | 9                     | $\prec$   | $\vdash$  | ш         |                          | H         | ш         | _         | Z         | G             | <b>—</b>  | ط           | S                        |
| 96           | 9                     | 9         | $\propto$ | $\simeq$  | ш                        | Z         | Z         | ⋖         | >         | >             | $\leq$    | ⋖           | 0                        |
| <i>56</i>    | $\geq$                | ഥ         | エ         | >         | $\leq$                   | ≥         | -         | <b>—</b>  | ≥         | S             | S         | >           | Σ                        |
| <i>b</i> 6   | $\simeq$              | $\propto$ | $\propto$ | $\propto$ | $\propto$                | $\propto$ | $\propto$ | $\simeq$  | $\propto$ | $\propto$     | $\propto$ | $\propto$   | $\propto$                |
| £6           | <u> </u>              | A         | 4         | 4         | ⋖                        | 4         | 4         | 4         | ⋖         | ⋖             | ⋖         | ⋖           | $\triangleleft$          |
| <i>76</i>    | $\circ$               | S         | S         | Ü         | $\overline{\mathcal{O}}$ | ပ         | ပ         | C         | $\circ$   | $\mathcal{O}$ | ပ         | ပ           | $\overline{\mathcal{O}}$ |
| 4            |                       | 8         |           |           |                          |           |           |           |           |               |           |             |                          |

Figure 10: Sequence analysis of initial libraries

333333333  $\Sigma \Sigma \sqcap \Sigma \Sigma \sqcap \sqcap \Sigma \Sigma \Sigma \Sigma$  $- \times > \sigma - \text{I} + > - \sigma$  $\Sigma \succ R \land Z \land J \lor \Box \sqcap \Box$  $\succ$  O I Q  $\Gamma$  I Z R  $\Pi$   $\sigma$  imes**」SFuZu>ZJYK**  $\top A > \emptyset$   $\otimes A$  A AIXZIXQ>  $\neg$  O S  $\rightarrow$  S  $\rightarrow$  O  $\rightarrow$  S  $\rightarrow$  O  $\rightarrow$  O $\forall$  Z  $\forall$  L  $\cup$  Z  $\times$   $\cup$   $\leq$  $\Sigma \times \vdash \succ * \propto \Sigma \times \circ \succ$ xxxxxxxxxxx444444444 000000000000

Figure 11: Expression analysis of initial library






Figure 12: Increase of specificity during the panning rounds




Figure 13. Phage ELISA of clones after the 3rd round of panning





Figure 14: Competition ELISA



- No Inhibition
- Inhibition withBSA
- ☐ Inhibition with Fluorescein

7001 rrrrrzrrrrzrrrrrrrrr  $0001 \times \times \times \times \times \times \times - \bigcirc \times \times$ 2001 FRIKZO4>XOZFXX40 8001  $\times \Sigma \times \times \times \times + > \Sigma \Sigma \times \times \times + = 1000$  $A001 \sigma \times 1 -$   $\leq$   $o \times$   $o \times$   $o \times$   $o \times$   $o \times$   $o \times$ 001 Z R I R  $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $\overline{A}$   $89 \ge Q \times R - > \Sigma I \Sigma N R \times I - \times R$  $29 \times KKKY \rightarrow TKKKXKXKXKX$ 46 KKKKKKKKKKKKKKKKKKKKKK 

Figure 16: Purification of fluorescein binding scFv fragments




Figure 17: Enrichment factors after three rounds of panning




Figure 18: EUSA of anti-ESL-1 and anti- $\beta$ -estradiol antibodies





Figure 19: Selectivity and cross-reactivity of HuCAL antibodies



|            |             |               |              |           |          |             |                          |                          |              |              |              | • .        |
|------------|-------------|---------------|--------------|-----------|----------|-------------|--------------------------|--------------------------|--------------|--------------|--------------|------------|
| Frequency  | ന           | 8             | 7            | <b>-</b>  | <b>.</b> | <del></del> | <del></del>              |                          | ·            | 2            | 4            | <b>-</b>   |
| 103        | 3           | ≥             | 3            | ≥         | ≥        | ≥           | ≷                        | 3                        | ≥            | 3            | ≥            | 3          |
| Z01        | >           | <b>&gt;</b> - | >            | >         | >        | >           | >                        | >                        | >            | >            | >            | >          |
| 101        |             |               |              | 0         |          |             |                          |                          |              |              |              |            |
| 100E       | ட           | Σ             | ட            | ட         | Σ        | Σ           | í                        | Σ                        | Σ            | Σ            | Σ            | LL_        |
| J001       | 9           | $\checkmark$  | $\propto$    | ட         | I        | Σ           | ŧ                        | $\propto$                | >            | ц_           | ш            | Z          |
| J001       | $\prec$     | $\propto$     | $\checkmark$ | >-        | ≥        | <b>×</b>    | ŧ                        | $\checkmark$             | >-           | $\propto$    | $\checkmark$ | <b>×</b> . |
| 100B       | $\propto$   | 8             | 9            | ш         | S        | ~           | 1                        | >-                       | >            | $\propto$    | 9            | $\simeq$   |
| A001       | -           | Z             | _            |           | ≥        | エ           | ı                        | ட                        | O            | ட            | œ            | Σ          |
| 001        | A           | $\checkmark$  | م            |           | ட        | 8           | مـ                       | ≥                        | S            | $\propto$    | S            | $\propto$  |
| 66         | O           | ட             | ≥            | $\propto$ |          | ط           | ط                        | 工                        | ≥            | Σ            | _            | Σ          |
| 86         | ≥           | ш             | Σ            | ≥         | 9        | u           | A                        | ≶                        | Σ            | O            | ⋖            |            |
| <b>∠</b> 6 | م           | ≥             | ≥            | _         | ≥        |             | $\checkmark$             | <b>⊢</b>                 |              | O            | _            | $\propto$  |
| 96         | $\propto$   | O             | · 02         | S         | ۵.       | 9           | Σ                        | $\checkmark$             | $\checkmark$ | $\checkmark$ | ≥            | Σ          |
| <i>5</i> 6 | <del></del> | z             | $\checkmark$ | >-        | >        | Z           | _                        | $\propto$                | ≥            | Z            | Z            | Z          |
| <b>7</b> 6 | œ           | $\approx$     | $\propto$    | $\propto$ | 8        | 8           | $\propto$                | <u>~</u>                 | $\propto$    | $\propto$    | $\propto$    | <u>~</u>   |
| 83         | A           | ⋖             | V.           | Ø         | Ø        | ⋖           | Ø                        | ⋖                        | A            | A            | A            | A          |
| <i>7</i> 6 | ၁           | $\cup$        | ں            | ن         | ن        | <u>ر</u>    | $\overline{\mathcal{O}}$ | $\overline{\mathcal{O}}$ | ں            | ں            | ں            | ں          |

Figure 21: Sequence analysis of testosterone binders

| Frequency  | 4            | က            | 2                        | <del></del>  |               | <del>-</del>  |
|------------|--------------|--------------|--------------------------|--------------|---------------|---------------|
| 103        | 3            | ≥            | ≥                        | 3            | ≥             | 3             |
| 105        | >            | >-           | <u>&gt;</u>              | >            | >-            | >-            |
| 101        |              |              |                          |              |               |               |
| 100E       | ட            | ட            | ட                        | ட            | ட             | ட             |
| J001       | A            | O            | O                        | Σ            | ≥             | O             |
| J001       | _            | Σ            | Σ                        | -            | $\times$      | Σ             |
| 1008       | $\checkmark$ | $\checkmark$ | $\checkmark$             | $\checkmark$ | ≥             | 0             |
| A001.      | $\propto$    | O            | Z                        | ≥            | _             | <u>~</u>      |
| 001        | $\checkmark$ | ≥            | æ                        | ≥            | ∝.            | S             |
| 66         | Ø            | V            | Ø                        | A            | $\propto$     | Ø             |
| 86         | O            | I            | <b>&gt;</b>              | 9            | _             | $\propto$     |
| <b>∠</b> 6 | $\checkmark$ | ~            | $\checkmark$             | $\propto$    | <u>م</u>      | $\prec$       |
| 96         |              | Z            | >                        | $\prec$      | $\checkmark$  | $\propto$     |
| 96         | >            | >            | >                        | >            | .∝            | >             |
| <b>7</b> 6 | $\simeq$     | œ            | $\simeq$                 | $\alpha$     | K             | $\propto$     |
| 83         | $\forall$    | A            | A                        | A            | A             | A             |
| <i>7</i> 6 | ر            | C            | $\overline{\mathcal{O}}$ | ں            | $\mathcal{O}$ | $\mathcal{O}$ |

εοι 33333333333 105 101 100E 0001 RQ-QQXXKT100Ca  $\mathbb{A}$ J001  $x \in x \times \neg x \times v \leq x$ 100B ->  $\sim$   $\sim$  $T \times A \ge S \ge F + R$ A001 **占 S S G R R V > K F K** 001 66  $0 \times 4 \times 1 \times 1$ 86 QQXQFMQXFK-H*L*6  $\neg Q T Z > \bot X \geqslant > \bot$ 96 96 - 5 2 3 3 4 4 6 6 6 *t*6 4444444444 63 

```
103
      33333
 105
      101
      300 €
      \Sigma \sqcap \Sigma \Sigma \Sigma \sqcap
J001
      > x x Q > 4
         \pi > \alpha \geqslant \pi
J001
      0 \rightarrow >        > 
100B
A001
         N M M A
 001
      A > Z - A d
      \succ  \geq Q \approx  \geq  \times
  66
  86 · m > m > cc m
  Z6
           - <del>и</del> и S б
  96
       Q H H X P D
  96
       \square \wedge \square \wedge \square
       K K K K K K
  t6
       44444
   63
      76
```

BgIII O lox site hpA Xbal lox site ColEI Ext2 origin p15A module -AatIII Jac p/o cat phoA pCAL system Nhel fl ori lox' site BsrGl gIII ss ECOR! Pacl\_ lpp-Terminator-Fsel (His, myc) Hind | tails domains module \_ Figure 25: modular pCAL vector system functions (IL2) lacI effector l long SUBSTITUTE SHEET (RULE 26)

Figure 25a: List of unique restriction sites used in or suitable for HuCAL genes or pCAL vectors

| unique restriction site | Isoschizomers                     |
|-------------------------|-----------------------------------|
| Aatil                   | . /                               |
| AfIII                   | Bfrl, BspTl, Bst981               |
| Ascl                    | /                                 |
| Asel                    | Vspl, Asnl, PshBl                 |
| BamHI                   | Bstl                              |
| Bbel                    | Ehel, Kasl, Narl                  |
| BbsI                    | BpuAl, Bpil                       |
| BgIII                   | /                                 |
| Blpl                    | Bpu1102I,CellI, Blpl              |
| BsaBI                   | Maml, Bsh1365l, BsrBRl            |
| BsiWI                   | Pfl23II, Spl1, Sunl               |
| BspEl                   | AccIII, BseAI, BsiMI, Kpn2I, MroI |
| BsrGI                   | Bsp14071, SspBI                   |
| BssHII                  | Paul                              |
| BstEII -                | BstPl, Eco91l, Eco0651            |
| BstXI                   |                                   |
| Bsu36l                  | Aocl, Cvnl, Eco811                |
| Dralll                  | /                                 |
| DsmAl                   |                                   |
| Eagl                    | BstZl, EclXl, Eco52l, Xmalll      |
| Eco57I                  | /                                 |
| EcoO109I                | Drall                             |
| EcoRI                   |                                   |
| EcoRV                   | Eco32I                            |
| Fsel                    | /                                 |
| HindIII                 |                                   |
| Hpal                    |                                   |
| Kpnl                    | Acc65l, Asp718l                   |
| Miul                    |                                   |
| Mscl                    | Ball, MluNl                       |

Figure 25a: List of unique restriction sites used in or suitable for HuCAL genes or pCAL vectors

| unique restriction site | Isoschizomers                      |
|-------------------------|------------------------------------|
| Munl                    | Mfel                               |
| Nhel                    | 1                                  |
| Nsil                    | Ppu10l, EcoT22l, Mph1103l          |
| NspV                    | Bsp1191, BstBl, Csp451, Lsp1, Sful |
| Pacl                    | 1                                  |
| Pmel                    | /                                  |
| PmII                    | BbrPl, Eco72l, PmaCl               |
| Psp5II                  | PpuMI                              |
| Pstl                    | 1                                  |
| RsrII                   | (Rsril), Cpol, Cspl                |
| SanDI                   | 1                                  |
| Sapl                    | /                                  |
| SexAI                   | . /                                |
| Spel                    | 1                                  |
| Sfil                    | 1                                  |
| Sphl                    | Bbul, Pael,Nspl                    |
| Stul                    | Aatl, Eco147l                      |
| Styl                    | Eco130I, EcoT14I                   |
| Xbal                    | BspLU11II                          |
| Xhol                    | PaeR7I                             |
| Xmal                    | Aval, Smal, Cfr91, PspAl           |

| 10           |
|--------------|
| ă;           |
| =            |
| _            |
| $\mathbf{p}$ |
| 5            |
| =            |
| moqn         |
|              |
| $\equiv$     |
| vector       |
| 7            |
| $\sim$       |
| ~            |
|              |
| _            |
| ~            |
| $\sim$       |
| $\subseteq$  |
| pCAL         |
| of           |
| 0            |
|              |
| ist          |
| .2           |
|              |
|              |
| စ            |
| :26:         |
| qure         |
| =            |
|              |
| =            |
| _            |

| WO 97/08           | 320                  |                                                      |                                                        |                                | PCT/EP96/03647                                                                                                                      |
|--------------------|----------------------|------------------------------------------------------|--------------------------------------------------------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| reference          |                      | Skerra et al. (1991)<br>Bio/Technology 9,<br>273-278 | Hoess et al. (1986)<br>Nucleic Acids Res.<br>2287-2300 | see M2                         | Ge et al., (1994) Expressing antibodies in E. coli. In: Antibody engineering: A practical approach. IRL Press, New York, pp 229-266 |
| template           |                      | vector<br>pASK30                                     | (synthetic)                                            | (synthetic)                    | vector<br>plG10                                                                                                                     |
| sites to be        | ווארו ורמ            | Aatll                                                | lox, BgIII                                             | lox', Sphl                     | none                                                                                                                                |
| sites to be        | ובוווסאכת            | 2x Vspl<br>(Asel)                                    | 2x Vspl<br>(Asel)                                      | none                           | Sphl,<br>BamHI                                                                                                                      |
| functional element |                      | lac<br>promotor/operator                             | Cre/lox<br>recombination site                          | Cre/lox'<br>recombination site | glllp of filamentous<br>phage with N-<br>terminal<br>myctail/amber<br>codon                                                         |
| module/flan-king.  | restriction<br>sites | AatII-lacp/o-<br>Xbal                                | BgIII-lox-<br>Aatli                                    | Xbal-lox'-<br>Sphl             | EcoRI-<br>gIIIlong-<br>HindIII                                                                                                      |
| rigure 2           | )                    | M                                                    | M2                                                     | M3                             | M7-I                                                                                                                                |

Figure 26: list of pCAL vector modules

|                                             | WO 97/08320                                                                   |                                                                          |                               |                      |                              | PCT/E                                     | P96/0364                                  |
|---------------------------------------------|-------------------------------------------------------------------------------|--------------------------------------------------------------------------|-------------------------------|----------------------|------------------------------|-------------------------------------------|-------------------------------------------|
|                                             | see M7-I                                                                      | see M7-I                                                                 | see M3                        | see M1               | see M1                       | see M1                                    | see M1                                    |
|                                             | vector<br>pIG10                                                               | vector<br>plG10                                                          | (synthetic)                   | (synthetic)          | pASK30                       | pASK30                                    | pASK30                                    |
|                                             | ⊕                                                                             |                                                                          | lox                           | Pacl, Fsel           | Pacl, Fsel,<br>BsrGl         | BsrGl, Nhel                               | BsrGl, Nhel                               |
|                                             | Sphl                                                                          | Sphl, Bbsl                                                               | none                          | none                 | Vspl,<br>Eco571,<br>BssSI    | Dralll<br>(Banll not<br>removed)          | DrallI,<br>BanlI                          |
| Capaci                                      | truncated gillp of<br>filamentous phage<br>with N-terminal Gly-<br>Ser linker | truncated gIIIp of filamentous phage with N-terminal myctail/amber codon | Cre/lox<br>recombination site | lpp-terminator       | beta-lactamase/bla<br>(ampR) | origin of single-<br>stranded replication | origin of single-<br>stranded replication |
| וופטור בט. וופר טו פכי וב זיכינטו וווספטיכם | EcoRI-gIIIss-<br>HindIII                                                      | M7-III EcoRI-gIIIss-<br>HindIII                                          | Sphl-lox-                     | HindIII-Ipp-<br>Pacl | Paci/Fsel-bla-<br>BsrGl      | M11- BsrGl-f1 ori-<br>II Nhel             | BsrGI-f1 ori-<br>Nhel                     |
| וואמורב                                     | M7-11                                                                         | M7-III                                                                   | M8                            | M9-II                | M10-                         | M11-                                      | M11-                                      |

WO. 97/08320


Figure 26: list of pCAL vector modules

| WO. 97/0832                                        | 20<br>T                       | · · · · · · · · · · · · · · · · · · ·          |                                                                        | 1                                   | PCT/EP96                                                                |
|----------------------------------------------------|-------------------------------|------------------------------------------------|------------------------------------------------------------------------|-------------------------------------|-------------------------------------------------------------------------|
| Rose, R.E. (1988)<br>Nucleic Acids Res.<br>16, 355 | see M3.                       | Yanisch-Peron, C.<br>(1985) Gene<br>33,103-119 | Cardoso, M. & Schwarz, S. (1992)<br>J. Appl.<br>Bacteriol. 72, 289-293 | see M1                              | Knappik, A &<br>Plückthun, A.<br>(1994)<br>BioTechniques 17,<br>754-761 |
| Nhel, Bglll pACYC184                               | (synthetic)                   | pUC19                                          | pACYC184                                                               | (synthetic)                         | (synthetic)                                                             |
|                                                    | BgIII, lox,<br>Xmnl           | BgIII, Nhel                                    |                                                                        |                                     |                                                                         |
| BssSI, VspI,<br>NspV                               | none                          | Eco571<br>(BssSl not<br>removed)               | BspEl, Mscl,<br>Styl/Ncol                                              | (synthetic)                         | (synthetic)                                                             |
| origin of double-<br>stranded replication          | Cre/lox<br>recombination site | origin of double-<br>stranded replication      | chloramphenicol-<br>acetyltransferase/<br>cat (camR)                   | signal sequence of<br>phosphatase A | signal sequence of<br>phosphatase A +<br>FLAG detection tag             |
| Nhel-p15A-<br>BgIII                                | BgIII-lox-<br>BgIII           | BgIII-ColEI-<br>Nhel                           | Aatll-cat-<br>BgIII                                                    | Xbal-phoA-<br>EcoRI                 | Xbal-phoA-<br>FLAG-EcoRI                                                |
| M12                                                | M13                           | M14-<br>Ext2                                   | M17                                                                    | M19                                 | M20                                                                     |

Figure 26: list of pCAL vector modules


| WO 97/08                                         | 320                                                              |                                                                                               |
|--------------------------------------------------|------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| Lee et al. (1983)<br>Infect. Immunol.<br>264-268 | see M1                                                           | Lindner et al.,<br>(1992) Methods: a<br>companion to<br>methods in<br>enzymology 4, 41-<br>56 |
| (synthetic)                                      | pASK30                                                           | (synthetic)                                                                                   |
|                                                  |                                                                  |                                                                                               |
| able<br>Il signal (synthetic)                    | BstXI,<br>MIuI,BbsI,<br>BanII,<br>BstEII,<br>HpaI, BbeI,<br>VspI | (synthetic)                                                                                   |
| heat-stable<br>enterotoxin II signal             | lac-repressor                                                    | poly-histidine tail                                                                           |
| Xbal-stll-<br>Sapl                               | AfIII-laci-<br>Nhei                                              | EcoRI-Histail-<br>HindIII                                                                     |
| M21                                              | M41                                                              | M42                                                                                           |





80 / 204

Figure 28: functional map and sequence of pMCS cloning vector



Eco57I

Figure 28: functional map and sequence of pMCS cloning vector (continued)

| <del></del> | CAGGTGGCAC<br>GTCCACCGTG | TTTTCGGGGA | TTTTCGGGGA AATGTGCGCG GAACCCCTAT TTGTTTATTT<br>AAAAGCCCCT TTACACGCGC CTTGGGGATA AACAAATAAA | GAACCCCTAT<br>CTTGGGGATA | TTGTTTATTT<br>AACAAATAAA |
|-------------|--------------------------|------------|--------------------------------------------------------------------------------------------|--------------------------|--------------------------|
| 7           | TTCTAAATAC               | ATTCAAATAT | ATTCAAATAT GTATCCGCTC ATGAGACAAT AACCCTGATA                                                | ATGAGACAAT               | AACCCTGATA               |

TTGGGACTAT

TAAGTTTATA CATAGGCGAG TACTCTGTTA

AAGATTTATG

| CAACATTTCC           | GTTGTAAAGG |
|----------------------|------------|
| AAGGAAGAG TATGAGTATT | ATACTCATAA |
| AAAGGAAGAG           | TTTCCTTCTC |
| <b>LAATATTGAA</b>    | ATTATAACTT |
| AATGCTTCAA           | TTACGAAGTT |
| 101                  |            |

TCAACCCACG AGTTGGGTGC BSSSI CGACTTCTAG GCTGAAGATC TCATTTTCTA AGTAAAAGAT GCGACCACTT CGCTGGTGAA GTGGGTCTTT CACCCAGAAA

ATCCTTGAGA TAGGAACTCT CAGCGGTAAG GTCGCCATTC TGGATCTCAA ACCTAGAGTT TACATCGAAC ATGTAGCTTG ACGAGTGGGT TGCTCACCCA ISSS 251

Figure: 28: functional map and sequence of pMCS cloning vector (continued)

## Kmn I

| TAAAGTTCTG               | AGCAACTCGG               | TCACCAGTCA               | ATGCAGTGCT               | TGACAACGAT<br>ACTGTTGCTA | GGGGATCATG               | CATACCAAAC<br>GTATGGTTTG | A CGTTGCGCAA |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------|
| TGAGCACTTT<br>ACTCGTGAAA | GCCGGGCAAG               | GGTTGAGTAC<br>CCAACTCATG | TAAGAGAATT<br>ATTCTCTTAA | AACTTACTTC<br>TTGAATGAAG | GCACAACATG<br>CGTGTTGTAC | TGAATGAAGC<br>ACTTACTTCG | ATGGCAACAA   |
| TTTCCAATGA<br>AAAGGTTACT | CCGTATTGAC<br>GGCATAACTG | AGAATGACTT<br>TCTTACTGAA | GGCATGACAG<br>CCGTACTGTC | CACTGCGGCC               | CCGCTTTTTT<br>GGCGAAAAAA | GAACCGGAGC<br>CTTGGCCTCG | GCCTGTAGCA   |
| CGAAGAACGT<br>GCTTCTTGCA | CGGTATTATC<br>GCCATAATAG | CACTATTCTC<br>GTGATAAGAG | TCTTACGGAT<br>AGAATGCCTA | TGAGTGATAA<br>ACTCACTATT | AAGGAGCTAA<br>TTCCTCGATT | TGATCGTTGG<br>ACTAGCAACC | ACACCACGAT   |
| GTTTTCGCCC<br>CAAAAGCGGG | CTATGTGGCG               | TCGCCGCATA<br>AGCGGCGTAT | CAGAAAAGCA<br>GTCTTTTCGT | GCCATAACCA<br>CGGTATTGGT | CGGAGGACCG<br>GCCTCCTGGC | TAACTCGCCT<br>ATTGAGCGGA | GACGAGCGTG   |
| 301                      | 351                      | 401                      | 451                      | 501                      | 551                      | 601                      | 651          |

Figure 28: functional map and sequence of pMCS cloning vector (continued)

|      | CTGCTCGCAC               | TGTGGTGCTA               | CGGACATCGT               | TACCGTTGTT               | GCAACGCGTT               |  |
|------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--|
|      |                          |                          |                          |                          | AseI                     |  |
| 701  | ACTATTAACT<br>TGATAATTGA | GGCGAACTAC<br>CCGCTTGATG | TTACTCTAGC<br>AATGAGATCG | TTCCCGGCAA<br>AAGGGCCGTT | CAATTAATAG<br>GTTAATTATC |  |
| 751  | ACTGGATGGA<br>TGACCTACCT | GGCGGATAAA<br>CCGCCTATTT | GTTGCAGGAC<br>CAACGTCCTG | CACTTCTGCG<br>GTGAAGACGC | CTCGGCCCTT<br>GAGCCGGGAA |  |
| 801  | CCGGCTGGCT               | GGTTTATTGC<br>CCAAATAACG | ТGАТАААТСТ<br>АСТАТТТАGA | GGAGCCGGTG<br>CCTCGGCCAC | AGCGTGGGTC<br>TCGCACCCAG |  |
| 851  | TCGCGGTATC               | ATTGCAGCAC<br>TAACGTCGTG | TGGGGCCAGA               | TGGTAAGCCC<br>ACCATTCGGG | TCCCGTATCG<br>AGGGCATAGC |  |
| 901  | TAGTTATCTA<br>ATCAATAGAT | CACGACGGGG<br>GTGCTGCCCC | AGTCAGGCAA<br>TCAGTCCGTT | CTATGGATGA<br>GATACCTACT | ACGAAATAGA<br>TGCTTTATCT |  |
| 951  | CAGATCGCTG<br>GTCTAGCGAC | AGATAGGTGC<br>TCTATCCACG | CTCACTGATT<br>GAGTGACTAA | AAGCATTGGT<br>TTCGTAACCA | AACTGTCAGA<br>TTGACAGTCT |  |
| 1001 | CCAAGTTTAC<br>GGTTCAAATG | TCATATATAC<br>AGTATATATG | TTTAGATTGA<br>AAATCTAACT | TTTAAAACTT<br>AAATTTTGAA | CATTTTTAAT<br>GTAAAAATTA |  |

Figure 28: functional map and sequence of pMCS cloning vector (continued)

| $\leftarrow$    | 1051 | TTAAAAGGAT<br>AATTTTCCTA | CTAGGTGAAG<br>GATCCACTTC | ATCCTTTTTG<br>TAGGAAAAAC | ATAATCTCAT<br>TATTAGAGTA               | GACCAAAATC<br>CTGGTTTTAG |
|-----------------|------|--------------------------|--------------------------|--------------------------|----------------------------------------|--------------------------|
| . <del></del> 1 | 1101 | CCTTAACGTG<br>GGAATTGCAC | AGTTTTCGTT<br>TCAAAAGCAA | CCACTGAGCG<br>GGTGACTCGC | TCAGACCCCG                             | TAGAAAAGAT<br>ATCTTTTCTA |
|                 | 1151 | CAAAGGATCT<br>GTTTCCTAGA | TCTTGAGATC<br>AGAACTCTAG | CTTTTTTTCT<br>GAAAAAAAGA | GCGCGTAATC<br>CGCGCATTAG               | TGCTGCTTGC<br>ACGACGAACG |
| UDOTITUTE       | 1201 | AAACAAAAA<br>TTTGTTTTT   | ACCACCGCTA<br>TGGTGGCGAT | CCAGCGGTGG<br>GGTCGCCACC | TTTGTTTGCC<br>AAACAAACGG               | GGATCAAGAG<br>CCTAGTTCTC |
| C-1             | 1251 | CTACCAACTC               | TTTTCCGAA<br>AAAAAGGCTT  | GGTAACTGGC<br>CCATTGACCG | C TTCAGCAGAG<br>G AAGTCGTCTC<br>Eco57I | CGCAGATACC<br>GCGTCTATGG |
| - 0.01          |      | 1                        |                          | }                        | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \  |                          |
| r1              | 1301 | AAATACTGTC<br>TTTATGACAG | CTTCTAGTGT<br>GAAGATCACA | AGCCGTAGTT<br>TCGGCATCAA | AGGCCACCAC<br>TCCGGTGGTG               | TTCAAGAACT<br>AAGTTCTTGA |
| <b>\</b> -1     | 1351 | CTGTAGCACC<br>GACATCGTGG | GCCTACATAC<br>CGGATGTATG | CTCGCTCTGC<br>GAGCGAGACG | TAATCCTGTT<br>ATTAGGACAA               | ACCAGTGGCT<br>TGGTCACCGA |

PCT/EP96/03647 WO 97/08320


| Figure 28: f | unctional map and sequence               | Figure 28: functional map and sequence of pMCS cloning vector (continued) | (continued) |            |
|--------------|------------------------------------------|---------------------------------------------------------------------------|-------------|------------|
| 1401         | GCTGCCAGTG                               | GCGATAAGTC                                                                | GTGTCTTACC  | GGGT"I'GGA |
| <br>         | TUDAAUUU GATAAGAAAA GACHAAHAAA AKOHOOKAA | プログラーの                                                                    | SUPAGADADAD | LUCAAUUU   |

| CAAGACGATA<br>GTTCTGCTAT                       | TCGTGCACAC               | CCTACAGCGT<br>GGATGTCGCA | CGGACAGGTA               | GAGCTTCCAG<br>CTCGAAGGTC          | ٠.               | 45年1年11日11日11日11日11日11日11日11日11日11日11日11日1 |
|------------------------------------------------|--------------------------|--------------------------|--------------------------|-----------------------------------|------------------|--------------------------------------------|
| GTGTCTTACC GGGTTGGACT<br>CACAGAATGG.CCCAACCTGA | AACGGGGGGT               | AACTGAGATA<br>TTGACTCTAT | GGGAGAAAGG<br>CCCTCTTTCC | GCGCACGAGG<br>CGCGTGCTCC<br>BSSSI | ?<br>?<br>?<br>? |                                            |
| GTGTCTTACC GGGTTGGACT<br>CACAGAATGG CCCAACCTGA | GGTCGGGCTG<br>CCAGCCCGAC | ACCTACACCG<br>TGGATGTGGC | GCTTCCCGAA               | GAACAGGAGA<br>CTTGTCCTCT          |                  |                                            |
| GCGATAAGTC<br>CGCTATTCAG                       | AAGGCGCAGC<br>TTCCGCGTCG | GGAGCGAACG<br>CCTCGCTTGC | AAAGCGCCAC<br>TTTCGCGGTG | GGCAGGGTCG<br>CCGTCCCAGC          |                  |                                            |
| GCTGCCAGTG                                     | GTTACCGGAT<br>CAATGGCCTA | AGCCCAGCTT<br>TCGGGTCGAA | GAGCTATGAG               | TCCGGTAAGC                        |                  |                                            |
| 1401                                           | 1451                     | 1501                     | 1551                     | 1601                              |                  | 7 1 7 7                                    |
|                                                |                          |                          | SUBSTIT                  | UTE SHEET (RI                     | ULE 26           | 5)                                         |

CGGATACCTT AAACGCCAGC AACGCGGCCT TTTTACGGTT CCTGGCCTTT TGCTGGCCTT CCACCI'C'I'GA GGTGGAGACT GCCTATGGAA GGGGGGCGGA CCCCCCCCT AGCCCAAAGC TCGGGI"I"ICG ATATCAGGAC GATTTTGTG ATGCTCGTCA TACGAGCAGT TATAGTCCTG CTAAAAACAC GACCATAGAA CTGGTATCTT GAACTCGCAG CTTGAGCGTC GGGGAAACGC CCCCTTTGCG 1751 1651 1701

| ıeq                                                              |
|------------------------------------------------------------------|
| .⊑                                                               |
| no<br>Out                                                        |
| ت                                                                |
| ٥                                                                |
| Š                                                                |
| 5                                                                |
| Ä                                                                |
| ਹ                                                                |
| సై                                                               |
| ĕ                                                                |
| of                                                               |
| d sequence of pMCS cloning                                       |
| UE                                                               |
| şed                                                              |
| ρ                                                                |
|                                                                  |
| na                                                               |
| <u>_</u>                                                         |
| functiona                                                        |
| υς                                                               |
| Ĵ.                                                               |
| e 28: functional map and sequence of pMCS cloning vector (contin |
| 2                                                                |
| igu                                                              |
| <u> </u>                                                         |
|                                                                  |

| GAAA AC                                     |         | CCCC CCCCCTGTA<br>GGGG GGGGGACAT            |       | ccc ccccacerc                                | ECORI | CCCCCCGAA TTCACGT<br>GGGGGGCTT AAGTGCA |
|---------------------------------------------|---------|---------------------------------------------|-------|----------------------------------------------|-------|----------------------------------------|
| GGACCG                                      | PacI    | TT AATTAACCCC<br>AA TTAATTGGGG              | BgllI | AG ATCTCCCCCC<br>TC TAGAGGGGGG               |       |                                        |
| TTGCGCCGGA AAAATGCCAA GGACCGGAAA ACGACCGGAA |         | CCCCCCCTT AATTAACCCC<br>GGGGGGAA TTAATTGGGG | ď     | CCCCCCCAG ATCTCCCCCC<br>GGGGGGGTC TAGAGGGGGG | Sphi  | CGCATGCCCC                             |
| TTGCGCCGGA                                  | HindIII | GTAAGCTTCC<br>CATTCGAAGG                    | NheI  | CCGCTAGCCC                                   | }     | ACCCCCCCCC<br>TGGGGGGGGG               |
| TTTGCGGTCG                                  |         | TTGCTCACAT                                  | BsrGI | CACCCCCCCC                                   | XbaI  | CCCCCTCTAG                             |
|                                             |         | 1801                                        |       | 1851                                         |       | 1901                                   |



89 / 204

Figure 29: functional map and sequence of pCAL module M1

AatII

CCGAAATGTG GGCTTTACAC TCCGTGGGGT AGGCACCCCA GAGTGAGTAA CTCACTCATT ACACTCAATC TGTGAGTTAG CTGCAGAATT GACGTCTTAA

GATAACAATT CTATTGTTAA ATTGTGAGCG TAACACTCGC GTTGTGTGGA CAACACACCT CGGCTCGTAT GCCGAGCATA TTTATGCTTC AAATACGAAG 51

XbaI

~ ~ ~ ~ ~ ~ ~ ~ ~

GA CT CGAATTTCTA GCTTAAAGAT TGGTACTAAT ACCATGATTA AACAGCTATG TTGTCGATAC TCACACAGGA AGTGTGTCCT

SUBSTITUTE SHEET (RULE 26)

1:01




Figure 30: functional map and sequence of pCAL module M7-II (continued)

| ECORI |  |
|-------|--|

CACCACCGAG GTGGTGGCTC CTAGACATCC GATCTGTAGG CTCTGAGGAG GAGACTCCTC TCTTCGACTA AGAAGCTGAT CTTAAGCTCG GAATTCGAGC

AATAAGGGGG TTATTCCCCC GGCAAACGCT CCGTTTGCGA TACTTTTCTA ATGAAAAGAT GATTTTGATT CTAAAACTAA TGGTTCCGGT ACCAAGGCCA 51

CGCTAAAGGC GCGATITCCG TACAGTCTGA ATGTCAGACT CTTTTGCGCG AAATGCCGAT GAAAACGCGC TTTACGGCTA GATACTGGCT CTATGACCGA 101

TACCAAAGTA ATGGTTTCAT GCTGCTATCG CGACGATAGC ACTAATGCCA TGATTACGGT GACAGCGATG CTGTCGCTAC TTTGAACTAA AAACTTGATT 51

GGTGATTTTG CCACTAAAAC TGGTGCTACT ACCACGATGA GATTACCATT CTAATGGTAA TCCGGCCTTG AGGCCGGAAC ACCACTGCAA TGGTGACGTT 201

TAATTCACCT ATTAAGTGGA GTGACGGTGA CACTGCCACT GCTCAAGTCG CGAGTTCAGC TTCCCAAATG AAGGGTTTAC CTGGCTCTAA SACCGAGATT 251


## XmnI

AATCGGTTGA TTAGCCAACT AGGGAGGGAG TCCCTCCTC ATATTTACCT TATAAATGGA ATTTCCGTCA TAAAGGCAGT TTAATGAATA AATTACTTAT 301

Figure 30: functional map and sequence of pCAL module M7-11 (continued)

SUBSTITUTE SHEET (RULE 28) 93 / 204





## Figure 31: functional map and sequence of pCAL module M9-II (continued)


## HindIII

| AGATTGTGCG<br>TCTAACACGC                       | FseI |
|------------------------------------------------|------|
|                                                |      |
| TGTGAAGTGA AAAATGGCGC<br>ACACTTCACT TTTTACCGCG | PacI |
| AAGCTTGACC<br>TTCGAACTGG                       |      |
| 222222222<br>9999999999                        |      |
| $\leftarrow$                                   |      |

| GCCGGCCTGG                              | CGGCCGGACC                    |
|-----------------------------------------|-------------------------------|
| 555555555555555555555555555555555555555 | ATTAATTIC CCCCCCCCC CGGCCGGAC |
| TTAATTAAAG                              | AATTAATTTC                    |
| TGTCTGCCGT                              | ACAGACGGCA                    |
| ACATTTTTT                               | TGTAAAAAA                     |
| 51                                      |                               |

999 CCC GGGGGGTGT ACAGGGGGGG

BsrGI



SUBSTITUTE SHEET (RULE 26) 96 / 204

TATCACCTGA GAACAAGGTT TGACCTTGTT GTGAGTTGGG ATAGAGCCAG

GATTTTGCCG ATTTCGGCCT ATTGGTTAAA

ATTTATAAGG

TATTCTTTG

351

Figure 32: functional map and sequence of pCAL module M11-III (continued)

NheI

|                    |          | ?<br>?<br>?<br>?         |                          |                          |                                           |                          |
|--------------------|----------|--------------------------|--------------------------|--------------------------|-------------------------------------------|--------------------------|
|                    | <b>⊢</b> | GCTAGCACGC<br>CGATCGTGCG | GCCCTGTAGC               | GGCGCATTAA<br>CCGCGTAATT | )<br>000000000000000000000000000000000000 | TGTGGTGGTT               |
|                    | 57       | ACGCGCAGCG<br>TGCGCGTCGC | TGACCGCTAC<br>ACTGGCGATG | ACTTGCCAGC<br>TGAACGGTCG | GCCCTAGCGC                                | CCGCTCCTTT<br>GGCGAGGAAA |
| ČUDO               | 101      | CGCTTTCTTC<br>GCGAAAGAAG | CCTTCCTTTC<br>GGAAGGAAAG | TCGCCACGTT<br>AGCGGTGCAA | CGCCGGCTTT<br>GCGGCCGAAA                  | CCCCGTCAAG<br>GGGGCAGTTC |
| TITI ITE CI I      | 151      | CTCTAAATCG<br>GAGATTTAGC | GGGCATCCCT<br>CCCGTAGGGA | TTAGGGTTCC<br>AATCCCAAGG | GATTTAGTGC<br>CTAAATCACG                  | TTTACGGCAC<br>AAATGCCGTG |
| · /   11   m - a - | 201      | CTCGACCCCA               | AAAAACTTGA<br>TTTTGAACT  | TTAGGGTGAT<br>AATCCCACTA | GGTTCTCGTA<br>CCAAGAGCAT                  | GTGGGCCATC               |
| ••                 | 251      | GCCCTGATAG<br>CGGGACTATC | ACGGTTTTTC<br>TGCCAAAAAG | GCCCTTTGAC               | GTTGGAGTCC<br>CAACCTCAGG                  | ACGTTCTTTA<br>TGCAAGAAAT |
|                    | 301      | ATAGTGGACT               | CTTGTTCCAA               | ACTGGAACAA               | CACTCAACCC                                | TATCTCGGTC               |

SUBSTITUTE SHEET (RULE 28) 97 / 204

| (continued)                                            |
|--------------------------------------------------------|
| 111-111                                                |
| <del>,</del>                                           |
| e M11                                                  |
| module                                                 |
| e of pCAL n                                            |
| o                                                      |
| ap and sequence                                        |
| and                                                    |
| map                                                    |
| 32: functional map and sequence of pCAL module M11-III |
| 32:                                                    |
| Figure                                                 |

| TAACCAATTT                                  | AAAATATTAA                                  | T                                                                                                                        |
|---------------------------------------------|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| TAAAGCCGGA                                  | GAATTTTAAC                                  |                                                                                                                          |
| TAAATATTCC CTAAAACGGC TAAAGCCGGA TAACCAATTT | ATTTAACAAA AATTTAACGC GAATTTTAAC AAAATATTAA | ТАВАВТЕТИ ТЕТАВАВТЕСТ СТТАВАВАТЕ ТЕТЕТ                                                                                   |
| TAAAT'AT''I'CC                              | ATTTAACAAA                                  | $\neg \land \land \land \land \land \land \land \land \land \land \land \land \land \land \land \land \land \land \land$ |
| A'l'AAGAAAAC                                | AAATGAGCTG                                  |                                                                                                                          |
|                                             | 401                                         |                                                                                                                          |

BsrGI

CGTTTACAAT GCAAATGTTA 451

TTCATGTACA AAGTACATGT

Figure 33; functional map and sequence of pCAL module M14-Ext2



99 / 204

Fig

| SCAL MODUIE M14-EX12 (C                                                  |       |             |
|--------------------------------------------------------------------------|-------|-------------|
| gure 33: functional map and sequence of pCAL module MI4-EXIZ (Continued) | BglII | ? ? ? ? ? ? |

|              | $\leftarrow$ | AGATCTGACC<br>TCTAGACTGG | AAAATCCCTT<br>TTTTAGGGAA | AACGTGAGTT<br>TTGCACTCAA | TTCGTTCCAC<br>AAGCAAGGTG | TGAGCGTCAG<br>ACTCGCAGTC |
|--------------|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <i>- '</i> . | . 51         | ACCCCGTAGA<br>TGGGGCATCT | AAAGATCAAA<br>TTTCTAGTTT | GGATCTTCTT<br>CCTAGAAGAA | GAGATCCTTT<br>CTCTAGGAAA | TTTTCTGCGC               |
| H            | 101          | GTAATCTGCT<br>CATTAGACGA | GCTTGCAAAC<br>CGAACGTTTG | AAAAAAACCA<br>TTTTTTGGT  | CCGCTACCAG               | CGGTGGTTTG<br>GCCACCAAAC |
| <del></del>  | 151          | TTTGCCGGAT               | CAAGAGCTAC<br>GTTCTCGATG | CAACTCTTTT<br>GTTGAGAAAA | TCCGAAGGTA<br>AGGCTTCCAT | ACTGGCTACA<br>TGACCGATGT |
| 2            | 201          | GCAGAGCGCA<br>CGTCTCGCGT | GATACCAAAT<br>CTATGGTTTA | ACTGTTCTTC<br>TGACAAGAAG | TAGTGTAGCC<br>ATCACATCGG | GTAGTTAGGC<br>CATCAATCCG |
| 2            | 251          | CACCACTTCA<br>GTGGTGAAGT | AGAACTCTGT<br>TCTTGAGACA | AGCACCGCCT<br>TCGTGGCGGA | ACATACCTCG<br>TGTATGGAGC | CTCTGCTAAT<br>GAGACGATTA |
| 3            | 301          | CCTGTTACCA               | GTGGCTGCTG               | CCAGTGGCGA<br>GGTCACCGCT | TAAGTCGTGT<br>ATTCAGCACA | CTTACCGGGT<br>GAATGGCCCA |
| <b>د</b><br> | 351          | TGGACTCAAG               | ACGATAGTTA               | CCGGATAAGG               | CGCAGCGGTC               | GGGCTGAACG               |

|                                                                            | て日でてて                                                         |
|----------------------------------------------------------------------------|---------------------------------------------------------------|
| Figure 33: functional map and sequence of pCAL module M14-Ext2 (continued) | CECCC CCEE RECCCC ERROLL VIII VIII VIII VIII VIII VIII VIII V |

|       | ACCTGAGTTC                        | TGCTATCAAT               | GGCCTATTCC               | GCGTCGCCAG               | CCCGACTTGC                        |
|-------|-----------------------------------|--------------------------|--------------------------|--------------------------|-----------------------------------|
| 401   | GGGGGTTCGT                        | GCACACAGCC               | CAGCTTGGAG<br>GTCGAACCTC | CGAACGACCT<br>GCTTGCTGGA | ACACCGAACT<br>TGTGGCTTGA          |
| 451   | GAGATACCTA<br>CTCTATGGAT          | CAGCGTGAGC<br>GTCGCACTCG | TATGAGAAAG<br>ATACTCTTTC | CGCCACGCTT<br>GCGGTGCGAA | CCCGAAGGGA<br>GGGCTTCCCT          |
| 501   | GAAAGGCGGA<br>CTTTCCGCCT          | CAGGTATCCG<br>GTCCATAGGC | GTAAGCGGCA<br>CATTCGCCGT | GGGTCGGAAC<br>CCCAGCCTTG | AGGAGAGCGC<br>TCCTCTCGCG<br>BSSSI |
| . 551 | ACGAGGGAGC<br>TGCTCCCTCG<br>BssSI | TTCCAGGGGG               | AAACGCCTGG<br>TTTGCGGACC | TATCTTTATA<br>ATAGAAATAT | GTCCTGTCGG<br>CAGGACAGCC          |
| 601   | GTTTCGCCAC                        | CTCTGACTTG<br>GAGACTGAAC | AGCGTCGATT<br>TCGCAGCTAA | TTTGTGATGC<br>AAACACTACG | TCGTCAGGGG<br>AGCAGTCCCC          |
| 651   | GGCGGAGCCT                        | ATGGAAAAAC<br>TACCTTTTTG | GCCAGCAACG<br>CGGTCGTTGC | CGGCCTTTTT<br>GCCGGAAAAA | ACGGTTCCTG<br>TGCCAAGGAC          |

Figure 33: functional map and sequence of pCAL module M14-Ext2 (continued)

NheI

GCCTTTTGCT GGCCTTTTGC TCACATGGCT AGC CGGAAAACG AGTGTACCGA TCG

701




Figure 34: functional map and sequence of pCAL module M17 (continued)

| - | 4 |
|---|---|
|   |   |
| - | 7 |
| 1 | ر |
| π | 3 |
| Ø | 4 |

|            | ?          |                          |                          |                          |                          |
|------------|------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <b>←</b> 1 | GGGACGTCGG | GTGAGGTTCC<br>CACTCCAAGG | AACTTTCACC<br>TTGAAAGTGG | ATAATGAAAT<br>TATTACTTTA | AAGATCACTA<br>TTCTAGTGAT |
| 51         | CCGGGCGTAT | TTTTTGAGTT               | ATCGAGATTT               | TCAGGAGCTA               | AGGAAGCTAA               |
|            | GGCCCGCATA | AAAAACTCAA               | TAGCTCTAAA               | AGTCCTCGAT               | TCCTTCGATT               |
| 101        | AATGGAGAAA | AAAATCACTG               | GATATACCAC               | CGTTGATATA               | TCCCAATGGC               |
|            | TTACCTCTTT | TTTTAGTGAC               | CTATATGGTG               | GCAACTATAT               | AGGGTTACCG               |
| 151        | ATCGTAAAGA | ACATTTTGAG               | GCATTTCAGT               | CAGTTGCTCA               | ATGTACCTAT               |
|            | TAGCATTTCT | TGTAAAACTC               | CGTAAAGTCA               | GTCAACGAGT               | TACATGGATA               |
| 201        | AACCAGACCG | TTCAGCTGGA               | TATTACGGCC               | TTTTTAAAGA               | CCGTAAAGAA               |
|            | TTGGTCTGGC | AAGTCGACCT               | ATAATGCCGG               | AAAAATTTCT               | GGCATTTCTT               |
| 251        | AAATAAGCAC | AAGTTTTTATC              | CGGCCTTTAT               | TCACATTCTT               | GCCCGCCTGA               |
|            | TTTATTCGTG | TTCAAAATAG               | GCCGGAAATA               | AGTGTAAGAA               | CGGGCGGACT               |
| 301        | TGAATGCTCA | CCCGGAGTTC<br>GGGCCTCAAG | CGTATGGCAA<br>GCATACCGTT | TGAAAGACGG<br>ACTTTCTGCC | TGAGCTGGTG<br>ACTCGACCAC |
| 351        | ATATGGGATA | GTGTTCACCC               | TTGTTACACC               | GTTTTCCATG               | AGCAAACTGA               |

| (continued)                         |
|-------------------------------------|
| 17                                  |
| ~                                   |
| I map and sequence of pCAL module N |
| <u></u>                             |
| and sequence (                      |
| ap and                              |
| ure 34: functional n                |
| 34: func                            |
| igure .                             |

| <b>.</b> | TATACCCTAT               | CACAAGTGGG               | AACAATGTGG               | CAAAAGGTAC               | TCGTTTGACT                |
|----------|--------------------------|--------------------------|--------------------------|--------------------------|---------------------------|
| 401      | AACGTTTTCA<br>TTGCAAAAGT | TCGCTCTGGA               | GTGAATACCA<br>CACTTATGGT | CGACGATTTC<br>GCTGCTAAAG | CGGCAGTTTC<br>GCCGTCAAAG  |
| 451      | TACACATATA<br>ATGTGTATAT | TTCGCAAGAT<br>AAGCGTTCTA | GTGGCGTGTT<br>CACCGCACAA | ACGGTGAAAA<br>TGCCACTTTT | CCTGGCCTAT                |
| 501      | TTCCCTAAAG<br>AAGGGATTTC | GGTTTATTGA<br>CCAAATAACT | GAATATGTTT<br>CTTATACAAA | TTCGTCTCAG<br>AAGCAGAGTC | CCAATCCCTG<br>GGTTAGGGGAC |
| 551      | GGTGAGTTTC<br>CCACTCAAAG | ACCAGTTTTG<br>TGGTCAAAAC | ATTTAAACGT<br>TAAATTTGCA | AGCCAATATG<br>TCGGTTATAC | GACAACTTCT<br>CTGTTGAAGA  |
| 601      | TCGCCCCCCGT              | TTTCACTATG<br>AAAGTGATAC | GGCAAATATT<br>CCGTTTATAA | ATACGCAAGG<br>TATGCGTTCC | CGACAAGGTG<br>GCTGTTCCAC  |
| 651      | CTGATGCCGC<br>GACTACGGCG | TGGCGATTCA               | GGTTCATCAT<br>CCAAGTAGTA | GCCGTTTGTG<br>CGGCAAACAC | ATGGCTTCCA<br>TACCGAAGGT  |
| 701      | TGTCGGCAGA               | ATGCTTAATG<br>TACGAATTAC | AATTACAACA<br>TTAATGTTGT | GTACTGCGAT<br>CATGACGCTA | GAGTGGCAGG<br>CTCACCGTCC  |
| 751      | GCGGGGCGTA               | ATTTTTAA                 | GGCAGTTATT               | GGGTGCCCTT               | AAACGCCTGG                |

CCCACGGGAA TTTGCGGACC Figure 34: functional map and sequence of pCAL module M17 (continued)

TAAAAAATT CCGTCAATAA

CGCCCGCAT

TGCTAGATCT BglII 801

ACGATCTAGA

functional ssori **Bsr61** (612) Hind 111 (515) Fsel (599) gill supershort Pac! (579) Gen11-Nick Banli (919) Nhe! (1076) replication start EcoRI (1) 2755 bp pCAL4 Sph1 (2749) BssS1 (1254) Figure 35: functional map and sequence of modular vector pCAL4 Colel Ext2 origin **Kbal** (2739) Hatll (2608) lac p/o Bg111 (1803) cat

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

ECORI

| AATTCGAGCA<br>TTAAGCTCGT |
|--------------------------|
| , ,                      |

| GCTAAAGGCA            | GATTTCCGT  |
|-----------------------|------------|
| ACAGTCTGAC            | TGTCAGACTG |
| AAAACGCGCT ACAGTCTGAC | TTTTGCGCGA |
| AATGCCGATG            | TTACGGCTAC |
| TATGACCGAA            | ATACTGGCTT |
| 101                   |            |

TATTCCCCCG

CGTTTGCGAT

ACTTTTCTAC

TAAAACTAAT

CCAAGGCCAC

| TGGTTTCATT | ACCAAAGTAA        |
|------------|-------------------|
|            | GACGATAGCT ACCAAA |
| GATTACGGTG | A CTAATGCCAC      |
| TGTCGCTACT | ACAGCGATGA        |
| AACTTGATTC | TTGAACTAAG        |
| 151        |                   |
|            |                   |

| GTGATTTTGC                                    | CACTAAAACG                                  |
|-----------------------------------------------|---------------------------------------------|
| P CCGGCCTTGC TAATGGTAAT GGTGCTACTG GTGATTTTGC | GGCCGGAACG ATTACCATTA CCACGATGAC CACTAAAACG |
| TAATGGTAAT                                    | ATTACCATTA                                  |
| CCGGCCTTGC                                    | GGCCGGAACG                                  |
| GGTGACGTTT                                    | CCACTGCAAA                                  |
| 201                                           |                                             |

## XmnI

ATCGGTTGAA TAGCCAACTT CCCTCCCTCA GGGAGGGAGT ATAAATGGAA TATTACCTT AAAGGCAGTT TTTCCGTCAA ATTACTTATT TAATGAATAA 301

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

| 351 | TGTCGCCCTT<br>ACAGCGGGAA | TTGTCTTTGG<br>AACAGAAACC                     | CGCTGGTAAA<br>GCGACCATTT | CCATATGAAT<br>GGTATACTTA | TTTCTATTGA<br>AAAGATAACT |
|-----|--------------------------|----------------------------------------------|--------------------------|--------------------------|--------------------------|
| 401 | TTGTGACAAA<br>AACACTGTTT | ATAAACTTAT<br>TATTTGAATA                     | TCCGTGGTGT<br>AGGCACCACA | CTTTGCGTTT<br>GAAACGCAAA | CTTTTATATG<br>GAAAATATAC |
| 451 | TTGCCACCTT               | TATGTATGTA<br>ATACATACAT                     | TTTTCTACGT<br>AAAAGATGCA | TTGCTAACAT<br>AACGATTGTA | ACTGCGTAAT<br>TGACGCATTA |
| 501 | AAGGAGTCTT<br>TTCCTCAGAA | HindIII<br>~~~~~<br>GATAAGCTTG<br>CTATTCGAAC | ACCTGTGAAG<br>TGGACACTTC | TGAAAAATGG<br>ACTTTTTACC | CGCAGATTGT<br>GCGTCTAACA |
|     |                          |                                              | PacI                     |                          | н<br>se<br>П             |
| 551 | GCGACATTTT<br>CGCTGTAAAA | TTTTGTCTGC<br>AAAACAGACG                     | CGTTTAATTA               | AAGGGGGGG                | 9900990000<br>0099009999 |
|     |                          |                                              |                          |                          |                          |
| 601 | TGGGGGGGGG               | TGTACATGAA<br>ACATGTACTT                     | ATTGTAAACG<br>TAACATTTGC | TTAATATTTT<br>AATTATAAAA | GTTAAAATTC<br>CAATTTTAAG |

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

| FTAAAT CAGCTCATTT TTTAACCAAT AGGCCGAAAT<br>AATTTA GTCGAGTAAA AAATTGGTTA TCCGGCTTTA | ATAAAT CAAAAGAATA GACCGAGATA GGGTTGAGTG<br>FATTTA GTTTTCTTAT CTGGCTCTAT CCCAACTCAC | AACAAG AGTCCACTAT TAAAGAACGT GGACTCCAAC<br>FTGTTC TCAGGTGATA ATTTCTTGCA CCTGAGGTTG | AACCGT CTATCAGGGC GATGGCCCAC TACGAGAACC<br>FTGGCA GATAGTCCCG CTACCGGGTG ATGCTCTTGG | STTTTT TGGGGTCGAG GTGCCGTAAA GCACTAAATC<br>CAAAAA ACCCCAGCTC CACGGCATTT CGTGATTTAG | SanII | AGCCCC CGATTTAGAG CTTGACGGGG AAAGCCGGCG<br>TCGGGG GCTAAATCTC GAACTGCCCC TTTCGGCCGC | SGAAGG GAAGAAAGCG AAAGGAGCGG GCGCTAGGGC |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------|-----------------------------------------|
| TTTGTTAAAT<br>AAACAATTTA                                                           | CCTTATAAAT<br>GGAATATTTA                                                           | TTGGAACAAG<br>AACCTTGTTC                                                           | GAAAAACCGT<br>CTTTTTGGCA                                                           | TCAAGTTTTT<br>AGTTCAAAAA                                                           | BanII | AGGGAGCCCC<br>TCCCTCGGGG                                                           | GAAAGGAAGG<br>CTTTCCTTCC                |
| GCGTTAAATT TTTGT<br>CGCAATTTAA AAACA                                               | CGGCAAAATC CCTTA<br>GCCGTTTTAG GGAAT                                               | TTGTTCCAGT TTGGA<br>AACAAGGTCA AACCI                                               | GTCAAAGGGC GAAAA<br>CAGTTTCCCG CTTTT                                               | ATCACCCTAA TCAAG<br>TAGTGGGATT AGTTC                                               | Щ }   | GGAACCCTAA AGGGA                                                                   | AACGTGGCGA GAAAC<br>TTGCACCGCT CTTTC    |
| 651 GCGT                                                                           | 701 CGGC/                                                                          | 751 TTGT                                                                           | 801 GTCA<br>CAGT                                                                   | 851 ATCA                                                                           |       | 901 GGAA<br>CCTT                                                                   | 951 AACG                                |
| 9                                                                                  |                                                                                    | ·                                                                                  | ~                                                                                  |                                                                                    |       | -                                                                                  |                                         |

| 9292992999                                                                    | AAAGGCCAGC<br>TTTCCGGTCG                   | TTTCCATAGG                   | GTCAGAGGTG<br>CAGTCTCCAC | CCTGGAAGCT<br>GGACCTTCGA  |       | ATACCTGTCC<br>TATGGACAGG | CACGCTGTAG<br>GTGCGACATC |
|-------------------------------------------------------------------------------|--------------------------------------------|------------------------------|--------------------------|---------------------------|-------|--------------------------|--------------------------|
| AACCACCACA C<br>TTGGTGGTGT G                                                  | CATGTGAGCA A                               | TGCTGGCGTT 1<br>ACGACCGCAA A | CGACGCTCAA C             | GGCGTTTCCC                |       | CGCTTACCGG AGCGATGGCC    | TCTCATAGCT (AGAGTATCGA)  |
| CGCGT                                                                         | NheI<br>~~~~~~<br>GCGTGCTAGC<br>CGCACGATCG | AAGGCCGCGT<br>TTCCGGCGCA     | TCACAAAAAT<br>AGTGTTTTTA | AAAGATACCA<br>TTTCTATGGT  |       | CCGACCCTGC<br>GGCTGGGACG | CGTGGCGCTT<br>GCACCGCGAA |
| of modular vector pCAL4 (continued)<br>GTAGCGGTCA CGCTGC<br>CATCGCCAGT GCGACC | GCTACAGGGC<br>CGATGTCCCG                   | GAACCGTAAA<br>CTTGGCATTT     | CTGACGAGCA<br>GACTGCTCGT | ACAGGACTAT<br>TGTCCTGATA  |       | CTCTCCTGTT<br>GAGAGGACAA | CTTCGGGAAG<br>GAAGCCCTTC |
| Figure 35: functional map and sequence 1001 GCTGGCAAGT (CGACCGTTCA)           | TTAATGCGCC<br>AATTACGCGG                   | AAAAGGCCAG<br>TTTTCCGGTC     | CTCCGCCCCC               | GCGAAACCCG<br>CGCTTTGGGGC | BssSI | CCCTCGTGCG               | GCCTTTCTCC<br>CGGAAAGAGG |
| Figure 35: fut                                                                | 1051                                       | 1101                         | 1151                     | 1201                      |       | 1251                     | 1301                     |

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

| 1351 | GTATCTCAGT<br>CATAGAGTCA  | TCGGTGTAGG<br>AGCCACATCC | TCGTTCGCTC<br>AGCAAGCGAG | CAAGCTGGGC<br>GTTCGACCCG | TGTGTGCACG<br>ACACACGTGC |
|------|---------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1401 | AACCCCCCGT<br>TTGGGGGGGCA | TCAGCCCGAC<br>AGTCGGGCTG | CGCTGCGCCT<br>GCGACGCGGA | TATCCGGTAA<br>ATAGGCCATT | CTATCGTCTT<br>GATAGCAGAA |
| 1451 | GAGTCCAACC                | CGGTAAGACA<br>GCCATTCTGT | CGACTTATCG<br>GCTGAATAGC | CCACTGGCAG<br>GGTGACCGTC | CAGCCACTGG               |
| 1501 | TAACAGGATT<br>ATTGTCCTAA  | AGCAGAGCGA<br>TCGTCTCGCT | GGTATGTAGG               | CGGTGCTACA               | GAGTTCTTGA<br>CTCAAGAACT |
| 1551 | AGTGGTGGCC<br>TCACCACCGG  | TAACTACGGC<br>ATTGATGCCG | TACACTAGAA<br>ATGTGATCTT | GAACAGTATT<br>CTTGTCATAA | TGGTATCTGC<br>ACCATAGACG |
| 1601 | GCTCTGCTGT                | AGCCAGTTAC<br>TCGGTCAATG | CTTCGGAAAA<br>GAAGCCTTTT | AGAGTTGGTA<br>TCTCAACCAT | GCTCTTGATC<br>CGAGAACTAG |
| 1651 | CGGCAAACAA                | ACCACCGCTG<br>TGGTGGCGAC | GTAGCGGTGG               | TTTTTTGTT<br>AAAAAAACAA  | TGCAAGCAGC<br>ACGTTCGTCG |
| 1701 | AGATTACGCG                | CAGAAAAAAAAGTUL          | GGATCTCAAG               | AAGATCCTTT<br>TTCTAGGAAA | GATCTTTTCT               |

Figure 35: functional map and sequence of modular vector pCAL4 (continued)

| 1751 | ACGGGGTCTG<br>TGCCCCAGAC                    | ACGĊTCAGTG<br>TGCGAGTCAC | GAACGAAAAC<br>CTTGCTTTTG | TCACGTTAAG<br>AGTGCAATTC | GGATTTTGGT<br>CCTAAAACCA |
|------|---------------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 00   | BGLII<br>~~~~~~<br>CAGATCTAGC<br>GTCTAGATCG | ACCAGGCGTT               | TAAGGGCACC<br>ATTCCCGTGG | AATAACTGCC<br>TTATTGACGG | TTAAAAAAAT<br>AATTTTTTA  |
|      | TACGCCCCGC<br>ATGCGGGGCG                    | CCTGCCACTC<br>GGACGGTGAG | ATCGCAGTAC<br>TAGCGTCATG | TGTTGTAATT<br>ACAACATTAA | CATTAAGCAT<br>GTAATTCGTA |
| _ `  | TCTGCCGACA                                  | TGGAAGCCAT<br>ACCTTCGGTA | CACAAACGGC<br>GTGTTTGCCG | ATGATGAACC<br>TACTACTTGG | TGAATCGCCA<br>ACTTAGCGGT |
| •    | GCGGCATCAG<br>CGCCGTAGTC                    | CACCTTGTCG<br>GTGGAACAGC | CCTTGCGTAT<br>GGAACGCATA | AATATTTGCC<br>TTATAAACGG | CATAGTGAAA<br>GTATCACTTT |
|      | ACGGGGGCGA<br>TGCCCCCGCT                    | AGAAGTTGTC               | CATATTGGCT<br>GTATAACCGA | ACGTTTAAAT<br>TGCAAATTTA | CAAAACTGGT<br>GTTTTGACCA |
| _    | GAAACTCACC<br>CTTTGAGTGG                    | CAGGGATTGG<br>GTCCCTAACC | CTGAGACGAA<br>GACTCTGCTT | AAACATATTC<br>TTTGTATAAG | TCAATAAACC               |

| ATCTTGCGAA<br>TAGAACGCTT                                                                                            | TCCAGAGCGA<br>AGGTCTCGCT | GGGTGAACAC<br>CCCACTTGTG | GAACTCCGGG<br>CTTGAGGCCC | GATAAAACTT<br>CTATTTTGAA | TCCAGCTGAA<br>AGGTCGACTT | CTCAAAATGT<br>GAGTTTTACA | CAGTGATTTT<br>GTCACTAAAA |
|---------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| טט                                                                                                                  |                          |                          |                          | <del></del>              |                          |                          |                          |
| AACACGCCAC<br>TTGTGCGGTG                                                                                            | TGGTATTCAC<br>ACCATAAGTG | GGTGTAACAA<br>CCACATTGTT | TTGCCATACG<br>AACGGTATGC | ATAAAGGCCG<br>TATTTCCGGC | GGCCGTAATA<br>CCGGCATTAT | ACTGAAATGC<br>TGACTTTACG | GTGGTATATC<br>CACCATATAG |
| l (continued)<br>TTTTCACCGT<br>AAAAGTGGCA                                                                           | GAAATCGTCG<br>CTTTAGCAGC | CATGGAAAAC<br>GTACCTTTTG | CCGTCTTTCA<br>GGCAGAAAGT | AAGAATGTGA<br>TTCTTACACT | TCTTTAAAAA<br>AGAAATTTTT | TGAGCAACTG<br>ACTCGTTGAC | TATATCAACG<br>ATATAGTTGC |
| of modular vector pCAL4<br>ATAGGCCAGG<br>TATCCGGTCC                                                                 | GAAACTGCCG               | TCAGTTTGCT<br>AGTCAAACGA | CACCAGCTCA<br>GTGGTCGAGT | TCAGGCGGGC               | TTCTTTACGG<br>AAGAAATGCC | ATAGGTACAT<br>TATCCATGTA | GCCATTGGGA<br>CGGTAACCCT |
| Figure 35: functional map and sequence of modular vector pCAL4 (continued) 2101 CTTTAGGGAA ATAGGCCAGG TTTTCA GAAAGT | TATATGTGTA<br>ATATACACAT | TGAAAACGTT<br>ACTTTTGCAA | TATCCCATAT<br>ATAGGGTATA | TGAGCATTCA<br>ACTCGTAAGT | GTGCTTATTT<br>CACGAATAAA | CGGTCTGGTT               | TCTTTACGAT<br>AGAAATGCTA |
| Figure 35: fu<br>2 1 0 1                                                                                            | 2151                     | 2201                     | 2251                     | 2301                     | 2351                     | 2401                     | 2451                     |
|                                                                                                                     |                          |                          | SUBSTIT                  | UTE SHEET                | (RULE 26)                |                          |                          |

|                                    | AACTC?                                         |
|------------------------------------|------------------------------------------------|
|                                    | AAATCTCGAT                                     |
| 1L4 (continued)                    | TCCATT TTAGCTTCCT TAGCTCCTGA AAATCTCGAT AACTCA |
| and sequence of modular vector pCA | TTAGCTTCCT                                     |
| unctional map and sequen           | <b>ТРТСТССАТТ</b>                              |
| Figure 35: f                       | 7501                                           |

| TTAGCTTCCT TAGCTCCTGA AAATCTCGAT AACTCAAAAA<br>AATCGAAGGA ATCGAGGACT TTTAGAGCTA TTGAGTTTTT | GGTGAAAGTT GGAACCTCAC |
|--------------------------------------------------------------------------------------------|-----------------------|
| TAGCTCCTGA AAAAAAAAAAAAAAAAAAAAAAAAAAAAA                                                   | ATTTCATTAT GG         |
| TTAGCTTCCT AATCGAAGGA                                                                      | TAGTGATCTT            |
| TTTCTCCATT                                                                                 | ATACGCCCGG            |
| 2501                                                                                       | 2551                  |

|                                       | GGCTTTACA                        | CCGAAATGT                                   |
|---------------------------------------|----------------------------------|---------------------------------------------|
|                                       | GCTCACTCAT TAGGCACCCC AGGCTTTACA | TACACTCAAȚ CGAGTGAGTA ATCCGTGGGG TCCGAAATGT |
|                                       | GCTCACTCAT                       | CGAGTGAGTA                                  |
|                                       | ATGTGAGTTA                       | TACACTCAAȚ                                  |
| \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | CCGACGTCTA                       | GGCTGCAGAT                                  |
|                                       | 2601                             |                                             |
|                                       |                                  | SUB                                         |

| 2601 | CCGACGICTA | ATGTGAGTTA<br>TACACTCAAT | ATGTGAGTTA GUICACICAI IAGGCACCCO AGGUIIIACA<br>TACACTCAAT CGAGTGAGTA ATCCGTGGGG TCCGAAATGT | ATCCGTGGGG | TCCGAAATGT |
|------|------------|--------------------------|--------------------------------------------------------------------------------------------|------------|------------|
| 2651 | CTTTATGCTT | CCGGCTCGTA               | CCGGCTCGTA TGTTGTGTGG AATTGTGAGC GGATAACAAT                                                | AATTGTGAGC | GGATAACAAT |

| LE  | •    |            |            |                                             | ?          | 222222222222222222222222222222222222222 |
|-----|------|------------|------------|---------------------------------------------|------------|-----------------------------------------|
| 26) | 2701 | TTCACACAGG | AAACAGCTAT | AAACAGCTAT GACCATGATT ACGAATTTCT AGAGCATGCG | ACGAATTTCT | AGAGCATGCG                              |
|     |      | AAGTGTGTCC | TTTGTCGATA | TITGICGAIA CIGGIACTAA IGCIIAAAGA ICTCGIACGC | TGCTTAAAGA | TCTCGTACGC                              |

Ecori

22222 88888

SUBSTITUTE SHEET (RULE 26)




Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

.. Σ AatII

CCGAAATGTG GGCTTTACAC TCCGTGGGGT AGGCACCCCA CTCACTCATT GAGTGAGTAA ACACTCAATC TGTGAGTTAG CTGCAGAATT GACGTCTTAA

GATAACAATT CTATTGTTAA ATTGTGAGCG TAACACTCGC GTTGTGTGGA CAACACACCT GCCGAGCATA CGGCTCGTAT TTTATGCTTC AAATACGAAG 51

XmnI

XbaI

GTATAATGTA CATATTACAT CTTATTGAAG GAATAACTTC ACCATGTCTA TGGTACAGAT TTGTCGATAC AACAGCTATG TCACACAGGA AGTGTGTCCT


SphI

ACG AGTTATCGCA TCAATAGCGT CGCTATACGA GCGATATGCT

151

SUBSTITUTE SHEET (RULE 26)

101



AatII

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

ന Σ BglII

ACTGCAG TGACGIC TACGAAGTTA ATGCTTCAAT ATGTATGCTA TACATACGAT ACTTCGTATA TGAAGCATAT AGATCTCATA TCTAGAGTAT

SUBSTITUTE SHEET (RULE 26)






Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

## M 7-I (long):

Ecori

| ⊣   | CTTAAGCCAC               | GTGGTGGATC<br>CACCACCTAG | TGCGTGCGCT<br>ACGCACGCGA | GAAACGGTTG<br>CTTTGCCAAC | AAAGTTGTTT<br>TTTCAACAAA |
|-----|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 51  | AGCAAAATCC<br>TCGTTTTÄGG | CATACAGAAA<br>GTATGTCTTT | ATTCATTTAC<br>TAAGTAAATG | TAACGTCTGG               | AAAGACGACA<br>TTTCTGCTGT |
| 101 | AAACTTTAGA<br>TTTGAAATCT | TCGTTACGCT<br>AGCAATGCGA | AACTATGAGG<br>TTGATACTCC | GCTGTCTGTG<br>CGACAGACAC | GAATGCTACA<br>CTTACGATGT |
| 151 | GGCGTTGTAG               | TTTGTACTGG               | TGACGAAACT<br>ACTGCTTTGA | CAGTGTTACG<br>GTCACAATGC | GTACATGGGT<br>CATGTACCCA |
| 201 | TCCTATTGGG               | CTTGCTATCC<br>GAACGATAGG | CTGAAAATGA<br>GACTTTTACT | GGGTGGTGGC               | TCTGAGGGTG<br>AGACTCCCAC |
| 251 | GCGGTTCTGA<br>CGCCAAGACT | GGGTGGCGGT               | TCTGAGGGTG<br>AGACTCCCAC | GCGGTACTAA               | ACCTCCTGAG<br>TGGAGGACTC |
| 301 | TACGGTGATA               | CACCTATTCC               | GGGCTATACT               | TATATCAACC<br>ATATAGTTGG | CTCTCGACGG               |

SUBSTITUTE SHEET (RULE 26)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| 351 | CACTTATCCG | CCTGGTACTG               | AGCAAAACCC               | CGCTAATCCT               | AATCCTTCTC               |
|-----|------------|--------------------------|--------------------------|--------------------------|--------------------------|
|     | GTGAATAGGC | GGACCATGAC               | TCGTTTTGGG               | GCGATTAGGA               | TTAGGAAGAG               |
| 401 | TTGAGGAGTC | TCAGCCTCTT               | AATACTTTCA               | TGTTTCAGAA               | TAATAGGTTC               |
|     | AACTCCTCAG | AGTCGGAGAA               | TTATGAAAGT               | ACAAAGTCTT               | ATTATCCAAG               |
| 451 | CGAAATAGGC | AGGGGGCATT               | AACTGTTTAT               | ACGGGCACTG               | TTACTCAAGG               |
|     | GCTTTATCCG | TCCCCCGTAA               | TTGACAAATA               | TGCCCGTGAC               | AATGAGTTCC               |
| 501 | CACTGACCCC | GTTAAAACTT<br>CAATTTTGAA | ATTACCAGTA<br>TAATGGTCAT | CACTCCTGTA<br>GTGAGGACAT | TCATCAAAAG<br>AGTAGTTTTC |
| 551 | CCATGTATGA | CGCTTACTGG               | AACGGTAAAT               | TCAGAGACTG               | CGCTTTCCAT               |
|     | GGTACATACT | GCGAATGACC               | TTGCCATTTA               | AGTCTCTGAC               | GCGAAAGGTA               |
| 601 | TCTGGCTTTA | ATGAGGATTT<br>TACTCCTAAA | ATTTGTTTGT<br>TAAACAAACA | GAATATCAAG<br>CTTATAGTTC | GCCÀATCGTC<br>CGGTTAGCAG |
| 651 | TGACCTGCCT | CAACCTCCTG               | TCAATGCTGG<br>AGTTACGACC | CGGCGGCTCT               | GGTGGTGGTT<br>CCACCACCAA |
| 701 | CTGGTGGCGG | CTCTGAGGGT<br>GAGACTCCCA | GGTGGCTCTG<br>CCACCGAGAC | AGGGTGGCGG<br>TCCCACCGCC | TTCTGAGGGT<br>AAGACTCCCA |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| AA GGCCACTAAA | TG ACCGAAAATG<br>AC TGGCTTTTAC | CT TGATTCTGTC<br>GA ACTAAGACAG | TG ACGTTTCCGG<br>AC TGCAAAGGCC | GC TCTAATTCCC<br>CG AGATTAAGGG | XmnI<br>~~~~~~~~~<br>AT GAATAATTTC<br>TA CTTATTAAAG |            |
|---------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|-----------------------------------------------------|------------|
| CCGAGACCAA    | GGGGGCTATG                     | AAGGCAAACT<br>TTCCGTTTGA       | TTCATTGGTG<br>AAGTAACCAC       | TTTTGCTGGC                     | CACCTTTAAT<br>GTGGAAATTA                            | GTTGAATGTC |
| AAGGCCACCA    | ACGCTAATAA<br>TGCGATTATT       | TCTGACGCTA<br>AGACTGCGAT       | TATCGATGGT<br>ATAGCTACCA       | CTACTGGTGA<br>GATGACCACT       | GGTGATAATT                                          | CCCTCAATCG |
| TCCCTCCGCC    | AAGATGGCAA<br>TTCTACCGTT       | CGCGCTACAG<br>GCGCGATGTC       | ACGGTGCTGC                     | GGTAATGGTG<br>CCATTACCAC       | AGTCGGTGAA<br>TCAGCCACTT                            | TACCTTCCAT |
| CCGCCGAGAC    | TGATTATGAA<br>ACTAATACTT       | CCGATGAAAA<br>GGCTACTTTT       | GCTACTGATT<br>CGATGACTAA       | CCTTGCTAAT<br>GGAACGATTA       | AAATGGCTCA<br>TTTACCGAGT                            | CGTCAATATT |
| 127           | 801                            | 851                            | 901                            | 951                            | 1001                                                | 1051       |

| nued)    |  |
|----------|--|
| (conti   |  |
| vectors  |  |
| pCAL     |  |
| iles and |  |
| r modu   |  |
| L vecto  |  |
| al pCAI  |  |
| ddition  |  |
| es.of a  |  |
| sedneno  |  |
| aps and  |  |
| onal m   |  |
| Functi   |  |
| e 35a:   |  |
| Figur    |  |

|   | HindIII                  |                                                |                          |                          |                          |      |
|---|--------------------------|------------------------------------------------|--------------------------|--------------------------|--------------------------|------|
|   | CACCTTTATG<br>GTGGAAATAC | GCGTTTCTTT TATATGTTGC<br>CGCAAAGAAA ATATACAACG | GCGTTTCTTT<br>CGCAAAGAAA | TGGTGTCTTT<br>ACCACAGAAA | ACTTATTCCG<br>TGAATAAGGC | 1151 |
| • | GACAAAATAA<br>CTGTTTTATT | TATTGATTGT<br>ATAACTAACA                       | ATGAATTTTC<br>TACTTAAAAG | GGTAAACCCT<br>CCATTTGGGA | CTTTGGCGCT<br>GAAACCGCGA | 1101 |

1201 TATGTATTTT CTACGTTTGC ATACATAAAA GATGCAAAACG

AGTCTTGATA TCAGAACTAT

CGTAATAAGG GCATTATTCC

TAACATACTG

HindI ----AGCTT

1251 A

SUBSTITUTE SHEET (RULE 26)




Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

## M 7-II (SS-TAG):

ECORI

GTGATTTTGA CACTAAAACT GAAAATGCCG AGACCAAGGC GGCTATGACC TCTGGTTCCG GCCACCACCG CTAATAAGGG CGGTGGTGGC CTCCGCCAAG ATGGCAAACG GAGGCGGTTC GCCCTTAAGC TTATGAAAAG CGGGAATTCG 51

CTTTTACGGC CCGATACTGG GATTATTCCC TACCGTTTGC AATACTTTTC

AAGACAGCGA TTCTGTCGCT GCAAACTTGA CGTTTGAACT GACGCTAAAG CTGCGATTTC GCTACAGTCT CGATGTCAGA ATGAAAACGC TACTTTGCG 101

ATTGGTGACG TAACCACTGC GCTACCAAAG CGATGGTTTC GTGCTGCTAT CACGACGATA TGACTAATGC ACTGATTACG

AAAGGCCGGA

TTTCCGGCCT

AATTCCCAAA TTAAGGGTTT ACGACCGAGA TGCTGGCTCT GACCACTAAA CTGGTGATTT AATGGTGCTA TTACCACGAT TGCTAATGGT ACGATTACCA 201

XmnI

TAATTTCCGT ATTAAAGGCA CTTTAATGAA GAAATTACTT CTATTAAGTG GATAATTCAC CGGTGACGGT GCCACTGCCA TGGCTCAAGT ACCGAGTTCA 251

SUBSTITUTE SHEET (RULE 26)

151

|                             | CTTJ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| for the sectors (continued) | Figure 358; Functionial inlaps and School Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Cont |

| r. 4                                             |                          |
|--------------------------------------------------|--------------------------|
| CTTTTGTCTT<br>GAAAACAGAA                         | AAAATAAACT<br>TTTTATTTGA |
| GAATGTCGCC<br>CTTACAGCGG                         | TGATTGTGAC<br>ACTAACACTG |
| TCAATCGGTT<br>AGTTAGCCAA                         | AATTTTCTAT<br>TTAAAAGATA |
| 0<br>0<br>0<br>0<br>0                            | AAACCATATG<br>TTTGGTATAC |
| 301 CAATATTTAC CTTCCCTC(CTC) GTTATAAATG GAAGGGAG | TGGCGCTGGT<br>ACCGCGACCA |
| a: Functiona<br>301                              | 351                      |

CTTGATAAGC HindIII

GAAATACATA

TACAACGGTG ATGTTGCCAC

TTTCTTTAT

TATTCCGTGG TGTCTTTGCG

AAAGAAAATA

ACAGAAACGC

ATAAGGCACC

401


CTTTATGTAT

451

GAACTATTCG AATAAGGAGT TTATTCCTCA CATACTGCGT GTATGACGCA GCAAACGATT CGTTTGCTAA GTATTTTCTA CATAAAAGAT

TT AA Ηì

501



HindIII

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

.. & X SphI

TAAGCTT ATTCGAA TACGAAGTTA ATGTACGCTA TACATGCGAT ACTTCGTATA TGAAGCATAT GCATGCCATA

SUBSTITUTE SHEET (RULE 26)




Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

## M 10-II:

BsrGI

|              | 1<br>1<br>1<br>1<br>1 | ?          |            |                       |            |
|--------------|-----------------------|------------|------------|-----------------------|------------|
| $\leftarrow$ | GGGGGTGTAC            | ATTCAAATAT | GTATCCGCTC | ATGAGACAAT AACCCTGATA | AACCCTGATA |
|              | CCCCCACATG            | TAAGTTTATA | CATAGGCGAG | TACTCTGTTA TTGGGACTAT | TIGGGACTAT |
|              |                       |            |            |                       |            |

| CCC                   | ₹GG          |    |
|-----------------------|--------------|----|
| ACATT                 | <b>rgraa</b> |    |
| CA                    | GT           |    |
| TATGAGTATT CAACATTTCC | ATACTCATAA   |    |
| A AAAGGAAGAG          | TITCCTICIC A |    |
| AAAG                  | TTTC         |    |
| TAATATTGAA            | ATTATAACTT   |    |
| AATGCTTCAA            | TTACGAAGTT   |    |
| . 51                  |              |    |
|                       |              | SI |

| TGTTTTGCT         | , ACAAAAACGA |
|-------------------|--------------|
| TTTGCCTTCC TGTTTT | AAACGGAAGG P |
| TTTGCGGCAT        | AAACGCCGTA   |
| TATTCCCTTT        | TAAGGGAAA    |
| GTGTCGCCCT        | CACAGCGGGA   |
| 101               |              |
| IDCT:             | 71175        |

| GCTGAGGATC AGTTGGGTGC | G TCAACCCACG              |
|-----------------------|---------------------------|
| GCTGAGGATC            | CGACTCCTAG                |
| <b>AGTAAAAGA</b> 1    | CTT TCATTTTCTA CGACTCCTAG |
| CGCTGGTGAA            | GCGACCACTT                |
| CACCCAGAAA            | GTGGGTCTTT                |
| 151                   |                           |

XmnI

TAAAGTTCTG ATTTCAAGAC TGAGCACTTT ACTCGTGAAA TTTCCAATGA AAAGGTTACT GCTTCTTGCA CGAAGAACGT GTTTTCGCCC CAAAAGCGGG 251

| g                                             |
|-----------------------------------------------|
| a.                                            |
|                                               |
| =                                             |
| _                                             |
| _                                             |
|                                               |
| nodules and pCAL vectors (contir              |
| $\subseteq$                                   |
| Ċ                                             |
| $\sim$                                        |
| . •                                           |
| _                                             |
| ıA                                            |
| Ε.                                            |
| $\overline{}$                                 |
| $\simeq$                                      |
| -                                             |
| 0                                             |
| 9                                             |
| 5                                             |
|                                               |
|                                               |
| _                                             |
| Q.                                            |
| ( )                                           |
| =                                             |
|                                               |
| _                                             |
| 0                                             |
| _                                             |
| =                                             |
| "                                             |
| CAL vector modules and pC                     |
| ō ;                                           |
| <u></u>                                       |
| =                                             |
|                                               |
| $\mathbf{a}$                                  |
| $\overline{}$                                 |
| $\overline{}$                                 |
| ⊏                                             |
| vector mod                                    |
|                                               |
| =                                             |
| 0                                             |
| _                                             |
| U                                             |
| ū                                             |
| =                                             |
| _                                             |
|                                               |
| _                                             |
| •                                             |
| <i>(</i> )                                    |
| $\overline{\mathcal{L}}$                      |
| σ.                                            |
| _                                             |
| =                                             |
| ro.                                           |
| _                                             |
| $\overline{}$                                 |
|                                               |
| :=                                            |
|                                               |
| . —                                           |
| =                                             |
| <u>.</u>                                      |
| ddi                                           |
| addi                                          |
| addi                                          |
| f addi                                        |
| of addi                                       |
| of addi                                       |
| of addi                                       |
| es of addi                                    |
| es of addi                                    |
| ces of addi                                   |
| nces of addi                                  |
| ences of addi                                 |
| ences of addi                                 |
| uences of addi                                |
| quences of addi                               |
| quences of addi                               |
|                                               |
| sequences of addi                             |
| sequences of addi                             |
| d sequences of addi                           |
| nd sequences of addi                          |
| and sequences of addi                         |
| and sequences of addi                         |
| s and sequences of addi                       |
| os and sequences of addi                      |
| ips and sequences of addi                     |
| aps and sequences of addi                     |
| naps and sequences of addi                    |
| maps and sequences of addi                    |
| maps and sequences of addi                    |
| Il maps and sequences of addi                 |
| ial maps and sequences of addi                |
| nal maps and sequences of addi                |
| onal maps and sequences of addi               |
| ional maps and sequences of addi              |
| tional maps and sequences of addi             |
| ctional maps and sequences of addi            |
| nctional maps and sequences of addi           |
| nctional maps and sequences of addi           |
| unctional maps and sequences of addi          |
| functional maps and sequences of addi         |
| Functional maps and sequences of addi         |
| : Functional maps and se                      |
| re 35a; Functional maps and sequences of addi |
| : Functional maps and se                      |
| : Functional maps and se                      |
| : Functional maps and se                      |
| : Functional maps and se                      |
| : Functional maps and se                      |
| : Functional maps and se                      |
| : Functional maps and se                      |

| 301                          | 351                      | 401                      | 451                      | 501                      | . 551                    | 601                      | 651                      |
|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 301 CTATGTGGCG<br>GATACACCGC | TCGCCGCATA<br>AGCGGCGTAT | CAGAAAAGCA<br>GTCTTTTCGT | GCCATAACCA<br>CGGTATTGGT | CGGAGGACCG<br>GCCTCCTGGC | TAACTCGCCT<br>ATTGAGCGGA | GACGAGCGTG<br>CTGCTCGCAC | ACTATTAACT<br>TGATAATTGA |
| CGGTATTATC<br>GCCATAATAG     | CACTATTCTC<br>GTGATAAGAG | TCTTACGGAT<br>AGAATGCCTA | TGAGTGATAA<br>ACTCACTATT | AAGGAGCTAA<br>TTCCTCGATT | TGATCGTTGG               | ACACCACGAT<br>TGTGGTGCTA | GGCGAACTAC               |
| CCGTATTGAC<br>GGCATAACTG     | AGAATGACTT<br>TCTTACTGAA | GGCATGACAG<br>CCGTACTGTC | CACTGCGGCC<br>GTGACGCCGG | CCGCTTTTTT<br>GGCGAAAAAA | GAACCGGAGC               | GCCTGTAGCA               | TTACTCTAGC<br>AATGAGATCG |
| GCCGGGCAAG<br>CGGCCCGTTC     | GGTTGAGTAC<br>CCAACTCATG | TAAGAGAATT<br>ATTCTCTTAA | AACTTACTTC<br>TTGAATGAAG | GCACAACATG               | TGAATGAAGC               | ATGGCAACAA               | TTCCCGGCAA               |
| AGCAACTCGG<br>TCGTTGAGCC     | TCACCAGTCA<br>AGTGGTCAGT | ATGCAGTGCT<br>TACGTCACGA | TGACAACGAT<br>ACTGTTGCTA | GGGGATCATG<br>CCCCTAGTAC | CATACCAAAC<br>GTATGGTTTG | CGTTGCGCAA<br>GCAACGCGTT | CAGTTAATAG               |

SUBSTITUTE SHEET (MULS 28)

| _                                         |   |
|-------------------------------------------|---|
| Ö                                         |   |
| ₹                                         |   |
| Ę.                                        |   |
| Ξ                                         |   |
| =                                         |   |
| 0                                         |   |
| ۷                                         |   |
| - N                                       |   |
| Ξ                                         |   |
| ₽                                         |   |
| ب                                         |   |
| 8                                         |   |
| ٠,                                        |   |
| ₹                                         |   |
| C)                                        |   |
| <u>a</u>                                  |   |
| b                                         |   |
| Ē                                         |   |
| B                                         |   |
| Š                                         |   |
| 프                                         |   |
| ⊋                                         |   |
| 2                                         |   |
| ĭ                                         |   |
| =                                         |   |
| ō                                         |   |
| <u>ب</u>                                  |   |
| S                                         |   |
| >                                         |   |
|                                           |   |
| ⋖                                         |   |
| ŏ                                         |   |
| 4                                         |   |
| Е                                         |   |
| $\equiv$                                  |   |
| .0                                        |   |
| =                                         |   |
| O                                         |   |
| $\mathbf{z}$                              |   |
|                                           |   |
| <del>_</del>                              |   |
| _                                         |   |
| · ·                                       |   |
| Ş                                         |   |
| Ses                                       |   |
| ences                                     |   |
| nences                                    |   |
| anences                                   |   |
| sednences                                 |   |
| d sequences                               |   |
| nd sequences                              |   |
| and sequences                             |   |
| s and sequences                           |   |
| aps and sequences                         |   |
| naps and sequences                        |   |
| maps and sequences                        |   |
| al maps and sequences                     |   |
| inal maps and sequences                   |   |
| ional maps and sequences                  | • |
| ctional maps and sequences                |   |
| nctional maps and sequences               |   |
| unctional maps and sequences              |   |
| Functional maps and sequences             |   |
| a: Functional maps and sequences          |   |
| 5a: Functional maps and sequences         |   |
| 35a: Functional maps and sequences        |   |
| re 35a; Functional maps and sequences     |   |
| ure 35a: Functional maps and sequences    |   |
| ioure 35a: Functional maps and sequences  |   |
| Figure 35a: Functional maps and sequences |   |

Paci

FseI

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| CCCCCCCTT             | GGGGGGGAA             |  |
|-----------------------|-----------------------|--|
| AATGGCCGGC            | TTACCGGCCG            |  |
| CCTTTTTGAT AATGGCCGGC | GGAAAAACTA            |  |
| TTCTTGAGAT            | AAGAACTCTA GGAAAAACTA |  |
| TCAAAGGATC            | AGTTTCCTAG            |  |
| 1101                  |                       |  |

AATTAAGGGG (TTAATTCCCC (

1151

PacI

SUBSTITUTE SHEET (RULE 26)




Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

## M11-II

NheI

| <b>←</b> | GCTAGCACGC               | GCCCTGTAGC                                 | GGCGCATTAA<br>CCGCGTAATT | ၁၁၁၅၁၁၅၁၅၁               | TGTGGTGGTT<br>ACACCACCAA |
|----------|--------------------------|--------------------------------------------|--------------------------|--------------------------|--------------------------|
| 51       | ACGCGCAGCG               | TGACCGCTAC                                 | ACTTGCCAGC<br>TGAACGGTCG | GCCCTAGCGC<br>CGGGATCGCG | CCGCTCCTTT<br>GGCGAGGAAA |
| 101      | CGCTTTCTTC               | CCTTCCTTTC<br>GGAAGGAAAG                   | TCGCCACGTT<br>AGCGGTGCAA | CGCCGGCTTT               | CCCCGTCAAG<br>GGGGCAGTTC |
| 151      | CTCTAAATCG<br>GAGATTTAGC | BanII<br>~~~~~~<br>GGGGCTCCCT<br>CCCGAGGGA | TTAGGGTTCC<br>AATCCCAAGG | GATTTAGTGC<br>CTAAATCACG | TTTACGGCAC<br>AAATGCCGTG |
| 201      | CTCGACCCCA               | AAAAACTTGA<br>TTTTTGAACT                   | TTAGGGTGAT<br>AATCCCACTA | GGTTCTCGTA<br>CCAAGAGCAT | GTGGGCCATC               |
| 251      | GCCCTGATAG<br>CGGGACTATC | ACGGTTTTTC<br>TGCCAAAAAG                   | GCCCTTTGAC<br>CGGGAAACTG | GTTGGAGTCC<br>CAACCTCAGG | ACGTTCTTTA<br>TGCAAGAAAT |


SUBSTITUTE SHEET (RULE 28)

. 136 / 204

| _                        |
|--------------------------|
| þ                        |
| ă                        |
| .⊑                       |
| 겉                        |
| 8                        |
| ت                        |
| Š                        |
| $\Xi$                    |
| ě                        |
| >                        |
| $\forall$                |
| ပ္က                      |
| Ξ                        |
| Ξ                        |
| B                        |
| <u>S</u>                 |
| $\equiv$                 |
| 8                        |
| Ξ                        |
| Ξ                        |
| ector                    |
| ě                        |
|                          |
| ₹                        |
| ပ္ထ                      |
| =                        |
| ditiona                  |
| .0                       |
| ₹                        |
| ŏ                        |
| æ                        |
| 0                        |
| SS                       |
| 2                        |
| قِ                       |
| ಕ                        |
| ĸ                        |
| Б                        |
| au                       |
| 2                        |
| ъ                        |
| Ε                        |
| ional maps and sequences |
| Ë                        |
| :0                       |
| $\overline{c}$           |
| 'n                       |
| ч.                       |
| ä                        |
| 33                       |
| ۳                        |
| Ξ                        |
| :5                       |
| -                        |

| 301 | ATAGTGGACT | CTTGTTCCAA | CTTGTTCCAA ACTGGAACAA CACTCAACCC TATCTCGGTC | CACTCAACCC | CACTCAACCC TATCTCGGTC |
|-----|------------|------------|---------------------------------------------|------------|-----------------------|
|     | TATCACCTGA | GAACAAGGTT | GAACAAGGTT TGACCTTGTT GTGAGTTGGG ATAGAGCCAG | GTGAGTTGGG | GTGAGTTGGG ATAGAGCCAG |
| 351 | TATTCTTTTG | ATTTATAAGG | ATTTATAAGG GATTTTGCCG ATTTCGGCCT ATTGGTTAAA | ATTTCGGCCT | ATTTCGGCCT ATTGGTTAAA |
|     | ATAAGAAAAC | TAAATATTCC | TAAATATTCC CTAAAACGGC TAAAGCCGGA TAACCAATTT | TAAAGCCGGA | TAAAGCCGGA TAACCAATTT |
| 401 | AAATGAGCTG | ATTTAACAAA | ATTTAACAAA AATTTAACGC GAATTTTAAC AAAATATTAA | GAATTTTAAC | AAAATATTAA            |
|     | TTTACTCGAC | TAAATTGTTT | TAAATTGTTT TTAAATTGCG CTTAAAATTG TTTTATAATT | CTTAAAATTG | TTTTATAATT            |
| ·   |            | BsrGI      |                                             |            |                       |
| 451 | CGTTTACAAT | TTCATGTACA |                                             |            |                       |

SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)

Figure 35a; Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 12:

 ${ t BglII}$ 

| · ~ | AGATCTAATA | AGATGATCTT               | CTTGAGATCG               | TTTTGGTCTG               | CGCGTAATCT               |
|-----|------------|--------------------------|--------------------------|--------------------------|--------------------------|
|     | TCTAGATTAT | TCTACTAGAA               | GAACTCTAGC               | AAAACCAGAC               | GCGCATTAGA               |
| 51  | CTTGCTCTGA | AAACGAAAAA               | ACCGCCTTGC               | AGGGCGGTTT               | TTCGTAGGTT               |
|     | GAACGAGACT | TTTGCTTTTT               | TGGCGGAACG               | TCCCGCCAAA               | AAGCATCCAA               |
| 101 | CTCTGAGCTA | CCAACTCTTT               | GAACCGAGGT               | AACTGGCTTG               | GAGGAGCGCA               |
|     | GAGACTCGAT | GGTTGAGAAA               | CTTGGCTCCA               | TTGACCGAAC               | CTCCTCGCGT               |
| 151 | GTCACTAAAA | CTTGTCCTTT               | CAGTTTAGCC               | TTAACCGGCG               | CATGACTTCA               |
|     | CAGTGATTTT | GAACAGGAAA               | GTCAAATCGG               | AATTGGCCGC               | GTACTGAAGT               |
| 201 | AGACTAACTC | CTCTAAATCA               | ATTACCAGTG               | GCTGCTGCCA               | GTGGTGCTTT               |
|     | TCTGATTGAG | GAGATTTAGT               | TAATGGTCAC               | CGACGACGGT               | CACCACGAAA               |
| 251 | TGCATGTCTT | TCCGGGTTGG<br>AGGCCCAACC | ACTCAAGACG<br>TGAGTTCTGC | ATAGTTACCG<br>TATCAATGGC | GATAAGGCGC<br>CTATTCCGCG |
| 301 | AGCGGTCGGA | CTGAACGGGG               | GGTTCGTGCA               | TACAGTCCAG<br>ATGTCAGGTC | CTTGGAGCGA               |

SUBSTITUTE SHEET (RULE 26)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| SAGAC AAACGCGGCC                            | TTTGCGCCGG                                  |
|---------------------------------------------|---------------------------------------------|
| CGGAACTGAG TGTCAGGCGT GGAATGAGAC AAACGCGGCC | GCCTTGACTC ACAGTCCGCA CCTTACTCTG TTTGCGCCGG |
| G TGTCAGGCGT                                | ACTC ACAGTCCGCA CCTTACTCTG                  |
| CGGAACTGAG                                  | GCCTTGACTC                                  |
| ACTGCCTACC                                  | TGACGGATGG                                  |
| 51                                          |                                             |

AgeI

|     |                          | ? ? ? ?                  | ? ?                      |                          |                          |
|-----|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 401 | ATAACAGCGG<br>TATTGTCGCC | AATGACACCG<br>TTACTGTGGC | GTAAACCGAA<br>CATTTGGCTT | AGGCAGGAAC<br>TCCGTCCTTG | AGGAGAGCGC<br>TCCTCTCGCG |
| 451 | AGGAGGGAGC<br>TCCTCCCTCG | CGCCAGGGGG               | AAACGCCTGG<br>TTTGCGGACC | TATCTTTATA<br>ATAGAAATAT | GTCCTGTCGG<br>CAGGACAGCC |
| 501 | GTTTCGCCAC               | CACTGATTTG<br>GTGACTAAAC | AGCGTCAGAT<br>TCGCAGTCTA | TTCGTGATGC<br>AAGCACTACG | TTGTCAGGGG               |
| 551 | GGCGGAGCCT               | ATGGAAAAAC<br>TACCTTTTTG | GGCTTTGCCG<br>CCGAAACGGC | CGGCCCTCTC               | ACTTCCCTGT<br>TGAAGGGACA |
| 601 | TAAGTATCTT<br>ATTCATAGAA | CCTGGCATCT<br>GGACCGTAGA | TCCAGGAAAT               | CTCCGCCCCG               | TTCGTAAGCC               |
| 651 | ATTTCCGCTC<br>TAAAGGCGAG | GCCGCAGTCG<br>CGGCGTCAGC | AACGACCGAG<br>TTGCTGGCTC | CGTAGCGAGT<br>GCATCGCTCA | CAGTGAGCGA<br>GTCACTCGCT |


SUBSTITUTE SMEET (RU'LE 28)

AgeI

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| ~~~~~~<br>ACCGGTGCAG<br>TGGCCACGTC                                   | TCATCAGTGC<br>AGTAGTCACG                     |                              |
|----------------------------------------------------------------------|----------------------------------------------|------------------------------|
| ACCGGT<br>TGGCCA                                                     |                                              |                              |
| ATCACATATT CTGCTGACGC ACCGGTGCAG<br>TAGTGTATAA GACGACTGCG TGGCCACGTC | ACTGACACCC<br>TGACTGTGGG                     |                              |
| TATATCCTGT ATCACATATT<br>ATATAGGACA TAGTGTATAA                       | XmnI<br>~~~~~~~~<br>GAAGCACTTC<br>CTTCGTGAAG | CACTCCG<br>GTGAGGC           |
| TATATCCTGT<br>ATATAGGACA                                             | CCTGCCACAT<br>GGACGGTGTA                     | AGCCAGTATA<br>TCGGTCATAT     |
| GGAÁGCGGAA<br>CCTTCGCCTT                                             | CCTTTTTTCT<br>GGAAAAAAGA                     | 801 CAACATAGTA<br>GTTGTATCAT |
| 701                                                                  | 751                                          | 801                          |
|                                                                      | 01120                                        |                              |

SUBSTITUTE SHEAT (RULE 26)



SUBSTITUTE SHEET (RULE 23)


XmnI

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

Σ

|        |                     |            |                   | •                    |
|--------|---------------------|------------|-------------------|----------------------|
| 1 1 50 | 1111111111111111111 | TTCAGATCT  | K C K E C E C K K | AAGICIAGA            |
| AIIIII | 1111111             | TACGAAGTTA |                   | ATGCTTCAAT AAGICIAGA |
| •      |                     | タサンシータサンナタ |                   | TACATACGAT           |
|        |                     |            | ACIICGIAIA        | TGAAGCATAT           |
| BqlII  | }<br>}<br>}<br>}    |            | AGATCICATA        | TATAGAGATAT          |

SUBSTITUTE SHEET (RULE 26) 143 / 204



SUBSTITUTE SHEET (RULE 26)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)


M 19

SphI

XbaI

CTATTGCACT GATAACGTGA CTTAAG GAATTC ECORI AAACAAAGCA TTTGTTTCGT TACCAAAGCC ATGGTTTCGG TCACCCCTGT AGTGGGGACA AAATAAATG TTTATTTAC CCGTTGCTCT GGCAACGAGA GCGTAGGAGA CGCATCCTCT Sapl CCGTGAGAAT AGATCTCGTA GGCACTCTTA TCTAGAGCAT 51

SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)
146 / 204

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

20 Σ SphI XbaI

CTATTGCACT GATAACGTGA AAACAAAGCA TTTGTTTCGT AAATAAATG TTTATTTAC CGCATCCTCT GCGTAGGAGA TCTAGAGCAT AGATCTCGTA

SapI

TACCAAAGCC ATGGTTTCGG TCACCCCTGT AGTGGGGACA CCGTTGCTCT GGCAACGAGA GGCACTCTTA CCGTGAGAAT

51

GACTACAAAG CTGATGTTTC


ECORI

MunI

ATTGGAATTC ATGAAGTGCA TACTTCACGT

SUBSTITUTE SHEET (RULE 26)

101



SUBSTITUTE SHEET (RULE 26) 148 / 204


Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

21  $\mathbf{z}$ 

AAGAAGAACG TTCTTCTTGC CTTAAG GAATTC ECORI 11111 TTATAGCGTA ACGTATGCGA AATATCGCAT TGCATACGCT 11111 NsiI AACGATGTTT TTGCTACAAA ATACTTTTTC TATGAAAAAG CAAAAAAGAT GAGGTGATTT GTTTTTTTA CTCCACTAAA TCTAGAGGTT AGATCTCCAA ATCTATGTTC 1 1 1 1 1 XbaI 51

SUBSTITUTE SHEET (RULE 26)

TAGATACAAG



SUBSTITUTE SHEET (RULE 26)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

M 41

|              | NheI                     |                          |                          |                          |                          |
|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| $\leftarrow$ | GCTAGCATCG               | AATGGCGCAA<br>TTACCGCGTT | AACCTTTCGC<br>TTGGAAAGCG | GGTATGGCAT<br>CCATACCGTA | GATAGCGCCC               |
| 51           | GGAAGAGAGT<br>CCTTCTCTCA | CAATTCAGGG<br>GTTAAGTCCC | TGGTGAATGT<br>ACCACTTACA | GAAACCAGTA<br>CTTTGGTCAT | ACGTTATACG<br>TGCAATATGC |
| 101          | ATGTCGCAGA<br>TACAGCGTCT | GTATGCCGGT<br>CATACGGCCA | GTCTCTTATC               | AGACCGTTTC<br>TCTGGCAAAG | CCGCGTGGTG               |
| 151          | AACCAGGCCA<br>TTGGTCCGGT | GCCACGTTTC<br>CGGTGCAAAG | TGCGAAAACG<br>ACGCTTTTGC | CGGGAAAAAG<br>GCCCTTTTTC | TGGAAGCGGC<br>ACCTTCGCCG |
| 201          | GATGGCGGAG               | CTGAATTACA<br>GACTTAATGT | TTCCTAACCG<br>AAGGATTGGC | CGTGGCACAA<br>GCACCGTGTT | CAACTGGCGG<br>GTTGACCGCC |
| 251          | GCAAACAGTC<br>CGTTTGTCAG | GTTGCTGATT<br>CAACGACTAA | GGCGTTGCCA<br>CCGCAACGGT | CCTCCAGTCT               | GGCCCTGCAC               |
| 301          | GCGCCGTCGC               | AAATTGTCGC<br>TTTAACAGCG | GGCGATTAAA<br>CCGCTAATTT | TCTCGCGCCG               | ATCAACTGGG<br>TAGTTGACCC |

SUBSTITUTE SHEET (RULE 26)

Figure 35a; Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| ACG AAGCGGCGTC GAAGCCTGTA<br>TGC TTCGCCGCAG CTTCGGACAT | AAC GTGTCAGTGG GCTGATTATT<br>TTG CACAGTCACC CGACTAATAA | ATT GCTGTGGAAG CTGCCTGCAC<br>TAA CGACACCTTC GACGGACGTG | CTC TGACCAGACA CCCATCAACA<br>GAG ACTGGTCTGT GGGTAGTTGT | CGC GACTGGGCGT GGAGCATCTG<br>GCG CTGACCCGCA CCTCGTAGAC | CTG TTAGCTGGCC CATTAAGTTC<br>GAC AATCGACCGG GTAATTCAAG | CTG GCATAAATAT CTCACTCGCA<br>GAC CGTATTTATA GAGTGAGCGT | AAG GCGACTGGAG TGCCATGTCC<br>TTC CGCTGACCTC ACGGTACAGG |
|--------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|
| TGGTAGAACG<br>ACCATCTTGC                               | CTCGCGCAAC<br>GAGCGCGTTG                               | GGATGCTATT<br>CCTACGATAA                               | TTGATGTCTC<br>AACTACAGAG                               | GACGGTACGC                                             | AATCGCGCTG<br>TTAGCGCGAC                               | TGGCTGGCTG<br>ACCGACCGAC                               | GAACGGGAAG                                             |
| GTCGTGTCGA<br>CAGCACAGCT                               | GCACAATCTT<br>CGTGTTAGAA                               | TGGATGACCA<br>ACCTACTGGT                               | GCGTTATTTC                                             | CTCCCATGAG<br>GAGGGTACTC                               | GCCACCAGCA                                             | CGTCTGCGTC<br>GCAGACGCAG                               | GCCGATAGCG<br>CGGCTATCGC                               |
| TGCCAGCGTG<br>ACGGTCGCAC                               | AAGCGGCGGT<br>TTCGCCGCCA                               | AACTATCCGC<br>TTGATAGGCG                               | TAATGTTCCG<br>ATTACAAGGC                               | GTATTATTT<br>CATAATAAAA                                | GTCGCATTGG                                             | TGTCTCGGCG                                             | ATCAAATTCA<br>TAGTTTAAGT                               |
| 351                                                    | 401                                                    | 451                                                    | 501                                                    | 551                                                    | 601                                                    | 651                                                    | 701                                                    |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

|              | 751  | GGTTTTCAAC<br>CCAAAAGTTG | AAACCATGCA<br>TTTGGTACGT | AATGCTGAAT<br>TTACGACTTA | GAGGGCATCG<br>CTCCCGTAGC | TTCCCACTGC<br>AAGGGTGACG |
|--------------|------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
|              | 801  | GATGCTGGTT<br>CTACGACCAA | GCCAACGATC<br>CGGTTGCTAG | AGATGGCGCT<br>TCTACCGCGA | GGGCGCAATG<br>CCCGCGTTAC | CGTGCCATTA<br>GCACGGTAAT |
|              | 851  | CCGAGTCCGG<br>GGCTCAGGCC | GCTGCGCGTT<br>CGACGCGCAA | GGTGCGGACA<br>CCACGCCTGT | TCTCGGTAGT<br>AGAGCCATCA | GGGATACGAC<br>CCCTATGCTG |
| SUBSTITU     | 901  | GATACCGAGG               | ACAGCTCATG<br>TGTCGAGTAC | TTATATCCCG<br>AATATAGGGC | CCGCTGACCA<br>GGCGACTGGT | CCATCAAACA<br>GGTAGTTTGT |
| ITE SHEET (F | 951  | GGATTTTCGC               | CTGCTGGGGC               | AAACCAGCGT<br>TTTGGTCGCA | GGACCGCTTG<br>CCTGGCGAAC | CTGCAACTCT<br>GACGTTGAGA |
| RULE 26)     | 1001 | CTCAGGGCCA               | GGCGGTGAAG               | GGCAATCAGC<br>CCGTTAGTCG | TGTTGCCCGT               | CTCACTGGTG<br>GAGTGACCAC |
|              | 1051 | AAAAGAAAAA<br>TTTTCTTTTT | CCACCCTGGC               | TCCCAATACG               | CAAACCGCCT<br>GTTTGGCGGA | CTCCCGCGC                |
|              | 1101 | GTTGGCCGAT               | TCACTGATGC<br>AGTGACTACG | AGCTGGCACG<br>TCGACCGTGC | ACAGGTTTCC<br>TGTCCAAAGG | CGACTGGAAA<br>GCTGACCTTT |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)


| 1151 | GCGGGCAGTG | AGGCTACCCG | AGGCTACCCG ATAAAAGCGG CTTCCTGACA GGAGGCCGTT | CTTCCTGACA   | GGAGGCCGTT |
|------|------------|------------|---------------------------------------------|--------------|------------|
|      | CGCCCGTCAC | TCCGATGGGC | TATTTTCGCC                                  | C GAAGGACTGT | CCTCCGGCAA |

TTGTTTTGCA

**5 0** GCCCACTTAA CGGGTGAATT

> SUBSTITUTE SHEET (RULE 26) 154 / 204

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)



SUBSTITUTE SHEET (RULE 26) 155 / 204

additional pCAL vector modules and pCAL vectors (continued)

| norial per                                                  |          |
|-------------------------------------------------------------|----------|
| ces or addi                                                 |          |
| ınd sequen                                                  |          |
| nal maps a                                                  |          |
| Figure 35a: Functional maps and sequences of additional pur | pCAL0-1: |
| Figur                                                       |          |

| <del>L</del> | GATCTAGCAC<br>CTAGATCGTG | CAGGCGTTTA<br>GTCCGCAAAT | AGGGCACCAA<br>TCCCGTGGTT | TAACTGCCTT<br>ATTGACGGAA | ААААААТТА<br>ТТТТТТААТ   |
|--------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 51           | 5550555505               | TGCCACTCAT<br>ACGGTGAGTA | CGCAGTACTG<br>GCGTCATGAC | TTGTAATTCA<br>AACATTAAGT | TTAAGCATTC<br>AATTCGTAAG |
| 101          | TGCCGACATG               | GAAGCCATCA<br>CTTCGGTAGT | CAAACGGCAT<br>GTTTGCCGTA | GATGAACCTG               | AATCGCCAGC<br>TTAGCGGTCG |
| 151          | GGCATCAGCA               | CCTTGTCGCC<br>GGAACAGCGG | TTGCGTATAA<br>AACGCATATT | TATTTGCCCA<br>ATAAACGGGT | TAGTGAAAAC<br>ATCACTTTTG |
| 201          | GGGGCGAAG                | AAGTTGTCCA<br>TTCAACAGGT | TATTGGCTAC<br>ATAACCGATG | GTTTAAATCA<br>CAAATTTAGT | AAACTGGTGA<br>TTTGACCACT |
| 251          | AACTCACCCA<br>TTGAGTGGGT | GGGATTGGCT<br>CCCTAACCGA | GAGACGAAAA<br>CTCTGCTTTT | ACATATTCTC<br>TGTATAAGAG | AATAAACCCT<br>TTATTTGGGA |
| 301          | TTAGGGAAAT<br>AATCCCTTTA | AGGCCAGGTT<br>TCCGGTCCAA | TTCACCGTAA<br>AAGTGGCATT | CACGCCACAT               | CTTGCGAATA<br>GAACGCTTAT |

SUBSTITUTE SHEET (RULE 26)

| ਜ਼                          |
|-----------------------------|
| ä                           |
| .⊑                          |
| Ξ                           |
| $\mathcal{E}_{\mathcal{E}}$ |
| Ş                           |
| ō                           |
| ਹ                           |
| ۶                           |
| پ                           |
| ర్ల                         |
| <del></del>                 |
| r modules and               |
| S                           |
| ي                           |
| 킁                           |
| 2                           |
|                             |
| ₫                           |
| ecto                        |
| >                           |
| ¥                           |
| Š                           |
| =                           |
| Ë                           |
| .≘                          |
| ë                           |
| aq                          |
| s of additic                |
| S                           |
| ي                           |
| L.                          |
| 3                           |
| يو                          |
| 6                           |
| Ē                           |
| Š                           |
| ial maps and sequen         |
| Ξ                           |
| E                           |
| 5<br>5                      |
| =                           |
| Ĕ                           |
| 己                           |
| э:                          |
| 35                          |
| نو                          |
| ፭                           |
| <u>.</u> 6                  |
| _                           |
|                             |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

|            | 751   | 751 ACGCCCGGTA<br>TGCGGGCCAT                | GTGATCTTAT<br>CACTAGAATA | TTCATTATGG<br>AAGTAATACC | TGAAAGTTGG<br>ACTTTCAACC  | AACCTCACCC<br>TTGGAGTGGG                      |
|------------|-------|---------------------------------------------|--------------------------|--------------------------|---------------------------|-----------------------------------------------|
|            | 801   | Aatii<br>~~~~~~<br>GACGTCTAAT<br>CTGCAGATTA | GTGAGTTAGC               | ТСАСТСАТТА<br>АGTGAGTAAT | GGCACCCCAG<br>CCGTGGGGGTC | GCTTTACACT<br>CGAAATGTGA                      |
| 2112       | 851   | TTATGCTTCC<br>AATACGAAGG                    | GGCTCGTATG<br>CCGAGCATAC | TTGTGTGGAA               | TTGTGAGCGG<br>AACACTCGCC  | ATAACAATTT<br>TATTGTTAAA                      |
| :TITI :TE  | . *   |                                             |                          |                          | Xbal                      |                                               |
| SHEET (RIE | . 901 | CACACAGGAA<br>GTGTGTCCTT                    | ACAGCTATGA<br>TGTCGATACT | CCATGATTAC<br>GGTACTAATG | GAATTTCTAG<br>CTTAAAGATC  | ACCCCCCCCC                                    |
| F 03)      | 951   | SphI<br>~~~~~<br>CGCATGCCAT<br>GCGTACGGTA   | AACTTCGTAT<br>TTGAAGCATA | AATGTACGCT<br>TTACATGCGA | ATACGAAGTT<br>TATGCTTCAA  | HindIII<br>~~~~~~<br>ATAAGCTTGA<br>TATTCGAACT |
|            | 1001  | CCTGTGAAGT<br>GGACACTTCA                    | GAAAAATGGC<br>CTTTTTACCG | GCAGATTGTG<br>CGTCTAACAC | CGACATTTTT<br>GCTGTAAAAA  | TTTGTCTGCC<br>AAACAGACGG                      |

SUBSTITUTE SHEET (RULE 23) 158 / 204

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| guic 5      | שוייים אוויר ווסיייייי |                                       | -                        | FS & I                                |                          | BsrGI                                 |
|-------------|------------------------|---------------------------------------|--------------------------|---------------------------------------|--------------------------|---------------------------------------|
|             |                        | · · · · · · · · · · · · · · · · · · · |                          | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | ?                        | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
|             | 1051                   | GTTTAATTAA<br>CAAATTAATT              | AGGGGGGGGG<br>TCCCCCCCC  | GGGCCGGCCT                            | GGGGGGGGGT               | GTACATGAAA<br>CATGTACTTT              |
| •           | 1101                   | TTGTAAACGT<br>AACATTTGCA              | TAATATTTTG<br>ATTATAAAAC | TTAAAATTCG<br>AATTTTAAGC              | ССТТАААТТТ<br>ССААТТТААА | TTGTTAAATC<br>AACAATTTAG              |
| SUBS        | 1151                   | AGCTCATTTT<br>TCGAGTAAAA              | TTAACCAATA<br>AATTGGTTAT | GGCCGAAATC<br>CCGGCTTTAG              | GGCAAAATCC<br>CCGTTTTAGG | CTTATAAATC<br>GAATATTTAG              |
| STITUTE SH  | 1201                   | AAAAGAATAG<br>TTTTCTTATC              | ACCGAGATAG<br>TGGCTCTATC | GGTTGAGTGT<br>CCAACTCACA              | TGTTCCAGTT<br>ACAAGGTCAA | TGGAACAAGA<br>ACCTTGTTCT              |
| EET (DULE 2 | 1251                   | GTCCACTATT<br>CAGGTGATAA              | AAAGAACGTG<br>TTTCTTGCAC | GACTCCAACG<br>CTGAGGTTGC              | TCAAAGGGCG<br>AGTTTCCCGC | AAAAACCGTC<br>TTTTTGGCAG              |
| .e)         | 1301                   | TATCAGGGCG                            | ATGGCCCACT<br>TACCGGGTGA | ACGAGAACCA<br>TGCTCTTGGT              | TCACCCTAAT<br>AGTGGGATTA | CAAGTTTTTT<br>GTTCAAAAAA              |
|             | ·                      |                                       |                          |                                       |                          | BanII                                 |
|             | 1351                   | GGGGTCGAGG<br>CCCCAGCTCC              | TGCCGTAAAG<br>ACGGCATTTC | CACTAAATCG<br>GTGATTTAGC              | GAACCCTAAA<br>CTTGGGATTT | GGGAGCCCCC                            |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| AAAGGAAGGG<br>TTTCCTTCCC      | TAGCGGTCAC<br>ATCGCCAGTG | CTACAGGGCG<br>GATGTCCCGC      | GATGAGGGTG<br>CTACTCCCAC                   | AgeI  | CCGGTGCGTC               | CACTGACTCG               | ACGAACGGGG |
|-------------------------------|--------------------------|-------------------------------|--------------------------------------------|-------|--------------------------|--------------------------|------------|
| ACGTGGCGAG AL<br>TGCACCGCTC T | CTGGCAAGTG TAGE CAGE     | TAATGCGCCG C'<br>ATTACGCGGC G | TGTTGGCACT G<br>ACAACCGTGA C               | Α     | AAAGGCTGCA C             | CTTCCTCGCT C             | GAAATGGCTT |
| AAGCCGGCGA                    | CGCTAGGGCG               | CCGCCGCGCT                    | TGGCTTACTA                                 |       | GCAGGAGAAA               | ATATATTCCG<br>TATATAAGGC | GCGGCGAGCG |
| TTGACGGGGA                    | AAGGAGCGGG<br>TTCCTCGCCC | ACCACCACAC<br>TGGTGGTGTG      | GAGTGTATAC<br>CTCACATATG                   | IJ    | GCTTCATGTG               | GTGATACAGG<br>CACTATGTCC | TCGTTCGACT |
| GATTTAGAGC<br>CTAAATCTCG      | AAGAAAGCGA<br>TTCTTTCGCT | GCTGCGCGTA                    | NheI<br>~~~~~~<br>CGTGCTAGCG<br>GCACGATCGC | Xmx   | TCAGTGAAGT<br>AGTCACTTCA | AGCAGAATAT<br>TCGTCTTATA | CTACGCTCGG |
| 1401                          | 1451                     | 1501                          | 1551                                       |       | 1601                     | 1651                     | 1701       |
|                               |                          |                               | SUBSTITUTE SHEET                           | (RULE | 26)                      |                          |            |


| TGCTTGCCCC                                                                                                                                    | GAAGTGAGAG<br>CTTCACTCTC | GACAAGCATC<br>CTGTTCGTAG | AGGACTATAA<br>TCCTGATATT | CTCCTGTTCC<br>GAGGACAAGG |               | CGTTTGTCTC<br>GCAAACAGAG | CCAAGCTGGA<br>GGTTCGACCT | TTATCCGGTA<br>3 AATAGGCCAT |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---------------|--------------------------|--------------------------|----------------------------|
| rlinued)<br>CTTTACCGAA                                                                                                                        | ACTTAACAGG<br>TGAATTGTCC | CCGCCCCCCT<br>GGCGGGGGGA | GAAACCCGAC<br>CTTTGGGCTG | CTCCTGCGCT<br>GAGGACGCGA |               | GTTATGGCCG<br>CAATACCGGC | GCAGTTCGCT<br>CGTCAAGCGA | CCGCTGCGCC                 |
| ules and pCAL vectors (con                                                                                                                    | CCAGGAAGAT<br>GGTCCTTCTA | TCCATAGGCT<br>AGGTATCCGA | CAGTGGTGGC<br>GTCACCACCG | TGGCGGCTCC<br>ACCGCCGAGG |               | TCATTCCGCT<br>AGTAAGGCGA | TTCCGGGTAG               | TTCAGTCCGA                 |
| Jitional pCAL vector modul<br>AGCAAGCTGA                                                                                                      | CTGGAAGATG               | AAGCCGTTTT<br>TTCGGCAAAA | ACGCTCAAAT<br>TGCGAGTTTA | CGTTTCCCCC               | AgeI          | TTTACCGGTG<br>AAATGGCCAC | TGACACTCAG<br>ACTGTGAGTC | GAACCCCCCG                 |
| Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued) GATGCGAGCC AGCAAGCTGA CGCCGCTCGC CTT |                          |                          | ACGAAATCTG<br>TGCTTTAGAC | AGATACCAGG<br>TCTATGGTCC |               | TGCCTTTCGG               | ATTCCACGCC<br>TAAGGTGCGG | CTGTATGCAC<br>GACATACGTG   |
| igure 35a: Functional n                                                                                                                       | 1751                     | 1801                     | 1851                     | UBSTITUTE S              | HEET (<br>204 | (33 THE                  | .2001                    | 2051                       |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| NTCGTCT TGAGTCCAAC CCGGAAAGAC ATGCAAAAGC ACCACTGGCA<br>FAGCAGA ACTCAGGTTG GGCCTTTCTG TACGTTTCG TGGTGACCGT | SCCACTG GTAATTGATT TAGAGGAGTT AGTCTTGAAG TCATGCGCCG | AAGGCTA AACTGAAAGG ACAAGTTTTA GTGACTGCGC TCCTCCAAGC<br>TTCCGAT TTGACTTTCC TGTTCAAAAT CACTGACGCG AGGAGGTTCG | TTACCTC GGTTCAAAGA GTTGGTAGCT CAGAGAACCT ACGAAAAACC | CTGCAAG GCGGTTTTTT CGTTTTCAGA GCAAGAGATT ACGCGCAGAC<br>GACGTTC CGCCAAAAAA GCAAAAGTCT CGTTCTCTAA TGCGCGTCTG | ++ | BG111 | TCAAGAAGAT CATCT |
|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------|----|-------|------------------|
| ACTATCGTCT TO<br>TGATAGCAGA AO                                                                            | GCAGCCACTG G'<br>CGTCGGTGAC C                       | GTTAAGGCTA A                                                                                               | CAGTTACCTC G<br>GTCAATGGAG C                        | GCCCTGCAAG G<br>CGGGACGTTC C                                                                               |    |       | CANAACGATC       |
| 2101 AC<br>TG                                                                                             | 2151 GC<br>CG                                       | 2201 GT<br>CA                                                                                              | 2251 CA<br>GT                                       | 2301 GC                                                                                                    |    |       | 2351 CA          |

SUBSTITUTE SHEET (AULE 20) 162 / 204

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)



SUBSTITUTE SHEET (RULE 26) 163 / 204 Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

pCALO-2:

BsrGI

CGTTAAATTT GCAATTTAAA TTAAAATTCG AATTTTAAGC ATTATAAAAC TAATATTTG AACATTTGCA TTGTAAACGT CATGTACTTT GTACATGAAA

CCGTTTTAGG GGCAAAATCC GGCCGAAATC CCGGCTTTAG TTAACCAATA AATTGGTTAT TCGAGTAAAA AGCTCATTTT AACAATTTAG TTGTTAAATC 51

CTTATAAATC

AAAAGAATAG ACCGAGATAG GGTTGAGTGT TTTTCTTATC TGGCTCTATC CCAACTCACA

GAATATTAG

101

ACAAGGTCAA

TGTTCCAGTT

TCAAAGGGCG AGTTTCCCGC

GACTCCAACG TTTCTTGCAC CTGAGGTTGC AAAGAACGTG CAGGTGATAA GTCCACTATT ACCTTGTTCT TGGAACAAGA

TCACCCTAAT AGTGGGATTA ACGAGAACCA TGCTCTTGGT ATGCCCCACT TACCGGGTGA TATCAGGGCG ATAGTCCCGC AAAAACCGTC TTTTGGCAG 201

GAACCCTAAA CTTGGGATTT CACTAAATCG GTGATTTAGC TGCCGTAAAG ACGGCATTTC CAAGTTTTT GGGGTCGAGG CCCCAGCTCC GTTCAAAAAA 251

BanII

? ? ? ?

AAGCCGGCGA ACGTGGCGAG TTGACGGGGA GATTTAGAGC GGGAGCCCCC 301

SUBSTITUTE SHEET (RULE 20)

151

| ure 35a    | : Functional | ure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued) | ditional pCAL vector modu<br>CTAAATCTCG   | ules and pCAL vectors (cor | ntinued)<br>TTCGGCCGCT   | TGCACCGCTC               |
|------------|--------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------|----------------------------|--------------------------|--------------------------|
|            | 351          | AAAGGAAGGG<br>TTTCCTTCCC                                                                              | AAGAAAGCGA<br>TTCTTTCGCT                  | AAGGAGCGGG<br>TTCCTCGCCC   | CGCTAGGGCG<br>GCGATCCCGC | CTGGCAAGTG<br>GACCGTTCAC |
|            | 401          | TAGCGGTCAC<br>ATCGCCAGTG                                                                              | GCTGCGCGTA<br>CGACGCGCAT                  | ACCACCACAC<br>TGGTGGTGTG   | CCGCCGCGCT               | TAATGCGCCG               |
| SUBSTITUTE | 451          | CTACAGGGCG                                                                                            | Nhel<br>~~~~~<br>CGTGCTAGCG<br>GCACGATCGC | GAGTGTATAC<br>CTCACATATG   | TGGCTTACTA               | TGTTGGCACT               |
| SHEET      |              |                                                                                                       | Tunx                                      | It                         |                          | AgeI                     |
| (RULE 28)  | 501          | GATGAGGGTG                                                                                            | TCAGTGAAGT                                | GCTTCATGTG                 | GCAGGAGAAA<br>CGTCCTCTTT | AAAGGCTGCA<br>TTTCCGACGT |
|            | 551          | AgeI<br>~~~~~<br>CCGGTGCGTC<br>GGCCACGCAG                                                             | AGCAGAATAT<br>TCGTCTTATA                  | GTGATACAGG                 | ATATATTCCG<br>TATATAAGGC | CTTCCTCGCT               |
|            | 601          | CACTGACTCG                                                                                            | CTACGCTCGG                                | TCGTTCGACT                 | GCGCCGAGCG               | GAAATGGCTT               |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | i: Functional | e 35a: Functional maps and sequences of acceptable (GTGACTGAGC ) | GATGCGAGCC AG            | AGCAAGCTGA               | CGCCGCTCGC                | CTTTACCGAA               |
|---------------------------------------|---------------|------------------------------------------------------------------|--------------------------|--------------------------|---------------------------|--------------------------|
|                                       | 651           | ACGAACGGGG<br>TGCTTGCCCC                                         | CGGAGATTTC<br>GCCTCTAAAG | CTGGAAGATG<br>GACCTTCTAC | CCAGGAAGAT<br>GGTCCTTCTA  | ACTTAACAGG<br>TGAATTGTCC |
|                                       | 701           | GAAGTGAGAG<br>CTTCACTCTC                                         | GGCCGCGGCA               | AAGCCGTTTT<br>TTCGGCAAAA | TCCATAGGCT<br>AGGTATCCGA  | CCGCCCCCCT               |
| CHR                                   | 751           | GACAAGCATC<br>CTGTTCGTAG                                         | ACGAAATCTG<br>TGCTTTAGAC | ACGCTCAAAT<br>TGCGAGTTTA | CAGTGGTGGC<br>GTCACCACCG  | GAAACCCGAC<br>CTTTGGGCTG |
| etitlita ole                          | 801           | AGGACTATAA<br>TCCTGATATT                                         | AGATACCAGG<br>TCTATGGTCC | CGTTTCCCCC               | TGGCGGCTCC                | CTCCTGCGCT<br>GAGGACGCGA |
| 'ET (011)                             |               |                                                                  |                          | AgeI                     |                           |                          |
| E 08)                                 | 851           | CTCCTGTTCC<br>GAGGACAAGG                                         | TGCCTTTCGG               | TTTACCGGTG<br>AAATGGCCAC | TCATTCCGCT<br>AGTAAGGCGA  | GTTATGGCCG<br>CAATACCGGC |
|                                       | 901           | CGTTTGTCTC<br>GCAAACAGAG                                         | ATTCCACGCC<br>TAAGGTGCGG | TGACACTCAG<br>ACTGTGAGTC | TTCCGGGGTAG<br>AAGGCCCATC | GCAGTTCGCT<br>CGTCAAGCGA |
|                                       | 951           | CCAAGCTGGA<br>GGTTCGACCT                                         | CTGTATGCAC<br>GACATACGTG | GAACCCCCCG               | TTCAGTCCGA                | CCGCTGCGCC               |

SUBSTITUTE SHEET (RULE 28)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| ATGCAAAAGC<br>TACGTTTTCG     | AGTCTTGAAG<br>TCAGAACTTC     | GTGACTGCGC<br>CACTGACGCG     | CAGAGAACCT<br>GTCTCTTGGA | GCAAGAGATT<br>CGTTCTCTAA | BglII   | GATCTAGCAC<br>CTAGATCGTG | _<br>                    |
|------------------------------|------------------------------|------------------------------|--------------------------|--------------------------|---------|--------------------------|--------------------------|
| CCGGAAAGAC A<br>GGCCTTTCTG 1 | TAGAGGAGTT P<br>ATCTCCTCAA 1 | ACAAGTTTTA C<br>TGTTCAAAAT ( | GTTGGTAGCT (CAACCATCGA ( | CGTTTTCAGA (GCAAAAGTCT ( |         | CATCTTATTA (GTAGAATAAT   | AAAAAAATTA<br>TTTTTTTAAT |
| TGAGTCCAAC                   | GTAATTGATT<br>CATTAACTAA     | AACTGAAAGG<br>TTGACTTTCC     | GGTTCAAAGA<br>CCAAGTTTCT | GCGGTTTTTT<br>CGCCAAAAAA |         | TCAAGAAGAT<br>AGTTCTTCTA | TAACTGCCTT<br>ATTGACGGAA |
| ACTATCGTCT<br>TGATAGCAGA     | GCAGCCACTG                   | GTTAAGGCTA<br>CAATTCCGAT     | CAGTTACCTC<br>GTCAATGGAG | GCCCTGCAAG<br>CGGGACGTTC |         | CAAAACGATC               | AGGGCACCAA<br>TCCCGTGGTT |
| TTATCCGGTA<br>AATAGGCCAT     | ACCACTGGCA<br>TGGTGACCGT     | TCATGCGCCG                   | TCCTCCAAGC               | ACGAAAAACC<br>TGCTTTTTGG |         | ACGCGCAGAC<br>TGCGCGTCTG | CAGGCGTTTA<br>GTCCGCAAAT |
| 1001                         | 1051                         | 1101                         | 1151                     | 1201                     |         | 1251                     | 1301                     |
|                              |                              |                              | <b>SU</b> BSTITUT        | E SHEET (RU              | JLE 26) |                          |                          |
|                              |                              |                              | 16                       | 7 / 204                  |         |                          | •                        |

| _                  |   |
|--------------------|---|
| Ð                  |   |
| 2                  |   |
| 롣                  |   |
| Ξ:                 |   |
| Ξ                  |   |
| 8                  |   |
|                    |   |
| Ĕ.                 |   |
| $\boldsymbol{\Xi}$ |   |
| 2                  |   |
| >                  | • |
| Ļ                  |   |
| 8                  |   |
| <u>d</u>           |   |
| -                  |   |
| ☲                  |   |
| æ                  |   |
| ຽ                  |   |
| =                  |   |
| Ð                  |   |
| 2                  |   |
| ≽                  |   |
| ≒                  |   |
| ¥.                 |   |
| ະ                  |   |
| >                  |   |
| 7                  |   |
| $\sim$             |   |
| ā                  |   |
| =                  |   |
| 2                  |   |
| .0                 |   |
| ≔                  |   |
| ₽                  |   |
| ×                  |   |
| <u></u>            |   |
| 0                  |   |
| S                  |   |
| $\tilde{z}$        |   |
| تة                 |   |
| 2                  |   |
| 5                  |   |
| $\sim$             |   |
| Þ                  |   |
| ੜ                  |   |
| S                  |   |
| ≘                  |   |
| ≅                  |   |
| _                  |   |
| ਕੁ                 |   |
| 5                  |   |
| ∵≝                 |   |
| ည                  |   |
| 'n                 |   |
| ű.                 |   |
|                    |   |
|                    |   |
| က                  |   |
| 5                  |   |
| =                  |   |
| .E.                |   |
|                    |   |
|                    |   |

| AGCATTCATC TCGTAAGTAG GCTTATTTTT CGAATAAAAA GTCTGGTTAT CAGACCAATA AAATGCTACG AAATGCTACG AAATGCTACG AAATGCTACG AAATGCTACG AAATGCTAATA AAATGCTAAAAA ACGCCCGGTA AGAGGTAAAAA CGCCCGGTA CGCCCGGTA CGCCCCGTA | ACTCCGGGTG TGAGGCCCAC TGAGGCCCAC TAAAACTTGT ATTTTGAACG GTCGACTTGC GTCGACTTGT CACTTACAAG GTCGATTTTTT CACAAAAAAT CACTAAAAAAT CACTAAAAAAT TGGAGTTTTTTA | JIES and pCAL vectors (corgCCATACGGA CGGTATGCCT AAAGGCCGGA TTTCCGGCCT GGCATTATAG GGTATATCCA GGTATATCCA ACTTTACGATAA TAGAGCTATTA TAGAGCTATTA TAGAGCTATT ATCTCGATAA TAGAGCTATT AGAGCTATT AGAGCTATTGG | GTCTTTCATT CAGAAAGTAA GAATGTGAAT CTTAAAAAAGG AAATTTTTCC TCGTTGACTG TATCAACGGT ATACACGGT ATACATGCCA CGAGGACTTT CGAGGACTTT ATCATTATGG | <del>-</del>                                     | 5a: Functional<br>1751<br>1801<br>1901<br>1951<br>2001 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|--------------------------------------------------------|
| CTGCAGATTA<br>TTATGCTTCC                                                                                                                                                                               | TTGGAGTGGG                                                                                                                                          | ACTTTCAACC                                                                                                                                                                                         | AAGTAATACC                                                                                                                          | CACTAGAATA                                       | 2101                                                   |
| Aatii<br>~~~~~~<br>GACGTCTAAT                                                                                                                                                                          | AACCTCACCC                                                                                                                                          | TGAAAGTTGG                                                                                                                                                                                         | TTCATTATGG                                                                                                                          | GTGATCTTAT                                       | 2051                                                   |
| ACGCCCGGTA<br>TGCGGGCCAT                                                                                                                                                                               | CTCAAAAAAT<br>GAGTTTTTTA                                                                                                                            | ATCTCGATAA<br>TAGAGCTATT                                                                                                                                                                           | GCTCCTGAAA<br>CGAGGACTTT                                                                                                            | AGCTTCCTTA<br>TCGAAGGAAT                         | 2001                                                   |
| TCTCCATTTT<br>AGAGGTAAAA                                                                                                                                                                               | GTGATTTTTT<br>CACTAAAAAA                                                                                                                            | GGTATATCCA<br>CCATATAGGT                                                                                                                                                                           | TATCAACGGT<br>ATAGTTGCCA                                                                                                            | CATTGGGATA<br>GTAACCCTAT                         | 1951                                                   |
| TTTACGATGC<br>AAATGCTACG                                                                                                                                                                               | CAAAATGTTC<br>GTTTTACAAG                                                                                                                            | TGAAATGCCT<br>ACTTTACGGA                                                                                                                                                                           | AGCAACTGAC<br>TCGTTGACTG                                                                                                            | AGGTACATTG<br>TCCATGTAAC                         | 1901                                                   |
| GTCTGGTTAT<br>CAGACCAATA                                                                                                                                                                               | CAGCTGAACG<br>GTCGACTTGC                                                                                                                            | CCGTAATATC<br>GGCATTATAG                                                                                                                                                                           | TTTAAAÁAGG<br>AAATTTTTCC                                                                                                            |                                                  | 1851                                                   |
| GCTTATTTTT<br>CGAATAAAAA                                                                                                                                                                               | TAAAACTTGT<br>ATTTTGAACA                                                                                                                            | AAAGGCCGGA<br>TTTCCGGCCT                                                                                                                                                                           | GAATGTGAAT<br>CTTACACTTA                                                                                                            |                                                  | 1801                                                   |
| AGCATTCATC<br>TCGTAAGTAG                                                                                                                                                                               | ntinued)<br>ACTCCGGGTG<br>TGAGGCCCAC                                                                                                                | ules and pCAL vectors (cor<br>GCCATACGGA<br>CGGTATGCCT                                                                                                                                             | Jitional pCAL vector modu<br>GTCTTTCATT<br>CAGAAAGTAA                                                                               | maps and sequences of add CCAGCTCACC (GGTCGAGTGG | 5a: Functional<br>1751                                 |

| 99                                                                                                       | AA<br>TT                 |           | AT;                      |          | AGT<br>CA                | <u>_</u> _ 1 | raa<br>Taa               |      | ATC                                    |
|----------------------------------------------------------------------------------------------------------|--------------------------|-----------|--------------------------|----------|--------------------------|--------------|--------------------------|------|----------------------------------------|
| AATACGAAGG                                                                                               | CACACAGGAA<br>GTGTGTCCTT | Sphi      | CGCATGCCAT<br>GCGTACGGTĄ |          | CCTGTGAAGT<br>GGACACTTCA | PacI         | GTTTAATTAA<br>CAAATTAATT |      | TCCTTTGATC<br>AGGAAACTAG               |
| AATA                                                                                                     | CACA                     | ďS<br>∵~~ | CGCA                     |          | CCTC                     |              | GTTT<br>CAAA             | -    | TCC                                    |
| GTGA                                                                                                     | ATTT<br>TAAA             |           | 5555<br>5555             | I ~ ~    | TTGA                     |              | TGCC                     |      | SAAGA                                  |
| ntinued)<br>CGAAATGTGA                                                                                   | АТААСААТТТ<br>ТАТТGТТААА |           | ACCCCCCCC<br>TGGGGGGGGG  | HindIII  | ATAAGCTTGA<br>TATTCGAACT |              | TTTGTCTGCC<br>AAACAGACGG |      | CTCAAGAAGA<br>GAGTTCTTCT               |
| ctors (cont<br>GTC (                                                                                     | •                        | XbaI      |                          |          |                          |              |                          | ·    | GAT                                    |
| ules and pCAL vectors for CCGTGGGGTC                                                                     | TTGTGAGČGG<br>AACACTCGCC | ₩ }       | GAATTTCTAG<br>CTTAAAGATC |          | ATACGAAGTT<br>TATGCTTCAA |              | CGACATTTTT<br>GCTGTAAAAA |      | CAAAAAGGAT<br>GTTTTCCTA                |
| ules and<br>CCG                                                                                          | TTG<br>AAC               |           | GAA                      |          | ATA<br>TAT               |              | CGA                      |      | CAA                                    |
| litional pCAL vector mod<br>AGTGAGTAAT                                                                   | GGAA                     |           | TTAC<br>AATG             |          | CGCT                     |              | TGTG                     |      | TTAT                                   |
| nal pCAL v                                                                                               | TTGTGTGGAA               |           | CCATGATTAC<br>GGTACTAATG |          | AATGTACGĊT<br>TTACATGCGA |              | GCAGATTGTG<br>CGTCTAACAC |      | CGGCCATTAT<br>GCCGGTAATA               |
| ddition<br>AG                                                                                            | _                        |           | _                        |          |                          |              |                          | FseI | ·                                      |
| aps and sequences of a                                                                                   | GGCTCGTATG<br>CCGAGCATAC | 0         | ACAGCTATGA<br>TGTCGATACT |          | AACTTCGTAT<br>TTGAAGCATA |              | GAAAAATGGC<br>CTTTTTACCG | ŢŢĄ  | 50000000000000000000000000000000000000 |
| od seque                                                                                                 | TCG'                     |           | GCT                      |          | TTC                      |              | AAAA<br>UTTI             |      | 2000                                   |
| maps ar<br>CAC                                                                                           | 999                      | -         | ACA                      |          | AAC                      |              | GAA<br>CTT               |      | 999                                    |
| Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued) | 2151                     |           | 2201                     |          | 2251                     |              | 2301                     |      | 2351                                   |
| e 35a:                                                                                                   | ∾ .                      |           | •                        | SUBSTITU | ITE SHEET                | (BULE        |                          |      | • •                                    |
| Figur                                                                                                    |                          |           |                          |          | 170 / 204                | (ITOLL )     | <b>-</b> 0,              |      |                                        |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| GTTAAGGGAT<br>CAATTCCCTA             | CTTTTAAATT<br>GAAAATTTAA       | AACTTGGTCT<br>TTGAACCAGA            | GCGATCTGTC<br>CGCTAGACAG       | GATAACTACG<br>CTATTGATGC       | TACCGCGAGA<br>ATGGCGCTCT     | CCAGCCGGAA<br>GGTCGGCCTT     | CATCCAGTCT<br>GTAGGTCAGA     |  |
|--------------------------------------|--------------------------------|-------------------------------------|--------------------------------|--------------------------------|------------------------------|------------------------------|------------------------------|--|
| GAAAACTCAC GI<br>CTTTTGAGTG CA       | CACCTAGATC CI<br>GTGGATCTAG GA | TATATGAGTA AI<br>ATATACTCAT T       | ACCTATCTCA GO<br>TGGATAGAGT CO | CCGTCGTGTA G.<br>GGCAGCACAT C' | GCTGCAATGA T<br>CGACGTTACT A | AATAAACCAG C<br>TTATTTGGTC G | TATCCGCCTC C<br>ATAGGCGGAG G |  |
| TCAGTGGAAC G<br>AGTCACCTTG C         | AAAGGATCTT C<br>TTTCCTAGAA G   | ATCTAAAGTA 1<br>TAGATTTCAT <i>1</i> | TCAGTGAGGC A                   | GCCTGACTCC (CGGACTGAGG (       | TGGCCCCAGT (ACCGGGGTCA)      | ATTTATCAGC I                 | CCTGCAACTT                   |  |
| GGTCTGACGC                           | AGATTATCAA<br>TCTAATAGTT       | TTTTAAATCA<br>AAAATTTAGT            | CAATGCTTAA<br>GTTACGAATT       | ATCCATAGTT<br>TAGGTATCAA       | GCTTACCATC                   | CCGGCTCCAG                   | CAGAAGTGGT<br>GTCTTCACCA     |  |
| TTTTCTACGG (AAAAGATGCC)              | TTTGGTCATG                     | AAAAATGAAG<br>TTTTTACTTC            | GACAGTTACC<br>CTGTCAATGG       | TATTTCGTTC<br>ATAAAGCAAG       | ATACGGGAGG<br>TATGCCCTCC     | CCCACGCTCA                   | GGGCCGAGCG                   |  |
| 2401                                 | 2451                           | 2501                                | 2551                           | 2601                           | 2651                         | 2701                         | 2751                         |  |
| SUBSTITUTE SHEET (RULE 26) 171 / 204 |                                |                                     |                                |                                |                              |                              |                              |  |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| 7007                             | 2851                     | 2901                     | DBSTITUTE                | 3001<br>LIUS) TBBHS      | 3051                     | 3101                     | 3151                     |
|----------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| A'I"I'AAC'I'G'I"I'<br>TAATTGACAA | GCGCAACGTT               | TTGGTATGGC               | TGATCCCCCA               | CGTTGTCAGA<br>GCAACAGTCT | CACTGCATAA<br>GTGACGTATT | ACTGGTGAGT<br>TGACCACTCA | GAGTTGCTCT               |
| GCCGGGAAGC                       | GTTGCCATTG<br>CAACGGTAAC | TTCATTCAGC               | TGTTGTGCAA<br>ACAACACGTT | AGTAAGTTGG<br>TCATTCAACC | TTCTCTTACT               | ACTCAACCAA<br>TGAGTTGGTT | TGCCCGGCGT               |
| TAGAGTAAGT<br>ATCTCATTCA         | CTACAGGCAT<br>GATGTCCGTA | TCCGGTTCCC<br>AGGCCAAGGG | AAAAGCGGTT<br>TTTCGCCAA  | CCGCAGTGTT<br>GGCGTCACAA | GTCATGCCAT               | GTCATTCTGA               | CAATACGGGA<br>GTTATGCCCT |
| TCAAGCGGTC                       | CGTGGTGTCA<br>GCACCACAGT | AACGATCAAG<br>TTGCTAGTTC | AGCTCCTTCG<br>TCGAGGAAGC | ATCACTCATG<br>TAGTGAGTAC | CCGTAAGATG<br>GGCATTCTAC | GAATAGTGTA<br>CTTATCACAT | TAATACCGCG<br>ATTATGGCGC |
| I"I'AA'I'AG'I"I'I<br>AATTATCAAA  | CGCTCGTCGT<br>GCGAGCAGCA | GGGAGTTACA<br>CGCTCAATGT | GTCCTCCGAT               | GTTATGGCAG<br>CAATACCGTC | CTTTTCTGTG               | TGCGGCGACC               | CCACATAGCA               |

172 / 204

.

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)


# XmnI

|                  | GCGAAAACTC<br>CGCTTTTGAG | CCACTCGCGC<br>GGTGAGCGCG | TCTGGGTGAG<br>AGACCCACTC | GGCGACACGG<br>CCGCTGTGCC | GAAGCATTTA<br>CTTCGTAAAT |  |
|------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--|
| \<br>\<br>\<br>\ | GTTCTTCGGG<br>CAAGAAGCCC | TCGATGTAAC<br>AGCTACATTG | CACCAGCGTT<br>GTGGTCGCAA | AGGGAATAAG<br>TCCCTTATTC | CAATATTATT<br>GTTATAATAA |  |
| 111111           | ATTGGAAAAC<br>TAACCTTTTG | GAGATCCAGT<br>CTCTAGGTCA | CTTTTACTTT<br>GAAAATGAAA | GCCGCAAAAA<br>CGGCGTTTTT | CTTCCTTTTT<br>GAAGGAAAAA |  |
|                  | AGTGCTCATC<br>TCACGAGTAG | TACCGCTGTT<br>ATGGCGACAA | TCCTCAGCAT<br>AGGAGTCGTA | AAGGCAAAAT<br>TTCCGTTTTA | TACTCATACT<br>ATGAGTATGA |  |
|                  | GAACTTTAAA<br>CTTGAAATTT | TCAAGGATCT<br>AGTTCCTAGA | ACCCAACTGA<br>TGGGTTGACT | CAAAAACAGG<br>GTTTTTGTCC | AAATGTTGAA<br>TTTACAACTT |  |
|                  | 3201                     | 3251                     | 3301                     | 3351                     | 3401                     |  |
|                  |                          |                          | SUBSTIT                  | TUTE SHEET               | (RULE 28)                |  |

# BsrGI

ATTTGAAT TCAGGGTTAT TGTCTCATGA GCGGATACAT AGTCCCAATA ACAGAGTACT CGCCTATGTA 3451

SUBSTITUTE SHEET (RULE 29 173 / 204



SUBSTITUTE SHEET (FULE 26) 174 / 204

PacI

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| pCALU-3:<br>Bgl<br>~~~ | 0-3:<br>Bglii<br>~~~~~                 | CTTCGTATAA                             | TGTATGCTAT                             | ACGAAGTTAT                             | AatII<br>~~~~~~<br>GACGTCTAAT          |
|------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|
| 51.                    | CTAGAGTATT<br>GTGAGTTAGC<br>CACTCAATCG | GAAGCATATT<br>TCACTCATTA<br>AGTGAGTAAT | ACATACGATA<br>GGCACCCCAG<br>CCGTGGGGTC | TGCTTCAATA<br>GCTTTACACT<br>CGAAATGTGA | CTGCAGATTA<br>TTATGCTTCC<br>AATACGAAGG |
| 101                    | GGCTCGTATG<br>CCGAGCATAC               | TTGTGTGGAA                             | TTGTGAGCGG<br>AACACTCGCC               | ATAACAATTT<br>TATTGTTAAA               | CACACAGGAA<br>GTGTGTCCTT               |
| ر<br>د                 | ACAGCTATGA                             | CCATGATTAC                             | XbaI<br>~~~~~~<br>GAATTTCTAG           | ACCCCCCCC                              | SphI<br>~~~~~CGCATGCCAT                |
| T .                    | TGTCGATACT                             | GGTACTAATG                             | CTTAAAGATC                             | TGGGGGGGGG                             | GCGTACGGTA                             |
| 201                    | AACTTCGTAT<br>TTGAAGCATA               | AATGTACGCT<br>TTACATGCGA               | ATACGAAGTT<br>TATGCTTCAA               | ATAAGCTTGA<br>TATTCGAACT               | CCTGTGAAGT<br>GGACACTTCA               |

SUBSTITUTE SHEET (RULE 26)

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| GTTTAATTAA<br>CAAATTAATT |    | TCCTTTGATC                             | GTTAAGGGAT<br>CAATTCCCTA | CTTTTAAATT<br>GAAAATTTAA | AACTTGGTCT<br>TTGAACCAGA | GCGATCTGTC<br>CGCTAGACAG | GATAACTACG<br>CTATTGATGC |
|--------------------------|----|----------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| TTTGTCTGCC<br>AAACAGACGG |    | CTCAAGAAGA<br>GAGTTCTTCT               | GAAAACTCAC<br>CTTTTGAGTG | CACCTAGATC<br>GTGGATCTAG | TATATGAGTA<br>ATATACTCAT | ACCTATCTCA<br>TGGATAGAGT | CCGTCGTGTA<br>GGCAGCACAT |
| CGACATTTTT<br>GCTGTAAAAA |    | CAAAAAGGAT<br>GTTTTCCTA                | TCAGTGGAAC<br>AGTCACCTTG | AAAGGATCTT<br>TTTCCTAGAA | ATCTAAAGTA<br>TAGATTTCAT | TCAGTGAGGC               | GCCTGACTCC<br>CGGACTGAGG |
| GCAGATTGTG               | eI | CGGCCATTAT<br>GCCGGTAATA               | GGTCTGACGC<br>CCAGACTGCG | AGATTATCAA<br>TCTAATAGTT | TTTTAAATCA<br>AAAATTTAGT | CAATGCTTAA<br>GTTACGAATT | ATCCATAGTT<br>TAGGTATCAA |
| GAAAAATGGC<br>CTTTTTACCG | ក្ | 0 500000000000000000000000000000000000 | TTTTCTACGG<br>AAAAGATGCC | TTTGGTCATG               | AAAAATGAAG<br>TTTTTACTTC | GACAGTTACC               | TATTTCGTTC<br>ATAAAGCAAG |
| 251                      |    | 301                                    | 351                      | 401                      | 451                      | 501                      | 551                      |
|                          | •  |                                        | SUBSTIT                  | UTE SHEET                | (RULE 20)                |                          |                          |

|          | í                                       |
|----------|-----------------------------------------|
|          | (                                       |
| =        | 6 6 7 7 N N N N N N N N N N N N N N N N |
| Jue      | 1                                       |
| Ē        | (                                       |
| <u>9</u> |                                         |
| tors     | į                                       |
| vec      |                                         |
| B        |                                         |
| )d p     |                                         |
| au :     |                                         |
| ules     |                                         |
| nod      |                                         |
| or n     |                                         |
| rect     |                                         |
| A A      |                                         |
| <u>ာ</u> |                                         |
| ona      |                                         |
| diti     |                                         |
| f ad     |                                         |
| 25.0     |                                         |
| Suc      |                                         |
| nb:      |                                         |
| d Se     |                                         |
| s an     |                                         |
| Jap:     |                                         |
| al<br>n  |                                         |
| tion     |                                         |
| unc      |                                         |
| <u></u>  |                                         |
| 35,      |                                         |
| ure      |                                         |
| Ē        | `                                       |
|          |                                         |

| r gctgcaatga taccgcgaga<br>a cgacgttact atggcgctct                                                                  | C AATAAACCAG CCAGCCGGAA<br>G TTATTTGGTC GGTCGGCCTT | T TATCCGCCTC CATCCAGTCT<br>A ATAGGCGGAG GTAGGTCAGA | T AGTTCGCCAG TTAATAGTTT<br>A TCAAGCGGTC AATTATCAAA | T CGTGGTGTCA CGCTCGTCGT<br>A GCACCACAGT GCGAGCAGCA | C AACGATCAAG GCGAGTTACA<br>G TTGCTAGTTC CGCTCAATGT | T AGCTCCTTCG GTCCTCCGAT<br>A TCGAGGAAGC CAGGAGGCTA | T ATCACTCATG GTTATGGCAG |
|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|-------------------------|
| TGGCCCCAGT                                                                                                          | ATTTATCAGC<br>TAAATAGTCG                           | CCTGCAACTT<br>GGACGTTGAA                           | TAGAGTAAGT<br>ATCTCATTCA                           | CTACAGGCAT<br>GATGTCCGTA                           | TCCGGTTCCC                                         | AAAAGCGGTT<br>TTTCGCCAA                            | CCGCAGTGTT              |
| GCTTACCATC<br>CGAATGGTAG                                                                                            | CCGGCTCCAG<br>GGCCGAGGTC                           | CAGAAGTGGT<br>GTCTTCACCA                           | GCCGGGAAGC                                         | GTTGCCATTG<br>CAACGGTAAC                           | TTCATTCAGC                                         | TGTTGTGCAA<br>ACAACACGTT                           | AGTAAGTTGG              |
| re 35a: Functional maps and sequences of auditional peak years in a 601 ATACGGGAGG GCTTACCATC TATGCCCTCC CGAATGGTAG | CCCACGCTCA                                         | GGGCCGAGCG                                         | ATTAACTGTT<br>TAATTGACAA                           | GCGCAACGTT<br>CGCGTTGCAA                           | TTGGTATGGC                                         | TGATCCCCCA                                         | CGTTGTCAGA              |
| a: Functional<br>601                                                                                                | 651                                                | 701                                                | 751                                                | 801                                                | 851                                                | 901                                                | 951                     |
| re 35                                                                                                               |                                                    |                                                    | SUBSTITU                                           | ITE SHEET (                                        | RULE 26)                                           |                                                    |                         |

PCT/EP96/03647

| modules and pCAL vectors (continued) |
|--------------------------------------|
| es 3                                 |
| qq                                   |
| u<br>0                               |
| ctor                                 |
| Vec                                  |
| CAL                                  |
| <del>p</del>                         |
| additiona                            |
| s of                                 |
| sednence                             |
| and                                  |
| maps                                 |
| nal                                  |
| unctio-                              |
| ia: F                                |
| 35                                   |
| Jur                                  |
| Fig                                  |

SUBSTITUTE CHEST (RULE 2

ATGAGTATGA GAAGGAAAAA GTTATAATAA CTTCGTAAAT

BsrGI

ACATGAAATT ATTTGAATGT

TGTACTTTAA TAAACTTACA

TTAAATTTTT

AAAATTCGCG TTTTAAGCGC

ATATTTTGTT

GTAAACGTTA

1451

CATTTGCAAT

TATAAAACAA

CGCCTATGTA GCGGATACAT

ACAGAGTACT TGTCTCATGA

AGTCCCAATA

TCAGGGTTAT

1401

GTTAAATCAG CAATTTAGTC AATTTAAAAA

CCGAAATCGG

AACCAATAGG

TTGGTTATCC

GAGTAAAAAA

CTCATTTTT

501

GGCTTTAGCC

ATATTTAGTT TATAAATCAA CAAAATCCCT

GAACAAGAGT GTTTTAGGGA

TTCCAGTTTG

CTTGTTCTCA AAGGTCAAAC AACTCACAAC TTGAGTGTTG

GCTCTATCCC

CGAGATAGGG

AAGAATAGAC TTCTTATCTG CCACTATTAA AGAACGTGGA

1601

1651

TCTTGCACCT

GGTGATAATT

AAACCGTCTA AAAGGGCGAA

TTTGGCAGAT TTTCCCGCTT CTCCAACGTC GAGGTTGCAG AGTTTTTGG TCAAAAAACC ACCCTAATCA GAGAACCATC

TGGGATTAGT

CTCTTGGTAG GGCCCACTAC CCGGGTGATG AGTCCCGCTA TCAGGGCGAT

BanII

179 / 204

1551

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued) TTTACAACTT

| GAGCCCCCGA<br>CTCGGGGGCT                                                                                                                          | AGGAAGGGAA<br>TCCTTCCCTT | GCGGTCACGC<br>CGCCAGTGCG | ACAGGGGGGG<br>TGTCCCGCGC | TGAGGGTGTC<br>ACTCCCACAG                   |          | GGTGCGTCAG<br>CCACGCAGTC     | CTGACTCGCT<br>GACTGAGCGA |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------------------------|----------|------------------------------|--------------------------|
| GAGC                                                                                                                                              | AGGA                     | ລລອລ                     | ACAG                     | TGAG                                       | H<br>(1) | GGTG                         | CTG2<br>GAC1             |
| ntinued)<br>ACCCTAAAGG<br>TGGGATTTCC                                                                                                              | GTGGCGAGAA<br>CACCGCTCTT | GGCAAGTGTA<br>CCGTTCACAT | ATGCGCCGCT               | TTGGCACTGA                                 | AgeI     | AGGCTGCACC G<br>TCCGACGTGG C | TCCTCGCTCA<br>AGGAGCGAGT |
| ules and pCAL vectors (cor<br>CTAAATCGGA<br>GATTTAGCCT                                                                                            | GCCGGCGAAC<br>CGGCCGCTTG | CTAGGGCGCT               | GCCGCGCTTA               | GCTTACTATG<br>CGAATGATAC                   |          | AGGAGAAAAA<br>TCCTCTTTTT     | ATATTCCGCT<br>TATAAGGCGA |
| ditional pCAL vector modu<br>CCGTAAAGCA<br>GGCATTTCGT                                                                                             | GACGGGGAAA               | GGAGCGGGCG<br>CCTCGCCCGC | CACCACACCC<br>GTGGTGTGGG | GTGTATACTG<br>CACATATGAC                   |          | TTCATGTGGC                   | GATACAGGAT               |
| gure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued) 1701 GGTCGAGGTG CCGTAAAGCA CTAAATCGGA ACCO | TTTAGAGCTT<br>AAATCTCGAA | GAAAGCGAAA<br>CTTTCGCTTT | TGCGCGTAAC<br>ACGCGCATTG | NheI<br>~~~~~~<br>TGCTAGCGGA<br>ACGATCGCCT | XmnI     | AGTGAAGTGC<br>TCACTTCACG     | CAGAATATGT<br>GTCTTATACA |
| ia: Functional                                                                                                                                    | 1751                     | 1801                     | 1851                     | 1901                                       |          | 1951                         | 2001                     |
| Jure 35                                                                                                                                           |                          |                          | SUBSTITU                 | JTE SHEET (RULE 26                         | )        |                              |                          |

Figure 35a: Functional maps and sequences of additional pCAL vector modules and pCAL vectors (continued)

| GAACGGGGCG<br>CTTGCCCCGC | AGTGAGAGGG<br>TCACTCTCCC | CAAGCATCAC<br>GTTCGTAGTG | GACTATAAAG<br>CTGATATTTC | CCTGTTCCTG<br>GGACAAGGAC | TTTGTCTCAT<br>AAACAGAGTA                   | AAGCTGGACT<br>TTCGACCTGA |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------------------------|--------------------------|
| GAACG                    | AGTGA<br>TCAC1           | CAAGO                    | GACTA<br>CTGA            | CCTG                     | TTTG                                       | AAGC                     |
| AATGGCTTAC<br>TTACCGAATG | TTAACAGGGA<br>AATTGTCCCT | GCCCCCCTGA<br>CGGGGGGACT | AACCCGACAG<br>TTGGGCTGTC | CCTGCGCTCT<br>GGACGCGAGA | TATGGCCGCG                                 | AGTTCGCTCC<br>TCAAGCGAGG |
| GGCGAGCGGA<br>CCGCTCGCCT | AGGAAGATAC<br>TCCTTCTATG | CATAGGCTCC<br>GTATCCGAGG | GTGGTGGCGA               | GCGGCTCCCT<br>CGCCGAGGGA | ATTCCGCTGT<br>TAAGGCGACA                   | CCGGGTAGGC<br>GGCCCATCCG |
| GTTCGACTGC               | GGAAGATGCC<br>CCTTCTACGG | GCCGTTTTTC<br>CGGCAAAAAG | GCTCAAATCA<br>CGAGTTTAGT | TTTCCCCCTG               | Agel<br>~~~~~~<br>TACCGGTGTC<br>ATGGCCACAG | ACACTCAGTT<br>TGTGAGTCAA |
| ACGCTCGGTC<br>TGCGAGCCAG | GAGATTTCCT               | CCGCGGCAAA               | GAAATCTGAC<br>CTTTAGACTG | ATACCAGGCG<br>TATGGTCCGC | CCTTTCGGTT                                 | TCCACGCCTG               |
| 2051                     | 2101                     | 2151                     | 2201                     | 2251                     | 2301                                       | 2351                     |
|                          | •                        | ;                        | SUBSTITUTE               | E SHEET (RU              | LE 26)                                     |                          |

| Ŧ            |
|--------------|
| ž            |
| Ξ.           |
| =            |
| ဥ            |
| )<br>S       |
| 5            |
| ector        |
| ۶            |
| یہ           |
| 5            |
| d            |
| þ            |
| dules and    |
| es           |
| =            |
| р            |
| Ē            |
| $\succeq$    |
| ig.          |
| ĕ            |
| _            |
| S            |
| $\mathbf{z}$ |
| æ            |
| S            |
| :≛           |
| <u>=</u>     |
| , ĕ          |
| of           |
| Š            |
| nces         |
| E            |
| 크            |
| š            |
| <del>o</del> |
| ЭL           |
| S            |
| æ            |
| Ξ            |
| æ            |
| H            |
| ≆            |
| 2            |
| $\Xi$        |
| <u>:</u> :   |
| Š            |
| 3            |
| Ę            |
| ğ            |
| iΞ           |

| rigure,         | รรส: คนกับเกิด | rigure 352. Functional maps and sequences of additional peak vector modales and peak vectors (communicated) | ימונוסוושו ליכשר אככנסו וווסמ | מוכז מוום לכניה אברנטוז (כס | (5)        |            |
|-----------------|----------------|-------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------|------------|------------|
|                 | 2401           | GTATGCACGA                                                                                                  | ACCCCCCGTT                    | CAGTCCGACC                  | GCTGCGCCTT | ATCCGGTAAC |
|                 |                | CATACGTGCT                                                                                                  | TGGGGGGCAA                    | GTCAGGCTGG                  | CGACGCGGAA | TAGGCCATTG |
|                 | 2451           | TATCGTCTTG                                                                                                  | AGTCCAACCC                    | GGAAAGACAT                  | GCAAAAGCAC | CACTGGCAGC |
|                 |                | ATAGCAGAAC                                                                                                  | TCAGGITGGG                    | CCITICIGIA                  | CGITICGIG  | GIGACCGICG |
|                 | 2501           | AGCCACTGGT                                                                                                  | AATTGATTTA                    | GAGGAGTTAG                  | TCTTGAAGTC | ATGCGCCGGT |
|                 |                | TCGGTGACCA                                                                                                  | TTAACTAAAT                    | CTCCTCAATC                  | AGAACTTCAG | TACGCGGCCA |
| SUE             | 2551           | TAAGGCTAAA                                                                                                  | CTGAAAGGAC                    | AAGTTTTAGT                  | GACTGCGCTC | CTCCAAGCCA |
|                 |                | ATTCCGATTT                                                                                                  | GACTTTCCTG                    | TTCAAAATCA                  | CTGACGCGAG | GAGGTTCGGT |
| TE SH<br>82 / : | 2601           | GTTACCTCGG                                                                                                  | TTCAAAGAGT                    | TGGTAGCTCA                  | GAGAACCTAC | GAAAAACCGC |
| IEET (A<br>204  |                | CAATGGAGCC                                                                                                  | AAGTTTCTCA                    | ACCATCGAGT                  | CTCTTGGATG | CTTTTGGCG  |
| ULE 2           | 2651           | CCTGCAAGGC                                                                                                  | GGTTTTTTCG                    | TTTTCAGAGC                  | AAGAGATTAC | GCGCAGACCA |
| 26)             |                | GGACGTTCCG                                                                                                  | CCAAAAAAGC                    | AAAAGTCTCG                  | TTCTCTAATG | CGCGTCTGGT |
|                 |                |                                                                                                             |                               | Bglii                       |            |            |
|                 | 2701           | AAACGATCTC                                                                                                  | AAGAAGATCA                    | TCTTATTA                    |            |            |
|                 |                | TTTGCTAGAG                                                                                                  | TTCTTCTAGT                    | AGAATAAT                    | ·<br>·     |            |

Figure 35b: List of oligonucleotides used for synthesis of modules

M1: PCR using template

NoVspAatII: TAGACGTC

M2: synthesis

BloxA-A: TATGAGATCTCATAACTTCGTATAATGTACGCTATACG-

**AAGTTAT** 

BloxA-B: TAATAACTTCGTATAGCATACATTATACGAAGTTATG-

**AGATCTCA** 

M3: PCR, NoVspAatII as second oligo

XIoxS-muta: CATTTTTGCCCTCGTTATCTACGCATGCGATAACTTCGTA-

TAGCGTACATTATACGAAGTTATTCTAGACATGGTCATAGCTGTTTCCTG

M7-I: PCR

gIIINEW-fow: GGGGGGAATTCGGTGGTGGTGGATCTGCGTGCGCTG-

**AAACGGTTGAAAGTTG** 

gllINEW-rev: CCCCCCAAGCTTATCAAGACTCCTTATTACG

M7-II: PCR

glllss-fow: GGGGGGGAATTCGGAGGCGGTTCCGGTGGTGGC

M7-III: PCR

gillsupernew-fow: GGGGGGGGAATTCGAGCAGAAGCTGATCTCT-

GAGGAGGATCTGTAGGGIGGTGGCTCTGGTTCCGGTGATTTTG

SUBSTITUTE SHEET (AULE 26) 183 / 204

Figure 35b: List of oligonucleotides used for synthesis of modules (continued)

M8: synthesis

lox514-A: CCATAACTTCGTATAATGTACGCTATACGAAGTTATA

Iox514-B: AGCTTATAACTTCGTATAGCGTACATTATACGAAGT-

**TATGGCATG** 

M9II: synthesis

M9II-fow: AGCTTGACCTGTGAAGTGAAAAATGGCGCAGATT-

M9II-rev: GTACACCCCCCCCAGGCCGGCCCCCCCCCCCTTTAA-

TTAAACGGCAGACAAAAAAAAATGTCGCACAATCTGCG

M10II: assembly PCR with template

bla-fow: GGGGGGGTGTACATTCAAATATGTATCCGCTCATG

bla-seg4: GGGTTACATCGAACTGGATCTC

bla1-muta: CCAGTTCGATGTAACCCACTCGCGCACCCAACTGATC-

CTCAGCATCTTTACTTTCACC

blall-muta: ACTCTAGCTTCCCGGCAACAGTTAATAGACTGGATG-

**GAGGCGG** 

bla-NEW: CTGTTGCCGGGAAGCTAGAGTAAG

bla-rev: CCCCCCTTAATTAAGGGGGGGGGCCGGCCATTATCAAA-

AAGGATCTCAAGAAGATCC

M11II/III: PCR, site-directed mutagenesis

SUBSTITUTE SHEET (RULE 28)

Figure 35b: List of oligonucleotides used for synthesis of modules (continued)

f1-fow: GGGGGGGCTAGCACGCCCCTGTAGCGGCGCATTAA

f1-rev: CCCCCCTGTACATGAAATTGTAAACGTTAATATTTTG

f1-t133.muta: GGGCGATGGCCCACTACGAGAACCATCACCCTAATC

## M12: assembly PCR using template

p15-fow: GGGGGGAGATCTAATAAGATGATCTTCTTGAG

p15-NEWI: GAGTTGGTAGCTCAGAGAACCTACGAAAAACCGCCCTG-

**CAAGGCG** 

p15-NEWII: GTAGGTTCTCTGAGCTACCAACTC

p15-NEWIII: GTTTCCCCCTGGCGGCTCCCTCCTGCGCTCTCCTGTTCCT-

GCC

p15-NEWIV: AGGAGGGAGCCGCCAGGGGGAAAC

p15-rev: GACATCAGCGCTAGCGGAGTGTATAC

### M13: synthesis

BloxXB-A: GATCTCATAACTTCGTATAATGTATGCTATACGAAGTTA-

ТТСА

BloxXB-B: GATCTGAATAACTTCGTATAGCATACATTATACGAAGTTA-

**TGAGA** 

## M14-Ext2: PCR, site-directed mutagenesis

Colext2-fow: GGGGGGGAGATCTGACCAAAATCCCTTAACGTGAG

Col-mutal: GGTATCTGCGCTCTGCTGTAGCCAGTTACCTTCGG

SUBSTITUTE SMEET (RULE 28)

Figure 35b: List of oligonucleotides used for synthesis of modules (continued)

Col-rev: CCCCCCGCTAGCCATGTGAGCAAAAGGCCAGCAA

M17: assembly PCR using template

CAT-1: GGGACGTCGGGTGAGGTTCCAAC

CAT-2: CCATACGGAACTCCGGGTGAGCATTCATC

CAT-3: CCGGAGTTCCGTATGG

CAT-4: ACGTTTAAATCAAAACTGG

CAT-5: CCAGTTTTGATTTAAACGTAGCCAATATGGACAACTTCTTC-

GCCCCGTTTTCACTATGGGCAAATATT

CAT-6: GGAAGATCTAGCACCAGGCGTTTAAG

M41: assembly PCR using template

LAC1: GAGGCCGGCCATCGAATGGCGCAAAAC

LAC2: CGCGTACCGTCCTCATGGGAGAAAATAATAC

LAC3: CCATGAGGACGGTACGCGACTGGGCGTGGAGCATCTGGTCGCA-

TTGGGTCACCAGCAAATCCGCTGTTAGCTGGCCCATTAAG

LAC4: GTCAGCGGCGGGATATAACATGAGCTGTCCTCGGTATCGTCG

LAC5: GTTATATCCCGCCGCTGACCACCATCAAAC

LAC6: CATCAGTGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGT4TTG-

**GGAGCCAGGGTGGTTTTC** 

LAC7: GGTTAATTAACCTCACTGCCCGCTTTCCAGTCGGGAAACCTGTCGTGCC-

AGCTGCATCAGTGAATCGGCCAAC

M41-MCS-fow: CTAGACTAGTGTTTAAACCGGACCGGGGGGGGGCTT-

AAGGGGGGGGGGG

SUBSTITUTE SHEET (RULE 20)

Figure 35b: List of oligonucleotides used for synthesis of modules (continued)

M41-MCS-rev: CTAGCCCCCCCCCCCCTTAAGCCCCCCCCGGTCCGGT-

TTAAACACTAGT

M41-fow: CTAGACTAGTGTTTAAACCGGACCGGGGGGGGGGCTTAA-

GGGGGGGGGG

M41-rev: CCCCCCTTAAGTGGGCTGCAAAACAAAACGGCCTCC-

TGTCAGGAAGCCGCTTTTATCGGGTAGCCTCACTGCCCGCTTTCC

M41-A2: GTTGTTGTGCCACGCGGTTAGGAATGTAATTCAGCTCCGC

M41-B1: AACCGCGTGGCACAACAAC

M41-B2: CTTCGTTCTACCATCGACACGACCACGCTGGCACCCAGTTG

M41-C1: GTGTCGATGGTAGAACGAAG

M41-CII: CCACAGCAATAGCATCCTGGTCATCCAGCGGATAGTT-

AATAATCAGCCCACTGACACGTTGCGCGAG

M41-DI: GACCAGGATGCTATTGCTGTGG

M41-DII: CAGCGCGATTTGCTGGTGGCCCAATGCGACCAGATGC

M41-EI: CACCAGCAAATCGCGCTG

M41-EII: CCCGGACTCGGTAATGGCACGCATTGCGCCCAGCGCC

M41-FI: GCCATTACCGAGTCCGGG


M42: synthesis

Eco-H5-Hind-fow: AATTCCACCATCACCATTGACGTCTA

Eco-H5-Hind-rev: AGCTTAGACGTCAATGGTGATGGTGG

SUBSTITUTE SHEET (RULE 26)
187 / 204

Figure 36: functional map and sequence of ß-lactamase-MCS module



SUBSTITUTE SMEET (RULE 28)

Figure 36: functional map and sequence of B-lactamase-MCS module (continued)

| ٠   |                              |                          |                                                | Styl                                           |                              |
|-----|------------------------------|--------------------------|------------------------------------------------|------------------------------------------------|------------------------------|
|     |                              |                          |                                                | \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \        |                              |
|     |                              |                          |                                                | Psp511                                         |                              |
| . • | •                            |                          |                                                | ? ? ? ? ? ?                                    |                              |
|     | MluI Bsu                     |                          |                                                | Ecool091                                       |                              |
|     | <br>HpaI                     | Bsteil                   | Msc.                                           |                                                | BsiWI NspV                   |
| 126 | CGCGTTAACC<br>GCGCAATTGG     | TCAGGTGACC<br>AGTCCACTGG | AAGCCCCTGG CCAAGGTCCC<br>TTCGGGGACC GGTTCCAGGG | AAGCCCCTGG CCAAGGTCCC<br>TTCGGGGACC GGTTCCAGGG | C GTACGTTCGA<br>G CATGCAAGCT |
|     |                              | PmlI                     |                                                |                                                |                              |
|     | NspVBsaBI                    |                          | į                                              | FseI                                           |                              |
| 176 | AGATTACCAT C<br>TCTAATGGTA G | CACGT                    | GGATC CGGTACCAGG<br>CCTAG GCCATGGTCC           | CCGGCCATTA                                     | TCAAAAAGGA<br>AGTTTTTCCT     |
| 226 | TCTCAAGAAG                   | ATCCTTTGAT               | CTTTTCTACG<br>GAAAAGATGC                       | GGGTCTGACG<br>CCCAGACTGC                       | CTCAGTGGAA<br>GAGTCACCTT     |
| 276 | CGAAAACTCA<br>GCTTTTGAGT     | CGTTAAGGGA               | TTTTGGTCAT<br>AAAACCAGTA                       | GAGATTATCA<br>CTCTAATAGT                       | AAAAGGATCT<br>TTTTCCTAGA     |

SUBSTITUTE SHEET (RULE 26) 189 / 204

Figure 36: functional map and sequence of B-lactamase-MCS module (continued)

| CTACAGGCAT<br>GATGTCCGTA  | GTTGCCATTG<br>CAACGGTAAC | GCGCAACGTT<br>CGCGTTGCAA | TTAATAGTTT<br>AATTATCAAA | AGTTCGCCAG               | 919 |
|---------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----|
| TAGAGTAAGT<br>ATCTCATTCA  | GCCGGGAAGC<br>CGGCCCTTCG | ATTAACTGTT<br>TAATTGACAA | CATCCAGTCT<br>GTAGGTCAGA | TATCCGCCTC               | 626 |
| CCTGCAACTT                | CAGAAGTGGT               | GGGCCGAGCG               | CCAGCCGGAA               | AATAAACCAG               | 576 |
| GGACGTTGAA                | GTCTTCACCA               | CCCGGCTCGC               | GGTCGGCCTT               | TTATTTGGTC               |     |
| ATTTATCAGC<br>TAAATAGTCG  | CCGGCTCCAG<br>GGCCGAGGTC | CCCACGCTCA<br>GGGTGCGAGT | TACCGCGAGA               | GCTGCAATGA<br>CGACGTTACT | 526 |
| TGGCCCCCAGT<br>ACCGGGGTCA | GCTTACCATC<br>CGAATGGTAG | ATACGGGAGG<br>TATGCCCTCC | GATAACTACG               | CCGTCGTGTA               | 476 |
| GCCTGACTCC                | ATCCATAGTT               | TATTTCGTTC               | GCGATCTGTC               | ACCTATCTCA               | 426 |
| CGGACTGAGG                | TAGGTATCAA               | ATAAAGCAAG               | CGCTAGACAG               | TGGATAGAGT               |     |
| TCAGTGAGGC                | CAATGCTTAA               | TGACAGTTAC               | AAACTTGGTC               | ATATATGAGT               | 376 |
| AGTCACTCCG                | GTTACGAATT               | ACTGTCAATG               | TTTGAACCAG               | TATATACTCA               |     |
| AATCTAAAGT                | GTTTTAAATC               | ТАААААТGАА               | CCTTTTAAAT               | TCACCTAGAT               | 326 |
| TTAGATTTCA                | CAAAATTTAG               | АТТТТТАСТТ               | GGAAAATTTA               | AGTGGATCTA               |     |

SUBSTITUTE SHEET (RULE 26)

Figure 36: functional map and sequence of B-lactamase-MCS module (continued)

| TTCATTCAGC TCCGGTTCCC<br>AAGTAAGTCG AGGCCAAGGG | TGTTGTGCAA AAAAGCGGTT<br>ACAACACGTT TTTTCGCCAA | AGTAAGTTGG CCGCAGTGTT<br>TCATTCAACC GGCGTCACAA | TTCTCTTACT GTCATGCCAT<br>AAGAGAATGA CAGTACGGTA | ACTCAACCAA GTCATTCTGA<br>TGAGTTGGTT CAGTAAGACT | TGCCCGGCGT CAATACGGGA<br>ACGGGCCGCA GTTATGCCCT | AGTGCTCATC ATTGGAAAAC<br>TCACGAGTAG TAACCTTTTG |  |
|------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|--|
| TTCA1                                          | TGTT(<br>ACAA(                                 | AGTA/<br>TCAT                                  | TTCT(<br>AAGA(                                 | ACTC                                           |                                                | ·                                              |  |
| TTGGTATGGC                                     | TGATCCCCCA                                     | CGTTGTCAGA<br>GCAACAGTCT                       | CACTGCATAA<br>GTGACGTATT                       | ACTGGTGAGT<br>TGACCACTCA                       | GAGTTGCTCT<br>CTCAACGAGA                       | GAACTTTAAA<br>CTTGAAATTT                       |  |
| CGCTCGTCGT                                     | GCGAGTTACA<br>CGCTCAATGT                       | GTCCTCCGAT                                     | GTTATGGCAG<br>CAATACCGTC                       | CTTTTCTGTG                                     | TGCGGCGACC<br>ACGCCGCTGG                       | CCACATAGCA<br>GGTGTATCGT                       |  |
| CGTGGTGTCA                                     | AACGATCAAG<br>TTGCTAGTTC                       | AGCTCCTTCG<br>TCGAGGAAGC                       | ATCACTCATG<br>TAGTGAGTAC                       | CCGTAAGATG                                     | GAATAGTGTA<br>CTTATCACAT                       | TAATACCGCG                                     |  |
| 726                                            | 176                                            | 826                                            | 876                                            | 926                                            | 976                                            | 1026                                           |  |

SUBSTITUTE SHEET (RULE 26)

Figure 36: functional map and sequence of  $\theta$ -lactamase-MCS module (continued)

| CTTTTACTTT<br>GAAAATGAAA           | GCCGCAAAAA<br>CGGCGTTTTT | CTTCCTTTTT<br>GAAGGAAAAA | GCGGATACAT<br>CGCCTATGTA | XhoI    | BssHI | ATGGCTCGAG<br>TACCGAGCTC |             |
|------------------------------------|--------------------------|--------------------------|--------------------------|---------|-------|--------------------------|-------------|
| TCTTCAGCAT<br>AGAAGTCGTA<br>Eco57I | AAGGCAAAAT<br>TTCCGTTTTA | TACTCATACT<br>ATGAGTATGA | TGTCTCATGA<br>ACAGAGTACT | }       | BbeI  | GGCGCCATTA               | ·           |
| ACCCAACTGA<br>TGGGTTGACT           | CAAAAACAGG               | AAATGTTGAA<br>TTTACAACTT | TCAGGGTTAT<br>AGTCCCAATA | PstI    | BssSI | ACGAGCTGCA<br>TGCTCGACGT | BspEI BsrGI |
| CCACTCGTGC<br>GGTGAGCACG<br>BSSSI  | TCTGGGTGAG<br>AGACCCACTC | GGCGACACGG<br>CCGCTGTGCC | GAAGCATTTA<br>CTTCGTAAAT | ·       | ,     | ACTCGGCCGC<br>TGAGCCGGCG |             |
| TCGATGTAAC<br>AGCTACATTG           | CACCAGCGTT<br>GTGGTCGCAA | AGGGAATAAG<br>TCCCTTATTC | СААТАТТАТТ<br>GTTATAATAA |         |       | ATTTGAATGT<br>TAAACTTACA | BssHII      |
| 1126                               | 1176                     | 1226                     | 1276                     | ·       |       | 1326                     |             |
|                                    |                          | SUBSTITU                 | JTE SHEET (              | RULE 26 | 5)    |                          |             |

CATGAAATT GTACTTTAA GCGAAACAGA AGGCCTACAT TCCGGATGTA Figure 36: functional map and sequence of 8-lactamase-MCS module (continued) BbsI CGCTTTGTCT CGCGCTTCAG Eco57I GCGCGAAGTC ~~~~~ 1376

SUBSTITUTE SHEET (RULE 26)
193 / 204

Figure 37: Oligo and primer design for Vκ CDR3 libraries

O\_K3L\_5 5'- G C C C T G C A A G C G G A A G A C Bbsl

E D

Vk1 & Vk3 5'- G C C C T G C A A G C G G A A G A C

Vk2 5'- G C C C T G C A A G C G G A A G A C E D

Vk4 5'- G C C C T G C A A G C G G A A G A C

SUBSTITUTE SHEET (RULE 25)
194 / 204

PCT/EP96/03647

Figure 37: Oligo and primer design for  $V\kappa$  CDR3 libraries

-3, 05 05

> Α C D E F G H CA I K M N P Q R S T Y 80% Q

SUBSTITUTE SHEET (RULE 26) 195 / 204

PCT/EP96/03647

Figure 37: Oligo and primer design for Vκ CDR3 libraries

G 3'- G G A

T A C C T

T T

| G |   |      |         |                |             |        |                                        |             |         |   |   |    |    |    |   |        | _  |   |
|---|---|------|---------|----------------|-------------|--------|----------------------------------------|-------------|---------|---|---|----|----|----|---|--------|----|---|
|   | G | C    | Т       | •••••          |             |        | •••••                                  | •••••       |         | G | С | ΤĬ |    |    |   | G      | C  | Τ |
|   |   |      |         |                |             |        | <u></u>                                |             |         |   |   |    |    |    |   |        |    |   |
| : | G | Α    | T       | G              | Α           | T      | G                                      | Α           | 1       | G | Α |    |    |    |   | G      | Α  |   |
|   | G | Α    | G       |                |             |        |                                        |             |         | G |   | G  |    |    |   | G      | Α  | G |
|   | T | T    | T       | ••••••         | •••••••     |        | ••••                                   |             |         | T | T | Τ  |    |    |   | T      | Ţ. | T |
|   | G | G    | Τ       | G              | G           | T      | G                                      | G           | Τ       | G | G | Τ  |    |    |   | G      | G  | Τ |
|   | С | Α    | Τ       | •••••          | *********   | •••••  |                                        |             |         | С | Α | Τ  |    |    |   |        | Α  | Τ |
|   | Α | T    | Τ       |                | •••••       |        |                                        |             |         | Α | T | T  |    |    |   | Α      |    | Τ |
|   | Α | Α    | G       |                | *********   | •••••  |                                        |             | ••••    | Α | Α | G  |    |    |   |        | Α  |   |
|   | С | T    | T       |                |             | •••••  | ······································ | *********** | •••••   | С | T | Τ  |    |    |   | С      |    | T |
|   |   | T    |         |                | •••••       |        |                                        |             |         | Α |   | G  |    |    |   | A<br>A | T  | G |
|   | Α | Α    | T       | A <sup>.</sup> | Α           | T      | Α                                      | Α           | T       | Α |   | Τ  |    |    |   |        |    | Τ |
|   |   |      | ******* |                | ••••••      | •••••  |                                        | ••••••      |         | С | C | T  | C  | C  | T | С      | С  | Τ |
|   | С | Α    | G       |                | <del></del> | •••••  |                                        | ••••••      |         | : | Α |    |    |    |   | С      | Α  | G |
|   | C | G    | T       |                | •••••••     |        |                                        |             | ••••••• | С | G | Τ  |    |    |   | С      |    | Τ |
|   | T | С    | Τ       | T              | С           | T      | Τ                                      | С           | T       | T | С | T  | T  | C  | T | Τ      |    | Τ |
|   | Α | С    | T       |                | ••••••      | •••••  |                                        | ••••••      | ••••••  | Α | C | T  |    |    |   | Α      | С  | Τ |
|   | G | T    | T       |                |             | •••••  |                                        |             | •••••   | G | T | T  |    |    |   | G      | T  | Τ |
|   | T | G    | G       |                |             | •••••• |                                        | ******      | •••••   | Τ | G | G  |    |    |   | Τ      | G  | G |
|   | T | Α    | T       | Τ              | Α           | T      |                                        |             | •••••   | Τ | Α | T  |    |    |   | T      | Α  | T |
|   | 5 | U3/C | Ϋ́      | 1              | •••••••     | ••••   |                                        |             | •••••   |   |   |    | 80 | )% | P |        |    |   |

SUBSTITUTE SHEET (AULE 26) 196 / 204

Figure 37: Oligo and primer design for Vk CDR3 libraries


SUBSTITUTE SHEET (RULE 26)

Figure 38: Oligo and primer design for VA CDR3 libraries

SUBSTITUTE SHEET (RULE 26) 198 / 204

PCT/EP96/03647

Figure 38: Oligo and primer design for Vλ CDR3 libraries



SUBSTITUTE SHEET (RULE 28) 199 / 204

PCT/EP96/03647

Figure 38: Oligo and primer design for VA CDR3 libraries





Figure 38: Oligo and primer design for VA CDR3 libraries

SUBSTITUTE SHEET (RULE 26)
201 / 204



SUBSTITUTE SHEET (RULE 25) 202 / 204

Figure 40: Expression data for HuCAL scFvs (pBS13, 30°C)

|           |          |               |          | •     | •   | (   | ,   |
|-----------|----------|---------------|----------|-------|-----|-----|-----|
| % coluble | <u>~</u> | Z             | $\Sigma$ | Υ4    | -   | 77  | 73  |
| U1A       | 610/0    | 58%           | 52%      | 42%   | %06 | 61% | %09 |
| ¥ = = =   | 300%     | 480%          | 66%      | 48%   | 47% | 39% | 36% |
| a :-      | 0/100    | 570%          | 46%      | 49%   | 37% | 36% | 45% |
| 7H        | 0/2/4    | 57.75<br>670% | 76%      | 61%   | 80% | 71% | 83% |
| H3        | 0.000    | 520%          | 51%      | 44%   | 45% | 33% | 42% |
| 4 T       | 7000     | 490%          | 46%      | 9/0/9 | 54% | 46% | 47% |
| H 2       | %06<br>6 | 58%           | 54%      | 47%   | 45% | 20% | 51% |
| 2         | 2        |               |          |       |     |     |     |

| Total amount     | Κ1   | $\mathcal{Z}$ | <del>K</del> 3 | 4Х   | λ1   | γ2   | λ3    |
|------------------|------|---------------|----------------|------|------|------|-------|
| compared to H3K2 |      |               |                |      |      | , 00 | 1001  |
| HIA              | 789% | 94%           | 166%           | 272% | 20%  | 150% | 0/08/ |
| H18              | 719% | 122%          | 89%            | 139% | 117% | 158% | 101%  |
| H2               | 186% | 223%          | 208%           | 182% | 126% | %09  | 92%   |
| 711<br>H3        | 50%  |               | 71%            | 54%  | 59%  | 130% | 47%   |
| CH H             | 37%  | 55%           | %09            | 77%  | 195% | 107% | 251%  |
| H H              | %86  | 201%          | 167%           | 83%  | 93%  | 128% | 115%  |
| 9 4              | 65%  | 117%          | 89%            | 109% | 299% | 215% | 278%  |

SUBSTITUTE SHEET (RULE 26) 203 / 204

Figure 40: Expression data for HuCAL scFvs (pBS13, 30°C)

| Soluble amount   | ;        | ,          | · (; |      | 7.1   | 7.0  | 12    |
|------------------|----------|------------|------|------|-------|------|-------|
| compared to H3K2 | <u>-</u> | <b>Z</b> . | S    | 7    | ₹     | 77   | 3     |
| H1A              | 191%     | 88%        | 121% | 122% | 26%   | 211% | 0/09/ |
| H18              | 124%     | 95%        | 83%  | 107% | 29%   | 142% | 29%   |
| H2               | 126%     | 204%       | 139% | 130% | 0/099 | 20%  | 0/00/ |
| H3               | 63%      | ı          | 81%  | 49%  | %69   | 143% | 61%   |
| H4               | 40%      | 47%        | 49%  | 54%  | 95%   | 55%  | 125%  |
| H5               | %69      | 158%       | 116% | 80%  | 72%   | 84%  | 84%   |
| 9H               | 85%      | 122%       | 87%  | 17%  | 162%  | 162% | 212%  |
|                  | McPC     |            |      |      |       |      |       |
| soluble          | 38%      |            |      |      |       |      |       |
| %H3k2 total      | 117%     |            |      |      |       |      |       |
| %H3k2 soluble    | %69      |            |      |      |       |      |       |

SUBSTITUTE SHEET (RULE 26)
204 / 204

Inv onal Application No PCT/EP 96/03647

a. CLASSIFICATION OF SUBJECT MATTER IPC 6 C12N15/13 C12N15/10 C12N15/70 C12N1/21 C12N15/62 C07K1/04 G01N33/53 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 6 C12N CO7K GO1N Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Citation of document, with indication, where appropriate, of the relevant passages 1-55 EP 0 368 684 A (MEDICAL RES COUNCIL) 16 A May 1990 cited in the application see the whole document 1-55 EUROPEAN J. IMMUNOLOGY, A vol. 23, July 1993, VCH VERLAGSGESELLSCHAFT MBH, WEINHEIM, BRD, pages 1456-1461, XP000616572 S.C. WILLIAMS AND G. WINTER: sequencing of human immunoglobulin V-lambda gene segments" cited in the application see the whole document Patent family members are listed in annex. Х Further documents are listed in the continuation of box C. later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or in the art. document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of mailing of the international search report Date of the actual completion of the international search .1 1. 02. 97 30 January 1997 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Hornig, H Fax: (+31.70) 340-3016

Form PCT/ISA/218 (second sheet) (July 1992)

1

fr utonal Application No PCT/EP 96/03647

| <u> </u>  | AUDION DOCUMENTS CONSIDERED TO BE RELEVANT                                                                                                                                                                                                                                       | Relevant to claim No. |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| ategory * | Citation of document, with indication, where appropriate, of the relevant passages                                                                                                                                                                                               | 10,000                |
| A         | PROC. NATL.ACAD SCI., vol. 89, May 1992, NATL. ACAD SCI.,WASHINGTON,DC,US;, pages 4457-4461, XP002024223 C. F. BARBAS III ET AL.: "Semisynthetic combinatorial antibody libraries: a chemical solution to the diversity problem" cited in the application see the whole document | 1-55                  |
| <b>A</b>  | PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, vol. 89, no. 21, 1 November 1992, pages 10026-10030, XP000322464 COLLET T A ET AL: "A BINARY PLASMID SYSTEM FOR SHUFFLING COMBINATORIAL ANTIBODY LIBRARIES" see the whole document                                       | 1-55                  |
| A         | PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, vol. 89, no. 8, 15 April 1992, pages 3576-3580, XP000384398 GRAM H ET AL: "IN VITRO SELECTION AND AFFINITY MATURATION OF ANTIBODIES FROM A NAIVE COMBINATORIAL IMMUNOGLOBULIN LIBRARY" see the whole document            | 1-55                  |
| A         | PROTEIN ENGINEERING, vol. 8, no. 1, 1 January 1995, pages 81-89, XP000500393 KNAPPIK A ET AL: "ENGINEERED TURNS OF RECOMBINANT ANTIBODY IMPROVE ITS IN VIVO FOLDING" cited in the application see the whole document                                                             | 1-55                  |
| A         | ANNUAL REVIEW OF IMMUNOLOGY, vol. 12, 1 January 1994, pages 433-455, XP000564245 WINTER G ET AL: "MAKING ANTIBODIES BY PHAGE DISPLAY TECHNOLOGY" cited in the application see the whole document                                                                                 | 1-55                  |
| А         | JOURNAL OF MOLECULAR BIOLOGY, vol. 224, no. 2, 1 January 1992, pages 487-499, XP000564649 FOOTE J ET AL: "ANTIBODY FRAMEWORK RESIDUES AFFECTING THE CONFORMATION OF THE HYPERCARIABLE LOOPS" cited in the application see the whole document                                     | 1-55                  |

1

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

int ional Application No PCT/EP 96/03647

|            |                                                                                                                                                                                                                                                                                                                                                                       | PC1/EP 96/0364/        |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
|            | auon) DOCUMENTS CONSIDERED TO BE RELEVANT                                                                                                                                                                                                                                                                                                                             | Relevant to claim No.  |
| Category * | Citation of document, with indication, where appropriate, of the relevant passages                                                                                                                                                                                                                                                                                    | Relevant to claim .vo. |
| A          | NUCLEIC ACIDS RESEARCH, vol. 21, no. 9, 11 May 1993, page 2265/2266 XP000575849 WATERHOUSE P ET AL: "COMBINATORIAL INFECTION AND IN VIVO RECOMBINATION: A STRATEGY FOR MAKING LARGE PHAGE ANTIBODY REPERTOIRES" see the whole document                                                                                                                                | 1-55                   |
| A          | WO 95 11998 A (UNITED BIOMEDICAL INC) 4<br>May 1995<br>see the whole document                                                                                                                                                                                                                                                                                         | 1-55                   |
| A          | ANNALES DE BIOLOGIE CLINIQUE, vol. 49, no. 4, April 1991, PARIS, FR, pages 231-242, XP000407361 R.H. MELOEN ET AL.: "The use of peptides to reconstruct conformational determinants" see page 231, right-hand column, paragraph 2 - page 233, right-hand column, line 4                                                                                               | 1-55                   |
| Α .        | CHEMICAL ABSTRACTS, vol. 122, no. 3, 16 January 1995 Columbus, Ohio, US; abstract no. 24865z, COX, JONATHAN P. L. ET AL: "A directory of human germ-line V.kappa. segments reveals a strong bias in their usage" page 227; column l; XP002024224 cited in the application see abstract & EUR. J. IMMUNOL. (1994), 24(4), 827-36 CODEN: EJIMAF; ISSN: 0014-2980, 1994, | 1-55                   |
|            |                                                                                                                                                                                                                                                                                                                                                                       |                        |
|            |                                                                                                                                                                                                                                                                                                                                                                       |                        |
|            |                                                                                                                                                                                                                                                                                                                                                                       |                        |
|            |                                                                                                                                                                                                                                                                                                                                                                       |                        |
|            |                                                                                                                                                                                                                                                                                                                                                                       |                        |

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

information on patent family members

int onal Application No PCT/EP 96/03647

| Patent document cited in search report | Publication date |       | family<br>ber(s) | Publication<br>date |  |  |
|----------------------------------------|------------------|-------|------------------|---------------------|--|--|
| EP-A-0368684                           | 16-05-90         | AU-B- | 634186           | 18-02-93            |  |  |
|                                        |                  | AU-A- | 4520189          | 28-05-90            |  |  |
| •                                      | •                | CA-A- | 2002868          | 11-05-90            |  |  |
|                                        | •                | DE-D- | 68913658         | 14-04-94            |  |  |
|                                        |                  | DE-T- | 68913658         | 08-09-94            |  |  |
|                                        |                  | ES-T- | 2052027          | 01-07-94            |  |  |
|                                        |                  | WO-A- | 9005144          | 17-05-90            |  |  |
|                                        |                  | JP-T- | 3502801          | 27-06-91            |  |  |
| W0-A-9511998                           | 04-05-95         | AU-A- | 8091694          | 22-05-95            |  |  |
|                                        | •                | EP-A- | 0725838          | 14-08-96            |  |  |

The state of the state of the state of the

THIS PAGE BLANK (USPTO)

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

| Defects in the images include but are not limited to the items checked: |
|-------------------------------------------------------------------------|
| ☐ BLACK BORDERS                                                         |
| ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES                                 |
| ☐ FADED TEXT OR DRAWING                                                 |
| BLURRED OR ILLEGIBLE TEXT OR DRAWING                                    |
| ☐ SKEWED/SLANTED IMAGES                                                 |
| ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS                                  |
| ☐ GRAY SCALE DOCUMENTS                                                  |
| LINES OR MARKS ON ORIGINAL DOCUMENT                                     |
| ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY                 |
|                                                                         |

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)